

E26 92R-018026



ECE Type-Approval Certificate
for non-original motorcycle exhaust

Approval No.:	E26 92R-018026
Issued by:	SLOVENIAN TRAFIC SAFETY AGENCY Vehicle department
Place & date of type-approval:	LJUBLJANA, 02.07.2015
Report No.:	15-00080-CM-GBM-00
Issued by:	TÜV SÜD Auto Service GmbH
Date of issue:	19.06.2015
Approval identification:	E26 92R-018026

Technical data of exhaust system

Type and version of exhaust: M-HAF005, M-HAF005 DISS, M-HAF005 DIT, M-HAF005 03SS, M-HAF005 03T, M-HAF005 06SS, M-HAF005 06T.

Marking: Engraved by laser / plate fixed with rivets

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts, dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.	
Thai HONDA Co. Ltd. / HONDA	CB 650F	RC75 (e13*0678*)	RC74E	Header pipes	-	H-HR12	
		RC74 (e13*0677*)	RC74E	Collector	-	L-HBR12	
	CBR 650F				Catalytic converter	ø 62 x 65	P-KAT-028, ø24*0150*(5)
					Catalytic converter	ø 62 x 65	P-KAT-039, ø26*1063*(5)
					Catalytic converter	ø 62 x 65	P-KAT-040, ø26*1069*(5)
					Silencer	Oval 339,8 x 195 Length with end caps 467,3	M-HAF005 ø26*8026*(9), E26 92R-018026

To be filled out by Akrapovič representative:

Date of purchase:

Issued by:

Stamp & signature:

Muffler repack kit service intervals

The durability of the damping material depends on the type of motorcycle, riding style, mileage etc. Normally, single and twin cylinder engines produce a stronger exhaust gas wave pulse and a higher temperature. Often, riding on a race track requires noise control. The insulating material should be replaced when you notice any visual changes on the muffler sleeve material or when the muffler exceeds the noise limit. Please check the muffler visually before every season.

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Maintenance

1. Clean the titanium muffler outer sleeves with a multi-purpose spray lubricant (WD-40 or equivalent) and carbon-fiber outer sleeves with soft and dry cloth. Do not use aggressive chemical cleaners, because they can damage the sticker. A change in the color of the exhaust system is normal due to the high temperatures.

2. The wearing out of the muffler silencing material depends on the type of the motor and riding style. Contact your dealer/serviceman if visible changes appear on muffler's outer sleeve or the noise level is increased.

3. Periodically make sure all the bolts are sufficiently tight.

Exclusion of Certain Liability

1. The manufacturer, importer or dealer shall not be liable for any incidental damage including personal injury or any other damages caused by improper installation or operation of the Akrapovič exhaust system. When installing the Akrapovič exhaust system be careful that the exhaust system does not touch other parts sensitive to high temperature.

2. Akrapovič makes no representation or warranties with regard to damage caused by the improper installation, use and maintenance of the Akrapovič exhaust system. The warranty is limited to defects recognized by our technical department and to normal use, and excludes items subject to normal wear (gaskets and damping wool). The guarantee is void in case of accident, modification, improper or competition use.

3. Do not attempt to install the Akrapovič exhaust system on a motorcycle for which it was not made or tested by Akrapovič.

4. When the exhaust system gets very hot during operation, be careful not to burn yourself on the exhaust system or parts which are in direct contact with it, even when the motor is not running. Also protect other people, especially children, from the injuries mentioned above.

5. In some cases Akrapovič exhaust system kits contain chemical products (ceramic anti-seizing grease). Handle with care, do not inhale or swallow. Avoid excessive contact with skin, eyes or mucous membranes. Keep out of the reach of children.

6. Technical specifications of Akrapovič exhaust systems and related products subject to change without notice.



EC Type-Approval Certificate

for non-original motorcycle exhaust

Approval No.: e26*97/24*2013/60/9/III*8026*00

Issued by: SLOVENIAN TRAFIC SAFETY AGENCY
Vehicle department

Place & date of type-approval: LJUBLJANA, 02.07.2015

Report No.: 15-00079-CM-GBM-00

Issued by: TÜV SÜD Auto Service GmbH

Date of issue: 18.06.2015

Approval identification: e26 8026 (9)

Technical data of exhaust system

Type and version of exhaust: M-HAF005, M-HAF005 01SS, M-HAF005 01T, M-HAF005 03SS, M-HAF005 03T, M-HAF005 06SS, M-HAF005 06T.

Marking: Engraved by laser / plate fixed with rivets

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts, dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.
Thai HONDA Co. Ltd. / HONDA	CB 650F	RC75 (e13*0678*)	RC74E	Header pipes	-	H-HR12
	CBR 650F	RC74 (e13*0677*)	RC74E	Collector	-	L-H6R12
				Catalytic converter	ø 62 x 65	P-KAT-028, e24*0150*(5)
				Catalytic converter	ø 62 x 65	P-KAT-039, e26*1063*(5)
				Catalytic converter	ø 62 x 65	P-KAT-040, e26*1069*(5)
				Silencer	Oval 339,8 x 195 Length with end caps 467,3	M-HAF005 e26*8026*(9), E26 92R-01 8026

To be filled out by Akrapovič representative:

Date of purchase:

Issued by:

Stamp & signature:

Muffler repack kit service intervals

The durability of the damping material depends on the type of motorcycle, riding style, mileage etc. Normally, single and twin cylinder engines produce a stronger exhaust gas wave pulse and a higher temperature. Often, riding on a race track requires noise control. The insulating material should be replaced when you notice any visual changes on the muffler sleeve material or when the muffler exceeds the noise limit. Please check the muffler visually before every season.

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Maintenance

1. Clean the titanium muffler outer sleeves with a multi-purpose spray lubricant (WD-40 or equivalent) and carbon-fiber outer sleeves with soft and dry cloth. Do not use aggressive chemical cleaners, because they can damage the sticker. A change in the color of the exhaust system is normal due to the high temperatures.

2. The wearing out of the muffler silencing material depends on the type of the motor and riding style. Contact your dealer/serviceman if visible changes appear on muffler's outer sleeve or the noise level is increased.

3. Periodically make sure all the bolts are sufficiently tight.

Exclusion of Certain Liability

1. The manufacturer, importer or dealer shall not be liable for any incidental damage including personal injury or any other damages caused by improper installation or operation of the Akrapovič exhaust system. When installing the Akrapovič exhaust system be careful that the exhaust system does not touch other parts sensitive to high temperature.

2. Akrapovič makes no representation or warranties with regard to damage caused by the improper installation, use and maintenance of the Akrapovič exhaust system. The warranty is limited to defects recognized by our technical department and to normal use, and excludes items subject to normal wear (gaskets and damping wool). The guarantee is void in case of accident, modification, improper or competition use.

3. Do not attempt to install the Akrapovič exhaust system on a motorcycle for which it was not made or tested by Akrapovič.

4. When the exhaust system gets very hot during operation, be careful not to burn yourself on the exhaust system or parts which are in direct contact with it, even when the motor is not running. Also protect other people, especially children, from the injuries mentioned above.

5. In some cases Akrapovič exhaust system kits contain chemical products (ceramic anti-seizing grease). Handle with care, do not inhale or swallow. Avoid excessive contact with skin, eyes or mucous membranes. Keep out of the reach of children.

6. Technical specifications of Akrapovič exhaust systems and related products subject to change without notice.



EC Type-Approval Certificate

for non-original motorcycle exhaust system

Approval No.: e26*97/24*2013/60/5/VII*1063*00

Issued by: SLOVENIAN TRAFIC SAFETY AGENCY
Vehicle department

Place & date of type-approval: Ljubljana, 26.05.2015

Report No.: 15-00073-CM-GBM-00

Issued by: TÜV SÜD Auto Service GmbH

Date of issue: 13.05.2015

Approval identification: e26 1063 (5)

Type and version of exhaust: P-KAT-039.

Marking: Engraved by laser

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts, dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.
YAMAHA Motor Espana S.A. / YAMAHA	X-MAX 250 / YP 250 R	SG16 (e9*0039*)	G344E / G362E	Header pipes	Original parts	
	X-MAX 250 / YP 250 R	SG22 (e9*0362*)	G389E / G3A7E	Header pipes		H-xxx
	X-MAX 125 / YP 125 R	SE32 (e9*0052*)	E384E	Collector		H-xxx
	X-MAX 125 / YP 125 R	SE54 (e9*0395*)	E362E	Link pipe		C-xxx
YAMAHA Mot.Co.LTD./Yamaha M.B.K. Industrie (F) / YAMAHA	Majesty 400 / YP 400	SH05 (e13*0143*)	H322E	Link pipe with Catalytic converter	ø 62 x 65	P-KAT-039, e26*1063*(5)
	X-CITY 250 / YP 250	SG19 (e13*0190*)	G358E	Catalytic converter	ø 62 x 65	P-KAT-039, e26*1063*(5)
	X-CITY 125	SE43 (e13*0203*)	E3A5E	Silencer	Hexagonal 110 x 140	M-HR026, e24*0142*(9)
	X-MAX 250 / YP 250 R	SG25 (e13*0494*)	G389E / G3A7E	Outlet pipe ø 28	Length without end caps 350	
	X-MAX 250 / YP 250 R	SG26 (e13*0680*)	G383E	Silencer	Hexagonal 110 x 140	M-HR027, e24*0148*(9)
	X-MAX 125 / YP 125 R	SE64 (e13*0501*)	E362E	Outlet pipe ø 22	Length without end caps 350	
	X-MAX 125 / YP 125 R	SE68 (e13*0654*)	E3M1E	Silencer	Hexagonal conical 128 x 170	M-HZA002, e24*0149*(9)
	X-MAX 400 / YP 400 R	SH07 (e13*0627*)	H330E	Outlet pipes 2 x ø 22	Length without end caps 400	
M.B.K. Industrie (F) / MBK	Skycruiser 125	SE64 (e13*0501*)	E362E	Silencer	Hexagonal 131.8 x 171.8	M-HAA005, e24*0227*(9)
	Skycruiser 125	SE68 (e13*0654*)	E3M1E	Outlet pipes 2 x ø 22	Length without end caps 380	
	Skycruiser 250	SG25 (e13*0494*)	G389E / G3A7E	Silencer	Conical max. ø 127	M-HB80005, e24*0238*(9)
	Skycruiser 250	SG26 (e13*0680*)	G383E	Outlet pipe ø 35	Length without end caps 470	
	Cityliner 125	SE43 (e13*0203*)	E3A5E	Silencer	Hexagonal 187 x 117	M-HAF002, e24*0240*(9)
	MBK Evolis 400	SH07 (e13*0627*)	H330E	3 Outlet pipes ø 22	Length without end caps 195	M-HR041, e24*0242*(9)
YAMAHA Motor Espana S.A. / MBK	Skycruiser 125	SE32 (e9*0052*)	E384E	Silencer	Hexagonal 113 x 143	E26 92R-DH07
	Skycruiser 125	SE54 (e9*0395*)	E362E	Outlet pipe ø 22	Length without end caps 350	M-HAF003, e26*8004*(9)
	Skycruiser 250	SG22 (e9*0362*)	G389E / G3A7E	Silencer	Oval 126 x 231	E26 92R-D08004
PIAGGIO & C.S.p.A. / PIAGGIO	Vespa GTS 300i		M454M		Length with end caps 440	
	Vespa GTS 300 Super		M454M	Resonator	Oval 123.2 x 163.8	M-HCUB001 (R-YGR1Y)
	Vespa GTV 300	M45	M454M		Length without end caps 195	e26*8010*(9), E26 92R-D08010
	Vespa GTS 250i	(e3*0306*)	M451M	Silencer	Conical max. ø 99.3	M-HCUB001
	Vespa GTV 250i		M451M	Outlet pipe ø 38	Length without end caps 250	e26*8010*(9), E26 92R-D08010
	Vespa GTS 125i		M455M	Silencer	Hexagonal 187x117	M-HAF005
	Beverly 300i	M69	M692M		Length without end caps 195	e26*8026*(9), E26 92R-D18026
	Beverly 125i	(e3*0570*)	M691M	4 Outlet pipes ø 18		
	Beverly 350i		M693M / M694M			
	BEVERLY 500	M32 (e11*0067*)	M321M			
	BEVERLY 500		M343M			
			M344M			
	BEVERLY 400	M34 (e11*0395*)	M345M			
			M349M			
	MP-3 400 LT		M474M			
	MP-3 500 LT		M611M			
	MP-3 250 LT	M64 (e11*0794)	M632M			
	MP-3 300 LT		M633M			
	MP-3 300 LT		M634M			
	MP-3 300 LT Hybrid	M72 (e3*0572*)	M652M			
	MP-3 300 Yourban LT	M75 (e3*0578*)	M712M			
	MP-3 125 (X2)	M47	M473M			
	MP-3 250 (X2)	(e11*0483*)	M472M			
MP-3 125		M631M				
MP-3 250	M63	M632M				
MP-3 300	(e11*0761*)	M633M				
MP-3 300		M634M				

Type and version of exhaust: P-KAT-039.

Marking: Engraved by laser

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.	
PIAGGIO & C.S.p.A. / PIAGGIO	MP-3 125 Hybrid	M65 (e3*0555*)	M65M				
	MP-3 125 Yourban	M71	M71M				
	MP-3 300 Yourban	(e3*0577*)	M712M				
	MP-3 400	M59 (e11*0602*)	M474M				
	MP-3 500	M61 (e11*0601*)	M61M				
	X8 400	M52 (e11*0423*)	M521M				
	Xevo 400	M52 (e11*0423*)	M521M				
	X9 500 Evolution	M27 (e11*0038*06)	M271M				
	Carnaby 125		M28FM				
	Carnaby 200	M60	M601M				
	Carnaby 250	(e3*0458*)	M603M				
	Carnaby Cruiser 300		M604M				
	X10 125	M76	M761M				
	X10 350	(e3*0588*)	M762M				
	X10 500		M763M				
PEUGEOT	Satelis 400	J2	M564M				
	Satelis 500	(e2*0017*)	M563M				
PIAGGIO & C.S.p.A. / GILERA	Fuoco 500	M61 (e11*0601*)	M61M				
	Nexus 500	M35 (e3*0402*)	M352M				
	Nexus 250	M35 (e3*0402*01)	M353M				
	Nexus 125	M35 (e3*0402*03)	M357M				
	Nexus 300	M35 (e3*0402*05)	M356M				
	Runner 125	M46	M461M / M463M				
Runner 200	(e3*0338*)	M462M / M464M					
HONDA (I)	SH 300i	NF02 (e3*0447*)	NF02E				
	SH 125i	JF14 (e3*0208*)	JF14E				
	SH 125i	JF23 (e4*2115*)	JF14E				
	SH 150i	KF08 (e3*0297*)	KF08E				
	PS 125i	JF17 (e3*0400*)	JF14E				
	PS 150i	KF09 (e3*0401*)	KF08E				
	PCX 125	JF47 (e13*0585*)	JF47E				
	PCX 125	JF57 (e4*3061*)	JF57E				
	PCX 150	KF15 (e13*0588*)	KF15E				
	PCX 150	KF19 (e4*3063*)	KF19E				
	SH 125	JF41 (e4*2896*)	JF41E				
	SH 150	KF13 (e4*2897*)	KF13E				
	THAI HONDA Co. Ltd. / HONDA	CBR 250 R	MC41 (e13*0457*)	MC41E			
		CBR 125 R	JG50 (e13*0445*)	JG50E			
PCX 125		JF28 (e13*0373*)	JF28E				
PCX 150		KF12 (e13*0548*)	KF12E				
CBR 650 F		RC74 (e13*0677*)	RC74E				
CB 650 F		RC75 (e13*0678*)	RC74E				
HONDA (V)	PCX 125	JF56 (e4*3060*)	JF56E				
	PCX 150	KF18 (e4*3062*)	KF18E				
PIAGGIO & C.S.p.A. / APRILIA	Sportcity 125 ONE / CUBE	VB (e11*0118*)	M281M				
	Sportcity 200 CUBE		M287M				
	Sportcity 250 CUBE		M282M				
	Sportcity 300 CUBE		M288M				
	SR Max 125	M35	M357M				
	SR Max 300	(e3*0402*08)	M356M				
	SR Max 500		M352M				
SR Max 250	M35 (e3*0402*09)	M354M					
Nacional Motor S.A.U. / DERBI	GPI 250	PT (e9*0071*)	M237M				
	Rambla 125	RA	M287M				
	Rambla 250	(e9*0267*)	M288M				
	Rambla 300		M281M				
YAMAHA Motor Co. Ltd. / YAMAHA	XV 950 / R Bolt	VND3 (e13*0640*)	N604E				
	MT-09	RN29 (e13*0643*)	N701E				
	MT-07	RWD4 (e13*0660*)	M401E				

To be filled out by Akrapovič representative:

Date of purchase:

Issued by:

Stamp & signature:

Muffler repack kit service intervals

The durability of the damping material depends on the type of motorcycle, riding style, mileage etc. Normally, single and twin cylinder engines produce a stronger exhaust gas wave pulse and a higher temperature. Often, riding on a race track requires noise control. The insulating material should be replaced when you notice any visual changes on the muffler sleeve material or when the muffler exceeds the noise limit. Please check the muffler visually before every season.

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Maintenance

1. Clean the titanium muffler outer sleeves with a multi-purpose spray lubricant (WD-40 or equivalent) and carbon-fiber outer sleeves with soft and dry cloth. Do not use aggressive chemical cleaners, because they can damage the sticker. A change in the color of the exhaust system is normal due to the high temperatures.

2. The wearing out of the muffler silencing material depends on the type of the motor and riding style. Contact your dealer/serviceman if visible changes appear on muffler's outer sleeve or the noise level is increased.

3. Periodically make sure all the bolts are sufficiently tight.

Exclusion of Certain Liability

1. The manufacturer, importer or dealer shall not be liable for any incidental damage including personal injury or any other damages caused by improper installation or operation of the Akrapovič exhaust system. When installing the Akrapovič exhaust system be careful that the exhaust system does not touch other parts sensitive to high temperature.

2. Akrapovič makes no representation or warranties with regard to damage caused by the improper installation, use and maintenance of the Akrapovič exhaust system. The warranty is limited to defects recognized by our technical department and to normal use, and excludes items subject to normal wear (gaskets and damping wool). The guarantee is void in case of accident, modification, improper or competition use.

3. Do not attempt to install the Akrapovič exhaust system on a motorcycle for which it was not made or tested by Akrapovič.

4. When the exhaust system gets very hot during operation, be careful not to burn yourself on the exhaust system or parts which are in direct contact with it, even when the motor is not running. Also protect other people, especially children, from the injuries mentioned above.

5. In some cases Akrapovič exhaust system kits contain chemical products (ceramic anti-seizing grease). Handle with care, do not inhale or swallow. Avoid excessive contact with skin, eyes or mucous membranes. Keep out of the reach of children.

6. Technical specifications of Akrapovič exhaust systems and related products subject to change without notice.



EC Type-Approval Certificate

for non-original motorcycle exhaust system

Approval No.: e26*97/24*2013/60/5/VII*1069*00

Issued by: SLOVENIAN TRAFIC SAFETY AGENCY
Vehicle department

Place & date of type-approval: Ljubljana, 04.03.2015

Report No.: 15-00022-CM-GBM-00

Issued by: TÜV SÜD Auto Service GmbH

Date of issue: 19.2.2015

Approval identification: e26 1069 (5)

Type and version of exhaust: P-KAT-040.

Marking: Engraved by laser

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts, dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.
YAMAHA Motor Espana S.A. / YAMAHA	X-MAX 250 / YP 250 R	SG16 (e9*0039*)	G344E / G362E	Header pipes	Original part	
	X-MAX 250 / YP 250 R	SG22 (e9*0362*)	G389E / G3A7E	Header pipes		H-xxx
	X-MAX 125 / YP 125 R	SE32 (e9*0052*)	E384E	Collector		H-xxx
	X-MAX 125 / YP 125 R	SE54 (e9*0395*)	E382E	Link pipe		C-xxx
YAMAHA Mot.Co.LTD./Yamaha M.B.K. Industrie (F) / YAMAHA	Majesty 400 / YP 400	SH05 (e13*0143*)	H322E	Link pipe with catalytic converter	ø 62 x 65	P-KAT-040, e26*1069*(5)
	X-CITY 250 / YP 250	SG19 (e13*0190*)	G358E	Catalytic converter	ø 62 x 65	P-KAT-040, e26*1069*(5)
	X-CITY 125	SE43 (e13*0203*)	E3A5E	Silencer	Hexagonal 110 x 140	M-HR026, e24*0142*(9)
	X-MAX 250 / YP 250 R	SG25 (e13*0494*)	G389E / G3A7E	Outlet pipe ø 28	Length without end caps 350	
	X-MAX 250 / YP 250 R	SG26 (e13*0680*)	G383E	Silencer	Hexagonal 110 x 140	M-HR027, e24*0148*(9)
	X-MAX 125 / YP 125 R	SE64 (e13*0501*)	E362E	Outlet pipe ø 22	Length without end caps 350	
	X-MAX 125 / YP 125 R	SE68 (e13*0654*)	E3M1E	Silencer	Hexagonal conical 128 x 170	M-HZA002, e24*0149*(9)
	X-MAX 400 / YP 400 R	SH07 (e13*0627*)	H330E	Outlet pipes 2 x ø 22	Length without end caps 400	
M.B.K. Industrie (F) / MBK	Skycruiser 125	SE64 (e13*0501*)	E362E	Silencer	Hexagonal 131.8 x 171.8	M-HAA005, e24*0227*(9)
	Skycruiser 125	SE68 (e13*0654*)	E3M1E	Outlet pipes 2 x ø 22	Length without end caps 380	
	Skycruiser 250	SG25 (e13*0494*)	G389E / G3A7E	Silencer	Conical max. ø 127	M-HB80005, e24*0238*(9)
	Skycruiser 250	SG26 (e13*0680*)	G383E	Outlet pipe ø 35	Length without end caps 470	
	Cityliner 125	SE43 (e13*0203*)	E3A5E	Silencer	Hexagonal 187 x 117	M-HAF002, e24*0240*(9)
	MBK Evolis 400	SH07 (e13*0627*)	H330E	3 outlet pipes ø 22	Length without end caps 195	M-HR041, e24*0242*(9)
				Silencer	Hexagonal 113 x 143	E26 92R 01 1107
YAMAHA Motor Espana S.A. / MBK	Skycruiser 125	SE32 (e9*0052*)	E384E	Silencer	Hexagonal 113 x 143	M-HAF003, e26*8004*(9)
	Skycruiser 125	SE54 (e9*0395*)	E362E	Outlet pipe ø 22	Length without end caps 350	E26 92R 00 8004
	Skycruiser 250	SG22 (e9*0362*)	G389E / G3A7E	Silencer	Oval 126 x 231	M-HAF003, e26*8004*(9)
PIAGGIO & C.S.p.A. / PIAGGIO	Vespa GTS 300i		M454M		Length with end caps 440	E26 92R 00 8010
	Vespa GTS 300 Super		M454M	Resonator	Oval 123.2 x 163.8	M-HCLUB01 (R-YGR1Y)
	Vespa GTV 300	M45 (e3*0306*)	M454M		Length without end caps 195	e26*8010*(9); E26 92R 00 8010
	Vespa GTS 250i		M451M	Silencer	Conical max. ø 99.3	M-HCU8001
	Vespa GTV 250i		M451M	Outlet pipe ø 38	Length without end caps 250	e26*8010*(9); E26 92R 00 8010
	Vespa GTS 125i		M455M	Silencer	Hexagonal 187x117	M-HAF005
	Beverly 300i	M69 (e3*0570*)	M692M	4 outlet pipes ø 18	Length without end caps 195	e26*8026*(9); E26 92R 01 8026
	Beverly 125i		M691M			
	Beverly 350i		M693M / M694M			
	BEVERLY 500	M32 (e11*0067*)	M321M			
	BEVERLY 500		M343M			
			M344M			
			M344M			
	BEVERLY 400	M34 (e11*0395*)	M345M			
			M349M			
	MP-3 400 LT		M474M			
	MP-3 500 LT		M611M			
	MP-3 250 LT	M64 (e11*0794)	M632M			
	MP-3 300 LT		M633M			
	MP-3 300 LT		M634M			
	MP-3 300 LT Hybrid	M72 (e3*0572*)	M652M			
	MP-3 300 Yourban LT	M75 (e3*0578*)	M712M			
	MP-3 125 (X2)	M47	M473M			
MP-3 250 (X2)	(e11*0483*)	M472M				
MP-3 125		M631M				
MP-3 250	M63	M632M				
MP-3 300	(e11*0761*)	M633M				
MP-3 300		M634M				

Type and version of exhaust: P-KAT-040.

Marking: Engraved by laser

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.	
PIAGGIO & C.S.p.A. / PIAGGIO	MP-3 125 Hybrid	M65 (e3*0555*)	M65IM				
	MP-3 125 Yourban	M71	M71IM				
	MP-3 300 Yourban	(e3*0577*)	M712M				
	MP-3 400	M59 (e11*0602*)	M474M				
	MP-3 500	M61 (e11*0601*)	M61IM				
	X8 400	M52 (e11*0423*)	M52IM				
	Xevo 400	M52 (e11*0423*)	M52IM				
	X9 500 Evolution	M27 (e11*0038*06)	M27IM				
	Carnaby 125		M28FM				
	Carnaby 200	M60	M60IM				
	Carnaby 250	(e3*0458*)	M603M				
	Carnaby Cruiser 300		M604M				
	X10 125	M76	M76IM				
	X10 350	(e3*0588*)	M762M				
	X10 500		M763M				
PEUGEOT	Satelis 400	J2	M564M				
	Satelis 500	(e2*0017*)	M563M				
PIAGGIO & C.S.p.A. / GILERA	Fuoco 500	M61 (e11*0601*)	M61IM				
	Nexus 500	M35 (e3*0402*)	M352M				
	Nexus 250	M35 (e3*0402*01)	M353M				
	Nexus 125	M35 (e3*0402*03)	M357M				
	Nexus 300	M35 (e3*0402*05)	M356M				
	Runner 125	M46	M46IM / M463M				
	Runner 200	(e3*0338*)	M462M / M464M				
HONDA (I)	SH 300i	NF02 (e3*0447*)	NF02E				
	SH 125i	JF14 (e3*0208*)	JF14E				
	SH 125i	JF23 (e4*2115*)	JF14E				
	SH 150i	KF08 (e3*0297*)	KF08E				
	PS 125i	JF17 (e3*0400*)	JF14E				
	PS 150i	KF09 (e3*0401*)	KF08E				
	PCX 125	JF47 (e13*0585*)	JF47E				
	PCX 125	JF57 (e4*3061*)	JF57E				
	PCX 150	KF15 (e13*0588*)	KF15E				
	PCX 150	KF19 (e4*3063*)	KF19E				
	SH 125	JF41 (e4*2896*)	JF41E				
	SH 150	KF13 (e4*2897*)	KF13E				
	THAI HONDA Co. Ltd. / HONDA	CBR 250 R	MC41 (e13*0457*)	MC41E			
		CBR 125 R	JG50 (e13*0445*)	JG50E			
PCX 125		JF28 (e13*0373*)	JF28E				
PCX 150		KF12 (e13*0548*)	KF12E				
CBR 650 F		RC74 (e13*0677*)	RC74E				
CB 650 F		RC75 (e13*0678*)	RC74E				
HONDA (V)	PCX 125	JF56 (e4*3060*)	JF56E				
	PCX 150	KF18 (e4*3062*)	KF18E				
PIAGGIO & C.S.p.A. / APRILIA	Sportcity 125 ONE / CUBE	VB (e11*0118*)	M28IM				
	Sportcity 200 CUBE		M287M				
	Sportcity 250 CUBE		M282M				
	Sportcity 300 CUBE		M288M				
	SR Max 125	M35	M357M				
	SR Max 300	(e3*0402*08)	M356M				
	SR Max 500		M352M				
SR Max 250	M35 (e3*0402*09)	M354M					
Nacional Motor S.A.U. / DERBI	GPI 250	PT (e9*0071*)	M237M				
	Rambla 125	RA	M287M				
	Rambla 250	(e9*0267*)	M288M				
	Rambla 300		M28LM				
YAMAHA Motor Co. Ltd. / YAMAHA	XV 950 / R Bolt	VND3 (e13*0640*)	N604E				
	MT-09	RN29 (e13*0643*)	N70IE				
	MT-07	RMD4 (e13*0660*)	M40IE				

To be filled out by Akrapovič representative:

Date of purchase:

Issued by:

Stamp & signature:

Muffler repack kit service intervals

The durability of the damping material depends on the type of motorcycle, riding style, mileage etc. Normally, single and twin cylinder engines produce a stronger exhaust gas wave pulse and a higher temperature. Often, riding on a race track requires noise control. The insulating material should be replaced when you notice any visual changes on the muffler sleeve material or when the muffler exceeds the noise limit. Please check the muffler visually before every season.

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Maintenance

1. Clean the titanium muffler outer sleeves with a multi-purpose spray lubricant (WD-40 or equivalent) and carbon-fiber outer sleeves with soft and dry cloth. Do not use aggressive chemical cleaners, because they can damage the sticker. A change in the color of the exhaust system is normal due to the high temperatures.

2. The wearing out of the muffler silencing material depends on the type of the motor and riding style. Contact your dealer/serviceman if visible changes appear on muffler's outer sleeve or the noise level is increased.

3. Periodically make sure all the bolts are sufficiently tight.

Exclusion of Certain Liability

1. The manufacturer, importer or dealer shall not be liable for any incidental damage including personal injury or any other damages caused by improper installation or operation of the Akrapovič exhaust system. When installing the Akrapovič exhaust system be careful that the exhaust system does not touch other parts sensitive to high temperature.

2. Akrapovič makes no representation or warranties with regard to damage caused by the improper installation, use and maintenance of the Akrapovič exhaust system. The warranty is limited to defects recognized by our technical department and to normal use, and excludes items subject to normal wear (gaskets and damping wool). The guarantee is void in case of accident, modification, improper or competition use.

3. Do not attempt to install the Akrapovič exhaust system on a motorcycle for which it was not made or tested by Akrapovič.

4. When the exhaust system gets very hot during operation, be careful not to burn yourself on the exhaust system or parts which are in direct contact with it, even when the motor is not running. Also protect other people, especially children, from the injuries mentioned above.

5. In some cases Akrapovič exhaust system kits contain chemical products (ceramic anti-seizing grease). Handle with care, do not inhale or swallow. Avoid excessive contact with skin, eyes or mucous membranes. Keep out of the reach of children.

6. Technical specifications of Akrapovič exhaust systems and related products subject to change without notice.