P61 MICRO-STARTS | SMALL CASE P62 MOTORSPORTS | AUTOMOTIVE P63 EXTREME POWER | SPECIAL VOLTAGE P64 ELECTRONICS P65 MICRO-START ACCESSORIES P67 BATTERY ACCESSORIES



U-5 I	

MODEL	MICRO-START DESCRIPTION
AG-XP-SPT	SPORT MICRO-START KIT Jump-Starter Portable Power Supply (PPS) 300A peak. 5v USB port. 7500mAh Nylon case + accessories
AG-XP-3	XP-3 MICRO-START KIT Jump-Starter Portable Power Supply (PPS) 400A peak. Two 5v USB ports. 8000mAh Nylon case + accessories
AG-XP-1	XP-1 MICRO-START KIT Jump-Starter Portable Power Supply (PPS) 400A peak. 19v, 12v, two 5v USB ports. 12000mAh Leatherette case + accessories
MICCO-START AG-XP-10 Market Network	XP-10 MICRO-START KIT Jump-Starter Portable Power Supply (PPS) 600A peak. 19v, 12v, two 5v USB ports. 18000mAh Leatherette case + accessories
AG-XP-10-HD	XP-10-HD MICRO-START KIT – <b>HEAVY DUTY</b> Jump-Starter Portable Power Supply (PPS) 650A peak. 19v, 12v, two 5v USB ports. 18000mAh Leatherette case + accessories (has HD clamps)

#### **SMALL CASE**

	MODEL	LITHIUM BATTERY DESCRIPTION
	AG-401	Small Case 4-Cell. 120 CA, 6 Ah (Pb Eq) Universal fit. Adhesive-backed foam included
Antigravity Ba	AG-801	Small Case 8-Cell. 240 CA, 9 Ah (Pb Eq) Universal fit. Adhesive-backed foam included
	AG-1201	Small Case 12-Cell. 360 CA, 12 Ah (Pb Eq) Universal fit. Adhesive-backed foam included
Antigrassitu Batterite 16 Cat	AG-1601	Small Case 16-Cell. 480 CA, 16 Ah (Pb Eq) Universal fit. Adhesive-backed foam included

#### **RE-START:** All models on this page have full BMS (Battery Management System) plus our RE-START Technology

MOTORCYCLE / POWERSPORTS All except AT7B-BS-RS and ATZ7-RS can also be used in some Race Cars		
MODEL	LITHIUM BATTERY DESCRIPTION	
AG-AT7B-BS-RS	YT7B-BS case format I80 CA, 8 Ah (Pb Eq) Replaces Lead/Acid: YT7B-BS, YT9B-BS	
AG-ATZ7-RS	YTZ7 case format I50 CA, 7 Ah (Pb Eq) Replaces Lead/Acid: YTZ5S, YTZ7S, YTZ8V, YTX4L-BS, YTX5L-BS, YTX7L-BS	
AG-ATZIO-RS	YTZIO case format 330 CA, 10 Ah (Pb Eq) Replaces Lead/Acid: YTZIOS, YTZI2, YTZI4, YTX9, YTX7A-BS, YTI2A-BS	
AG-ATI2-BS-RS	YTI2-BS case format 360 CA, 12 Ah (Pb Eq) Replaces Lead/Acid: YTI2-BS, YTI2B-BS, YTI4-BS	
ATTERSHO ATTERSHO ATTERSHO AG-ATT2-BS-HD-RS	YT12-BS case format – HIGH POWER 480 CA, 16 Ah (Pb Eq) Replaces Lead/Acid: YT12-BS, YT12B-BS, YT14-BS	
ATTAIL ATTAIL Constant 2002	YTX12 case format 360 CA, 12 Ah (Pb Eq) Replaces Lead/Acid: YTX12-BS, YTX14, YTX14H, YTX14L, YTX14-BS, YTX14H-BS, YTX16-BS, YTX16-BS, YTX16-BS-1, HYB16A-AB, GYZ16H, GYZ16HL	
AG-ATX12-HD-RS	YTX12 case format – HIGH POWER 480 CA, 16 Ah (Pb Eq) Replaces Lead/Acid: YTX12-BS, YTX14, YTX14H, YTX14L, YTX14-BS, YTX14H-BS, YTX16-BS, YTX16-BS, YTX16-BS-1, HYB16A-AB, GYZ16H, GYZ16HL	
ATTERATIV ATX-20 Crestor 600 CMC	YTX-20 case format 680 CA, 20 Ah (Pb Eq). GREAT FOR RACE CARS Replaces Lead/Acid: YTX15, YTX15L, YTX20, YTX20L, YTX20H, YTX20HL, YTX20-BS, GYZ20L, GYZ20H, GYZ20HL	
AG-ATX30-RS	YTX-30 case format 880 CA, 30 Ah (Pb Eq). GREAT FOR RACE CARS Replaces Lead/Acid: YTX30, YTX30L-BS, YIX30, YIX30L-BS, GYZ32HL	

# AUTOMOTIVE

МС	DDEL	LITHIUM BATTERY DESCRIPTION
AG-	RS-30	RS-30 Car Battery 1200 CA, 30 Ah (50Ah Pb Eq)

# EXTREME POWER SERIES (XPS)

	MODEL	LITHIUM BATTERY DESCRIPTION
	AG-SC-1	XPS Small Case format -180 CA (4" x 1" x 3.25" tall) Universal Fit. Race & Performance use only!
Antigravity Batteries V-10	AG-V10-R	YTZIO case format Power of 24-Cell battery. For Performance use RIGHT Negative Terminal
Antigravity Batterins XV-10	AG-V10-L	YTZIO case format Power of 24-Cell battery. For Performance use LEFT Negative Terminal
Antigravity Rationation ADMenda IEC	AG-YTX12-24-R (soon to be renamed to XPS-V24)	24-Cell version of YTX12 case format 720 CA, 24 Ah (Pb Eq) RIGHT Negative Terminal
Antigravity Bactarian Million III	AG-YTX12-24-L	24-Cell version of YTX12 case format 720 CA, 24 Ah (Pb Eq) LEFT Negative Terminal
	AG-YTX20-R	"20 Size" case format 780 CA, 30 Ah (Pb Eq) RIGHT Negative Terminal
	AG-YTX20-L	"20 size" case format 780 CA, 30 Ah (Pb Eq) LEFT Negative Terminal

# SPECIAL VOLTAGE

	MODEL	LITHIUM BATTERY DESCRIPTION
Antigravity Batteries Maria Batteries Maria Sea Sea Sea	AG-VTX-20-R	YTX12 case format – <b>16 VOLT</b> 500 CA, 15Ah (Pb Eq). 20-Cell battery for Race use RIGHT Negative Terminal
Antigravity Batteries Maxie Seg	AG-VTX-20-L	YTX12 case format – <b>16 VOLT</b> 500 CA, 15Ah (Pb Eq). 20-Cell battery for Race use LEFT Negative Terminal
Anthropotha Oracles Oracles	AG-802	Small Case 8-Cell – <b>6 VOLT</b> 120 CA, 9 Ah (Pb Eq). Universal fit Adhesive-backed foam included
	AG-1202	Small Case 12-Cell – <b>6 VOLT</b> 240 CA, 12 Ah (Pb Eq). Universal fit Adhesive-backed foam included

# **ADVENTURE ELECTRONICS**

	MODEL	PRODUCT DESCRIPTION
	AG-TB-01	THUMP-BOX Mini portable speaker system. Only 2x2x3 inches Bluetooth Music/Audio Player and Speakerphone
	AG-EB-OI-BLK AG-EB-OI-BLK AG-EB-OI-YL AG-EB-OI-RD	THUMP-BUDS Bluetooth Wireless Sport Earbuds for Music + Calls Black, Yellow, or Red color
Je P	<b>AG-MB-01</b> AG-MB-01-BLK AG-MB-01-YL AG-MB-01-PK	MICRO-BUDS Bluetooth Wireless, Ultra Low-Profile Earbuds for Music + Calls Black, Yellow, or Pink color
O Farme	AG-ADV-ULX	ULTRALIGHT X (ULX) Modular Multi-Function Flashlight, 4-in-1: Flashlight, Bluetooth Player, Speakerphone, USB Power Bank
	AG-ADV-ULX-A	ULTRALIGHT XA (ULX-A) Aluminum Multi-Function Flashlight, 4-in-1: Flashlight, Bluetooth Player, Speakerphone, USB Power Bank
	AG-ADV-LAN	CAMP LANTERN Compressible Multi-Function Lantern, 4-in-1: Lantern, compact Flashlight, Bluetooth Player, Speakerphone
Le p	<b>AG-ADV-AC</b> AG-ADV-AC-BLK AG-ADV-AC-GY	AUDIO CAP Beanie with built-in Bluetooth Speakers Speakers are removable for easy washing Black or Grey color

# **MICRO-START ACCESSORIES**

	MODEL	ACCESSORY DESCRIPTION
æ,	AG-MSA-9	PORTABLE TIRE INFLATOR / MINI AIR PUMP KIT Includes 2 power cables and 2 tips Compatibility: XP-1, XP-10 and XP-10-HD
	AG-MSA-10A	CLAMPLESS JUMP-STARTING HARNESS Connects to battery for clampless starting abilities Compatibility: SPORT and OLDER XP-1 & XP-3
and the second s	AG-MSA-10B	CLAMPLESS JUMP-STARTING HARNESS Connects to battery for clampless starting abilities Compatibility: XP-10 and XP-10-HD
	AG-MSA-10TP	CLAMPLESS JUMP-STARTING HARNESS Connects to battery for clampless starting abilities Compatibility: XP-1 and XP-3
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	AG-MSA-11TP	SMART CLAMPS 6 built-in protections including thermal protections Compatibility: XP-1 and XP-3
R	AG-MSA-11SC	SMART CLAMPS 5 built-in protections Compatibility: SPORT and OLDER XP-1 & XP-3
	AG-MSA-11SCX	SMART CLAMPS 5 built-in protections. Unbreakable All-Copper design. Compatibility: XP-10 and XP-10-HD
<b>S</b>	AG-MSA-11SCX-HD	SMART CLAMPS – HEAVY DUTY 5 built-in protections. Larger, unbreakable All-Copper design Compatibility: XP-10 and XP-10-HD
	AG-MSA-14	USB 4-into-1 CABLE Tips: Micro and Mini USB, Apple 30-pin, Apple 8-pin
	AG-MSA-16C (Previously MSA-16)	WALL CHARGER Compatibility: OLDER XP-1
	AG-MSA-17C (Previously MSA-17)	WALL CHARGER Compatibility: XP-1, XP-10 and XP-10-HD

# MICRO-START ACCESSORIES CONTINUED

	MODEL	ACCESSORY DESCRIPTION
	AG-MSA-17-UK	WALL CHARGER – UK PLUG Compatibility: XP-1, XP-10, XP-10-HD and OLDER XP-3
	AG-MSA-17-EU	WALL CHARGER – EU PLUG Compatibility: XP-1, XP-10, XP-10-HD and OLDER XP-3
<b>Mannal B</b>	AG-MSA-18	LAPTOP TIPS REPLACEMENT Compatibility: XP-1, XP-10 and XP-10-HD
$\bigcirc$	AG-MSA-20	DC CABLE EXTENSION For use with laptop tips or 12V accessories Compatibility: XP-1, XP-10 and XP-10-HD
٠.	AG-M5A-20A	FEMALE CIG SOCKET into DC 5.1mm TIP Compatibility: XP-1, XP-10 and XP-10-HD
R. S.	AG-MSA-21C	MOBILE/ CIG LIGHTER PORT CHARGER Compatibility: OLDER XP-1
Pile	AG-MSA-22C	MOBILE/ CIG LIGHTER PORT CHARGER Compatibility: XP-1, XP-10, XP-10-HD and OLDER XP-3
	AG-MSA-22	OBD-II MEMORY SAVER CABLE Compatibility: XP-1, XP-10 and XP-10-HD
	AG-MSA-25	FEMALE CIT SOCKET into EC5 CONNECTOR Compatibility: SPORT and OLDER XP-1 & XP-3

# **STARTER BATTERY ACCESSORIES**

	MODEL	ACCESSORY DESCRIPTION
$\mathbf{\hat{\mathbf{A}}}$	AG-BH-1	SAE LITHIUM CHARGER HARNESS (Battery Tender Charging Harness)
	AG-BC-16V	16V 4A LITHIUM BATTERY CHARGER KIT Compatibility: VTX-20
	AG-BC-6V	6V 2A LITHIUM BATTERY CHARGER KIT Compatibility: AG-802 and AG-1202
	AG-BT-01	ALUMINUM SMALL CASE 4-CELL BATTERY TRAY (Does not include battery) Compatibility: AG-401 and SC-1
Antigrowty	AG-BT-02	ALUMINUM SMALL CASE 8-CELL BATTERY TRAY (Does not include battery) Compatibility: AG-801 and AG-802
	AG-BT-O3	ALUMINUM SMALL CASE 12 & 16-CELL BATTERY TRAY (Does not include battery) Compatibility: AG-1201, AG-1202 and AG-1601
	<b>AG-BT-H6</b> AG-BT-H6-BLK AG-BT-H6-BU AG-BT-H6-RD	ALUMINUM RS-30 MOUNTING KIT Includes: tray, foam pad, topbar, posts, hardware Billet (raw Aluminum), Black, Blue, or Red colors Compatibility: RS-30
	AG-BT-H6X AG-BT-H6X-BLK AG-BT-H6X-BU AG-BT-H6X-RD	ALUMINUM ATX-30 MOUNTING KIT Includes: tray, foam, topbar, posts, hardware Billet (raw Aluminum), Black, Blue, or Red colors Compatibility: ATX30-RS
	AG-QDH-KIT	QUICK-DISCONNECT HARNESS KIT For 4-cell thru 12-cell batteries. 10 AWG thick wires. Includes rubber terminal covers and mounting hardware
**	AG-TC-1	TERMINAL COVERS Pair of rubber covers: 1 Red, 1 Black
	AG-TA-1	SAE CAR TERMINAL ADAPTERS Brass, color-coded. Bolts onto Antigravity Batteries to convert to Automotive applications where auto-type terminal is needed.
else.	AG-TA-2	SQUARE TO ROUND TERMINAL ADAPTERS To adapt to the square-type ring terminal found on some motorcycles to Antigravity Batteries. Includes nuts, allen wrench.
	AG-FM-1	FOAM KIT 4 pieces adhesive-backed foam, each 3.5" x 6" x .5"

# STARTER BATTERY ACCESSORIES CONTINUED

MODEL	ACCESSORY DESCRIPTION
BC-OPT-471	OPTIMATE TM-471 0.8A Lithium Charger Maintainer, 8-step program
BC-OPT-291	OPTIMATE TM-291 5A Lithium Charger Tester, 10-step program
BC-OPT-271	OPTIMATE TM-271 12/16-Volt Lithium Charger Tester Maintainer, 10-step program
BC-OPT-485	OPTIMATE TM-485 4-Bank 0.8A Lithium Charger Maintainer, 8-step program
TS-OPT-121	OPTIMATE TS-121 Tester for State of Charge, Cranking Power, Alternator Voltage
TS-OPT-127	OPTIMATE TS-127 Tester for State of Charge
BC-OPT-CL2	OPTIMATE CL2 Cigarette lighter adapter cable for use with Optimate Chargers.