# SAFETY DATA SHEET



# 1. Identification

Product identifier	Bel-Ray Gear Saver Hypoid Gear Oil 85W-140
Product Code	99234
SDS number	6788
Other means of identification	Not available.
Recommended use	Gear Oil
<b>Recommended restrictions</b>	None known.

# 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Residual Oils (petroleum),		64742-01-4	90 - 100
Solvent-refined			

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.

5 - < 10

Eye contact Ingestion	Rinse with water. Get medical attention if irritation develops and persists. Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to an unconscious person.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Skin irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
5. Fire-fighting measures	S

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7	

# 7. Handling and storage

Precautions for safe handling	Observe good industrial hygiene practices.
Conditions for safe storage,	Store in original tightly closed container. Keep out of the reach of children. Store away from
including any incompatibilities	incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### **Occupational exposure limits**

Components	s for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)	PEL	5 mg/m3	Mist.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Tuno	Value	Form
Components	Туре	value	
Residual Oils (petroleum), Solvent-refined (CAS	STEL	10 mg/m3	Mist.
Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)	<u>, , , , , , , , , , , , , , , , , , , </u>		

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear suitable protective clothing.	
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
<b>.</b>		

General hygiene<br/>considerationsAlways observe good personal hygiene measures, such as washing after handling the material and<br/>before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to<br/>remove contaminants.

# 9. Physical and chemical properties

Physical stateLiquid.FormLiquid.ColorRed.OdorMild. PetroleumOdor thresholdNot available.pHNot available.Melting point/freezing poin932 °F (>500 °C)Flash point449.6 °F (232.0 °C) Pensky-Martens Closed CupFlash pointAvailable.Flarmability Golid, gas)Not available.Flarmability Imint - lowerNot available.forger (%)Not available.gaption pref (%)Not available.gaption pref (%)Not available.flarmability Imint - lowerNot available.gaptions (%)Not available.gaptions (%)Not available.gaptions (%)Not available.flarmability Imint - lowerNot available.gaptions (%)Not available.gaptions (%)Not available.gaptions (%)Not available.flarmability (wither)Not available.gable!Not available.flarmability (wither)Not available.gable!Not available.flare (%)Not available. <tr< th=""></tr<>
ColorRed.OdorMild. PetroleumOdor thresholdNot available.pHNot available.Initial boiling point and boiling range> 932 °F (> 500 °C)Flash point449.6 °F (232.0 °C) Pensky-Martens Closed CupEvaporation rateNot available.Flarmability (solid, gas)Not available.Flarmability (solid, gas)Not available.Flarmability Imit - lower (%)Not available.Flarmability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Vapor densityNot available.Vapor densityNot available.Vapor densityNot available.Solubility (water)Not available.Solubility (water)Not available.Solubility (water)Not available.Solubility (water)Not available.Solubility (other)OIPartition coefficient (n-octanol/water)Not available.Vato- ignition temperatureNot available.Not available.Not available.Kato- ignition temperatureNot available.Not available.Not available.Solubility (boter)Not available.Solubility (boter)Not available.Not available.Not available.Not available.Not available.Kato- ignition temperatureNot available.Not available.Not available.Not available.Not available.Not available.
NumMild. PetroleumOdorMild. PetroleumOdor thresholdNot available.pHNot available.Initial boiling point and boiling range> 932 °F (> 500 °C)Flash point449.6 °F (232.0 °C) Pensky-Martens Closed CupEvaporation rateNot available.Flarmability (solid, gas)Not available.Upper/lower flammability or v=voisve limitsFlammability limit - lower (%)Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Density905.00 kg/m³Vapor densityNot available.Solubility(ies)Not available.Solubility(other)OilPartition coefficient (n-octanol/water)Not available.Not available.Not available.(n-octanol/water)Not available.Decomposition temperatureNot available.Decomposition temperatureNot available.Not available.Not available.Not available.Not available.Solubility (water)Not available.Solubility (other)OilPartition coefficient (n-octanol/water)Not available.Not available.Not available.Not available.Not available.Not available.Not available.Solubility (other)Not available.Not available.Not available.Solubility (other)Not available.
Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling range> 932 °F (> 500 °C)Flash point449.6 °F (232.0 °C) Pensky-Martens Closed CupEvaporation rateNot available.Flarmability Golid, gas)Not available.Upper/lower flammability or =vlosive limitsflammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Vapor pressureNot available.Vapor densityNot available.Vapor densityNot available.Solubility(ies)Not available.Solubility(water)Not available.Solubility(other)OilPartition coefficient (n-octanol/water)Not available.OctNot available.Carter of floemer (n-octanol/water)Not available.OutNot available.Carter of floemer (n-octanol/water)Not available.OutNot available.Carter of floemer (n-octanol/water)Not available.OutNot available.OutNot available.OutNot available.OutNot available.OutNot available.OutNot available.OutNot available.OutNot available.OutNot available.Out available.OutNot available.Out available.Out<
pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling range> 932 °F (> 500 °C)Flash point449.6 °F (232.0 °C) Pensky-Martens Closed CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or >>Disive limitsFlammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Vapor pressureNot available.Vapor densityNot available.Not available.Not available.Solubility(ies)Not available.Solubility(water) Solubility(other)Not available.OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Kot available.Not available.Not available.Not available.Kity (water) Solubility (water)Negligible Not available.Solubility (other)OilPartition coefficient (n-octanol/water)Not available.Not available.Not available.Kity (Mater) Solubility (bter)Not available.Kity (Mater) Solubility (bter)Not available.Kity (Mater) Solubility (bter)Not available.Kity (Mater) Solubility (bter)Not available.Kity (Mat
Melting point/freezing pointNot available.Initial boiling point and boiling range> 932 °F (> 500 °C)Flash point449.6 °F (232.0 °C) Pensky-Martens Closed CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or v=vlosive limitsFlammability limit - lower (%)Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Density905.00 kg/m³Vapor pressure Solubility(water)Not available.Solubility(ies)SolubilitySolubility(water)NegligibleSolubility(other)OilPartition coefficient (n-octanol/water)Not available.Decomposition temperatureNot available.Decomposition temperatureNot available.
Initial boiling point and boiling range> 932 °F (> 500 °C)Flash point449.6 °F (232.0 °C) Pensky-Martens Closed CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or ×plosive limitsFlammability limit - lower (%)Flammability limit - lower (%)Not available. (%)Explosive limit - lower (%)Not available. (%)Explosive limit - lower (%)Not available. (%)Explosive limit - lower (%)Not available. (%)Vapor pressureNot available. (%)Vapor densityNot available. (%)Solubility(ies)Not available. (%)Solubility(water) solubility (water)Negligible Not available. (n-octanol/water)Auto-ignition temperatureNot available. Not available.Decomposition temperatureNot available.
boiling rangeFlash point449.6 °F (232.0 °C) Pensky-Martens Closed CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Density905.00 kg/m³Vapor densityNot available.Solubility(water)NegligibleSolubility (water)NegligibleSolubility (other)OilPartition coefficient (n-octanol/water)Not available.Not available.Not available.Not available.Not available.Solubility of temperatureNot available.Not available.Not available.Solubility (mater)Not available.Solubility (mater)Not available.Not available.Not available.Not available.Not available.Solubility (mater)Not available.Solubility (mater)Not available.Not available.Not available.Not available.Not available.Solubility (mater)Not available.Not available.Not available.Not available.Not available.Not available.Not available.Not available.Not available.
Evaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lowerNot available.(%)Not available.Flammability limit - lowerNot available.(%)Not available.Explosive limit - lowerNot available.(%)Not available.Explosive limit - upperNot available.(%)Not available.Vapor pressureNot available.Density905.00 kg/m3Vapor densityNot available.Relative densityNot available.Solubility (water)NegligibleSolubility (other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.
Flarmability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Density905.00 kg/m³Vapor densityNot available.Relative densityNot available.Solubility (water) solubility (other)Negligible Solubility (mater)Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature borNot available.
Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not available. (%)Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Density905.00 kg/m³Vapor densityNot available.Relative densityNot available.Solubility(ies)Not available.Solubility(water) solubility (other)Negligible Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.
Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Density905.00 kg/m³Vapor densityNot available.Relative densityNot available.Solubility(ies)Not available.Solubility(water)NegligibleSolubility(other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
(%)Not available.Flammability limit -Not available.upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor pressureNot available.Density905.00 kg/m³Vapor densityNot available.Relative densityNot available.Solubility(ies)Not available.Solubility(water)NegligibleSolubility(other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Density905.00 kg/m³Vapor densityNot available.Relative densityNot available.Solubility(ies)Solubility (water)Solubility (water)NegligibleSolubility (other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Not available.
(%) Explosive limit - upper (%) Vapor pressure Not available. Density 905.00 kg/m³ Vapor density Not available. Relative density Not available. Solubility(ies) Solubility (water) Negligible Solubility (other) Oil Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available.
(%) Vapor pressure Not available. Density 905.00 kg/m³ Vapor density Not available. Relative density Not available. Solubility(ies) Solubility(water) Negligible Solubility(other) Oil Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available.
Density905.00 kg/m³Vapor densityNot available.Relative densityNot available.Solubility(ies)NegligibleSolubility (water)NegligibleSolubility (other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.
Vapor densityNot available.Relative densityNot available.Solubility(ies)NegligibleSolubility (water)NegligibleSolubility (other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.
Relative densityNot available.Solubility(ies)NegligibleSolubility (water)NegligibleSolubility (other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.
Solubility(ies)NegligibleSolubility(water)NegligibleSolubility(other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.
Solubility (water)NegligibleSolubility (other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Not available.Not available.
Solubility (other)OilPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Not available.Not available.
Partition coefficientNot available.(n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
(n-octanol/water)Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Decomposition temperature Not available.
Viscosity 418 cSt ASTM D445
Viscosity temperature 104 °F (40 °C)
Other information
Flammability class Combustible IIIB estimated   Material name: Bol Bay Coar Saver Hymoid Coar Oil 85W 140

Flash point class	Combustible IIIB
Percent volatile	< 1 %
Specific gravity	0.91
VOC	< 1 %

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	At thermal decomposition temperatures, carbon monoxide and carbon dioxide. No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes. Skin irritation.

#### Information on toxicological effects

Acute toxicity	Respiratory tract irritation.		
Product	Species	Test Results	
Bel-Ray Gear Saver Hypoid Gea	r Oil 85W-140		
<u>Acute</u>			
Dermal			
LD50	Rabbit	2094 mg/kg estimated	
Oral			
LD50	Rat	2094 mg/kg estimated	
* Estimates for product ma	y be based on additional component dat	a not shown.	
Skin corrosion/irritation	Based on available data, the classifi	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classifi	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitiza	ation		
Respiratory sensitizatio	n Based on available data, the classifi	cation criteria are not met.	
Skin sensitization	Based on available data, the classifi	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classifi	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classifi	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classifi	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposur	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classifi	Based on available data, the classification criteria are not met.	
Aspiration hazard	Not an aspiration hazard.		

### 12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

US federal regulations	All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc Communication Standard, 29 CFR 1910.1200.
Superfund Amendments and Reauthorization Act of 1986 (SARA)	

Hazard categories	Immediate Hazard - No
	Delayed Hazard - No
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No
SARA 302 Extremely hazardous substance	

Not listed.

SARA 311/312	No
Hazardous chemical	

#### SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations Clean Water Act (CWA) Section 112(r) (40 CFR 68.130) Safe Drinking Water Act (SDWA) Not regulated.

### **US** state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. Massachusetts RTK - Substance List

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

- US. New Jersey Worker and Community Right-to-Know Act Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)
- US. Pennsylvania Worker and Community Right-to-Know Law

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	03-04-2016
Revision date	05-28-2016
Version #	2.0
Disclaimer	Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.