

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Bel-Ray EXP Synthetic Ester Blend 4T Engine Oil 10W-40

Product Code 99120 SDS number 6917

Other means of identificationNot available.Recommended useEngine OilRecommended restrictionsNone known.

## 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Heavy Naphthenic		64742-52-5	0 - < 100
Other components below repo		90 - 100	

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Material name: Bel-Ray EXP Synthetic Ester Blend 4T Engine Oil 10W-40

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Irritation of eyes and mucous membranes. Skin irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

Suitable extinguishing media

Water fog.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Specific methods

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.

firefighters

Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any

incompatibilities

Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3 500 ppm	
ACGIH			
Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable Fraction.

Material name: Bel-Ray EXP Synthetic Ester Blend 4T Engine Oil 10W-40

**US. NIOSH: Pocket Guide to Chemical Hazards** Value **Form** Components **Type** Distillates (petroleum), 1800 mg/m3 Ceiling Hydrotreated Heavy Naphthenic (CAS 64742-52-5) **STEL** 10 mg/m3 Mist. TWA 5 mg/m3 Mist.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Wear suitable protective clothing. Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** Oily. Liquid. Physical state Liquid. **Form** Liquid. Color Amber. Odor Petroleum Odor threshold Not available. Not available. pН Not available. Melting point/freezing point

Initial boiling point and

boiling range

Flash point

Not available.

384.8 °F (196.0 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

**Explosive limit - lower** 

Not available.

(%)

**Explosive limit - upper** 

Not available.

(%)

Vapor pressure 0.09 hPa estimated Density 879.00 kg/m<sup>3</sup> Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Negligible Oil Solubility (other) Solvents

Partition coefficient (n-octanol/water)

Not available.

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

96.4 cSt ASTM D445 Viscosity

104 °F (40 °C) Viscosity temperature

Other information

**Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Oxidizing properties Not oxidizing. Percent volatile 0.08 % estimated

Specific gravity 0.88 VOC < 1 %

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon products

dioxide.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the

physical, chemical and

toxicological characteristics Irritation of eyes and mucous membranes. Skin irritation.

#### Information on toxicological effects

**Acute toxicity** Not available.

**Product Species Test Results** 

Bel-Ray EXP Synthetic Ester Blend 4T Engine Oil 10W-40

**Acute Dermal** 

LD50 Rabbit 3526 mg/kg estimated

Inhalation

LC50 Rat 1545 mg/l, 4 hours estimated

Oral

LD50 Rat 3534 mg/kg estimated

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not applicable.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Material name: Bel-Ray EXP Synthetic Ester Blend 4T Engine Oil 10W-40

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Carcinogenicity** Due to lack of data the classification is not possible.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated

exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Bel-Ray EXP Synthetic Ester Blend 4T Engine Oil 10W-40

**Aquatic** 

Crustacea EC50 Daphnia 29696.9688 mg/l, 48 hours estimated

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available. **Mobility in soil** No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

## 15. Regulatory information

**US federal regulations**This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Material name: Bel-Ray EXP Synthetic Ester Blend 4T Engine Oil 10W-40

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Nο

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

#### **US** state regulations

## US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

#### **US. Massachusetts RTK - Substance List**

Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

#### US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

## US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

# 16. Other information, including date of preparation or last revision

2.0

Issue date 05-09-2016 **Revision date** 05-09-2016 Version #

Disclaimer

Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available