







Specifically designed for HD Road Glide® 2004 through 2013 models, Superior beam pattern with all around coverage for city and highway riding.

- DOT/SAE compliant
- Operating voltage 10-30VDC
- Socket H4
- · LED peak power 80W, Cree
- · Nominal power, high beam 80 W
- · Nominal power, low beam 60 W
- 20,000 hours life
- 6,300 Lumens output
- Bright white beam, 6000K








Integrated LED pasing lamps with improved beam pattern for all road conditions. Matching color/beam to all Cyron LED headlights. A great upgrade for older style sealed beams.

- DOT/SAE compliant
- Operating voltage 10-30VDC
- H8/881 plug & play
- Peak LED power 30W
- Nominal power 25W
- 2000 Lumens
- Bright white beam 6000K
- Easy install

HEADLIGHT 101

Headlamp systems are required to produce a low and a high beam. Low beams should cast most of their light straight ahead without glare for the safety of other drivers on the road. Quality bulbs/headlights as well as proper installation are essential to a safe driving experience. The following diagram illustrates the ideal light beam pattern of motorcycles and cars. Compare the test images within this catalog to see how CyronMotor products perform.



BEAM ACCURACY





The term "Beam Accuracy" referes to the dispersion of light and its effectiveness to put the light beam where it is intended to be. The patterns illustrated above represent an accuracy of 100%, the most ideal pattern and light distribution for drivning. CyronMotor headlights reference a numerical value to compare their effectiveness vs the ideal pattern.



No ElectroMagnetic Interference. Over 95% noise free on radio signals such as AM/FM/CB/WB. Error free on E-Log systems.



Smart Active Heat Management maintains the temperature of the bulb by force air circulation, and should the need arise at very high temps, adjusting the current flow to the LED chip. Results are more stability and longer life.




Wide Beam Pattern
4800 Max Lumens
105W Peak Power
DRL White+Amber
Perfect for Streetglides™










URBAN5

Wide Beam Pattern
3100 Max Lumens
40W Peak Power
H4 Socket
5 3/4" Harley™ Buckets












Narrow Beam Pattern
4000 Max Lumens
75W Peak Power
DRL White
Needs Passing Lamps









C4 LED Technology
3800 Lumens
34 Watts
Built-in Ballast
Reduced EMI Noise














MEABLIGHT

C4 LED Technology
2800 Lumens
Small Housing Fitment
Built-in Ballast
Reduced EMI Noise









STANDARD


COB LED Technology 3000 Lumens 28 Watts Value Performance Built-in Ballast





















Custom or standard products, you make the call.

What Would YOU Light Today