

REVISION HISTORY		
REV.	DESCRIPTION	DATE
01	PRELIMINARY RELEASE PER EC3410	2013-02-08
02	REVISED PER EC3410	2013-02-27
Α	INITIAL RELEASE PER EC3410	2013-03-04

SPECIFICATIONS

CERTIFICATIONS: **(€**;

Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.

2. LUMINOUS FLUX: 1400 lumens

3. ILLUMINANCE: lux

4. PEAK BEAM INTENSITY: Candela

5. EFFICACY: 63.7 lm/W

6. CORRELATED COLOR TEMPERATURE: 6871K

7. VOLTAGE (NOMINAL): 12 to 24 VDC

8. VOLTAGE (EXTREME): 9.0 to 32.0 VDC

9. CURRENT (PEAK): 1.55A (@ 12 VDC NOMINAL)

10. POWER (MAXIMUM): 21.4W (@ 12 VDC NOMINAL)

11. TEMPERATURE RANGE: -22°F (-30°C) TO 122°F (50°C)

12. CONNECTION: 2 CONDUCTOR CABLE

13. MOUNTING: SINGLE BOLT

14. HOUSING MATERIAL: ALUMINUM

15. LENS MATERIAL: ACRYLIC

2013-02-27

2013-02-28

2013-02-27

2013-03-04


16. PRODUCT WEIGHT: 1.4 LBS (0.63 Kg)

NOTES:

1. DIMENSIONS IN INCHES[MILLIMETERS (FOR REFERENCE)]

NON DISCLOSURE AGREEMENT

THIS DRAWNING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ECCO AND IS SSUED IN CONTRIBUTED FOR ENGINEERINGINFORMATION. ONLY THE DRAWNING AND / OR DESIGN ANAY NOT BE USED. COPIED, BEPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDERS O USED FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF ECCO. THE DRAWNING IS SUBJECT TO RECALL AT ANY TIME, YOUR POSSESSION OF THIS DOCUMENT OLD WHOLE TO STREAM OF THE OFFICE OF THE STREAM, SE 2013 ECCO.





WORK LAMP, 9 LED, SQUARE, FLOOD, 10-30V

CUSTOMER PART NO. PRODUCT SERIES:

TEST ENG. JRT 2013-03-01 CUSTOMER PART NO. E92006 P2006

SALES. WNH 2013-03-01 SIZE: A DWG. NO. E92006 REV.

Electronically Controlled Use Latest Copy SHEET 1 OF 1 Project: EC3410 Date Created: 2013-02-08