



Air Filter Cleaner



1. Hazards Identification

Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 1C



GHS Signal Word: **Danger**
GHS Hazard Phrases: Harmful if swallowed.
Causes severe skin burns and eye damage.

GHS Precaution Phrases: Do not eat, drink or smoke when using this product.
Wear protective gloves, protective clothing, eye protection, face protection.

GHS Response Phrases: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Wash contaminated clothing before reuse.
If eye irritation persists, get medical attention immediately.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If swallowed: Immediately call a Poison Center or doctor.
If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

GHS Storage and Disposal Phrases: Store in cool dry place at room temperature away from direct sunlight.
Dispose of contents and container according to the local, city, state and federal regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: May cause allergic respiratory reaction.
Skin Contact: May be harmful if absorbed through the skin. Causes skin burns.
Eye Contact: Causes eye burns. Causes eye irritation. May cause chemical conjunctivitis.
Ingestion: Harmful if swallowed. Causes burns. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

2. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	Proprietary
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	Proprietary
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy)methylethoxy]-	Proprietary
7320-34-5	Potassium pyrophosphate	Proprietary



Air Filter Cleaner

3. First Aid Measures**Emergency and First Aid****Procedures:**

- In Case of Inhalation:** If breathed in, move person into fresh air.
- In Case of Skin Contact:** In case of skin contact, flush with copious amounts of water for at least 15 minutes.
- In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid if irritation develops and persists.
- In Case of Ingestion:** If swallowed, wash out mouth with water provided person is conscious. Call a physician. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.
- Note to Physician:** Treat symptomatically and supportively.

4. Fire Fighting Measures

- Flash Pt:** NE
- Explosive Limits:** LEL: N/A UEL: N/A
- Autoignition Pt:** NE
- Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or appropriate foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
- Flammable Properties and Hazards:** No data available.

5. Accidental Release Measures

- Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Provide ventilation. Do not let this chemical enter the environment.

6. Handling and Storage

- Precautions To Be Taken in Handling:** Avoid inhalation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Keep container tightly closed. Avoid ingestion and inhalation.
- Precautions To Be Taken in Storing:** Store in a cool, dry, well-ventilated area away from incompatible substances.

7. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	No data.	No data.	No data.
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	No data.	No data.	No data.
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy)methylethoxy]-	No data.	No data.	No data.
7320-34-5	Potassium pyrophosphate	No data.	No data.	No data.



Air Filter Cleaner

Respiratory Equipment (Specify Type):	Always use a NIOSH approved respirator when necessary.
Eye Protection:	Safety glasses.
Protective Gloves:	Handle with gloves.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Use adequate ventilation to keep airborne concentrations low.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash contaminated clothing before reuse. Wash thoroughly after handling.

8. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Clear, colorless liquid with no fragrance.
Melting Point:	NE
Boiling Point:	>= 212.00 F
Decomposition Temperature:	NE
Autoignition Pt:	NE
Flash Pt:	NE
Explosive Limits:	LEL: N/A UEL: N/A
Specific Gravity (Water = 1):	1.050
Density:	~ 8.76 LB/GA
Bulk density:	NE
Vapor Pressure (vs. Air or mm Hg):	NE
Vapor Density (vs. Air = 1):	> 1
Evaporation Rate:	NE
Solubility in Water:	100%
Saturated Vapor Concentration:	NE
Viscosity:	NP
pH:	11.5 - 12.5
Percent Volatile:	No data.
VOC / Volume:	0.0000 G/L
Particle Size:	NE
Heat Value:	NE
Corrosion Rate:	NE

9. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	None.
Incompatibility - Materials To Avoid:	Strong acids, Lead. Tin/tin oxides, Aluminum and Soft Metals. Strong oxidizing agents, Ammonia, magnesium, Sodium, calcium salts.
Hazardous Decomposition Or Byproducts:	formed under fire conditions. Sodium oxides, silicon oxides. Carbon monoxide, Phosphine, Carbon dioxide, oxides of phosphorus, irritating and toxic fumes and gases.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]



Air Filter Cleaner

Conditions To Avoid - None.
Hazardous Reactions:

10. Toxicological Information

Toxicological Information: No data available.

CAS# 6834-92-0:

Acute toxicity, LD50, Oral, Mouse, 770.0 MG/KG.

Results:

Kidney, Ureter, Bladder: Changes in tubules (including acute renal failure, acute tubular necrosis).

Kidney, Ureter, Bladder: Changes in bladder weight.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000 AE Netherlands, Vol/p/yr: 31(Suppl),, 1986

CAS# 7320-34-5:

Acute toxicity, LD50, Skin, Species: Rabbit, 4640. MG/KG.

Results:

Paternal Effects: Testes, epididymis, sperm duct.

- National Technical Information Service, Vol/p/yr: OTS0571153,

Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 7320-34-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

11. Ecological Information

No data available.

12. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

13. Transport Information**LAND TRANSPORT (US DOT):**

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.



SAFETY DATA SHEET

Air Filter Cleaner

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

14. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	No	No	No
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	No	No	No
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy)methylethoxy]-	No	No	No
7320-34-5	Potassium pyrophosphate	No	No	No

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists


6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	CA PROP.65: No; CA TAC, Title 8: No
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	CA PROP.65: No; CA TAC, Title 8: No
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy)methylethoxy]-	CA PROP.65: No; CA TAC, Title 8: No
7320-34-5	Potassium pyrophosphate	CA PROP.65: No; CA TAC, Title 8: No

15. Other Information

Hazard Rating System:

HEALTH	1
FLAMMABILITY	0
PHYSICAL	0
PPE	B

HMIS:



NFPA:

Revision Date:

05/28/2015

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.

MATERIAL SAFETY DATA SHEET

Section 1: PRODUCT & COMPANY IDENTIFICATION

Product Name: Filter Oil (Red)
Product Category: Petroleum Lubricating Oil
Product Grade (Viscosity): All Grades (Viscosities)
MSDS Form: APL
MSDS Issue Date: 3/16/14

Section 2: COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS	Number(s)	Approximate	Concentration
Petroleum Hydrocarbons	6474	64742-54-7, 64742-65-0, 2-62-7	64742-58-1	96% or greater
Proprietary Additives	Mixture	4%		or less

Section 3: HAZARDS IDENTIFICATION

Route of Exposure

Ingestion: Low order of toxicity. May cause irritation in very sensitive individuals.

Inhalation: No adverse effects on short term exposure.

Eyes: Expected to cause no more than mild irritation, except in very sensitive individuals.

Skin: Expected to cause no effects, except for prolonged exposure in sensitive individuals.

Emergency Overview: This product has a low order of toxicity and does not require a cancer hazard warning.

HMIS Ratings: Health: 1, Fire: 1, Reactivity: 0

NFPA Ratings: Health: 1, Fire: 1, Reactivity: 0

Section 4: FIRST AID MEASURES

Ingestion: If ingested, DO NOT induce vomiting; Call a physician immediately.

Inhalation: Remove to fresh air. If breathing becomes irregular or stops; give oxygen, start resuscitation and call a physician immediately.

Eye Contact: Flush with fresh water for at least 15 minutes. Call a physician if irritation persists.

Skin: Wash thoroughly after exposure. Launder contaminated clothing. See a physician if irritation or inflammation develops.

Section 5: FIRE FIGHTING MEASURES

Flashpoint: >300 deg. F, COC. Vapors could ignite if heated above flash point.

LEL and UEL: No Data

Extinguishing Media: Carbon Dioxide, Dry Chemical, Foam, Water Fog or Spray (avoid using water stream) and Vaporizing Liquid

Special Fire Fighting Procedures: SCBA recommended. Use water to keep sealed containers cool. Water stream may cause splattering or transport flame. Water spray may be used to flush spills away from exposures or to disperse vapors.

Hazards and Products Produced from Thermal Decomposition: Fumes, smoke, carbon monoxide, sulfur oxides and toxic gases.

Filter Oil Red, cont.

1 of 3

Section 6: ACCIDENTAL RELEASE MEASURES

This product may be classified as an oil under Section 311 of the Clean Water Act and Oil Pollution Act. Spills or discharges into or leading to surface waters, that cause a sheen, must be reported to the National Response Center. Recover free product. Divert product from watercourses and sewers. Contain and absorb all product. Assure conformity with all applicable governmental regulations for reporting and disposal.

Section 7: STORAGE AND HANDLING

Handling Precautions: Avoid skin contact, breathing vapors and change contaminated clothing. Use in well ventilated areas. Wear recommended protective equipment. Practice good personal hygiene after handling. Do not cut, weld, braze or in any way alter empty containers or expose to any ignition source.

Storage: Store in approved closed containers in well ventilated areas away from sources of ignition and strong oxidants

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits: TLV 5 mg/m³ for oil mist in 8 hour work day

Respiratory Protection: Not usually required. Use supplied-air respiratory protection in confined or enclosed spaces, if needed. Supply sufficient ventilation so permitted exposure levels are not exceeded.

Skin Protection: Use chemical resistant gloves, aprons, and shoes, etc. to avoid prolonged and repeated skin contact. Launder soiled clothing before reuse.

Eye Protection: Use splash goggles or face shield when eye contact may occur.

Hygienic Practices: Minimize breathing vapor, mist or fumes. Wash thoroughly before meals, breaks, and at the end of work period. Remove contaminated clothing and launder before reuse. Product is readily removed from skin by waterless hand cleaners, followed by washing thoroughly with soap and water.

Section 9: PHYSICAL & CHEMICAL PROPERTIES

Boiling Range: >500 deg. F **Solubility(in water):** Negligible **Physical Form:** Red Oily Liquid

Vapor Density(air4): >5 **Evaporation Rate(water=1):** <.01 **Specific Gravity:** .80 to .90

%Volatile by Volume: Negligible **Vapor Pressure:** <.01 mm Hg@ 20 degrees C **pH:** Neutral

Section 10: STABILITY AND REACTIVITY

This product is stable and will not react violently with water. Hazardous polymerization will not OCCUF. Avoid contact with strong oxidants such as liquid chlorine, concentrated oxygen, sodium hypochlorite, calcium hypochlorite, etc., as this presents a serious explosion hazard.

Section 11: TOXICOLOGICAL INFORMATION

Oral Toxicity: Swallowing product may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea and abdominal pain. Acute Oral LD 50 (rat) > 5 g/kg of body weight

Eye Irritation: Product contacting eyes may cause irritation.

Skin Irritation: Repeated and prolonged overexposure to oil and/or oil mists may cause irritation, inflammation and increased incidence of infection. Acute Demal LD50 (rabbit) > 3.16 g/kg of body weight

Carcinogenic: Components of this product have not been identified as a carcinogen by NTP, IARC or OSHA

Filter Oil Red, cont.

2 of 3

Section 12: ECOLOGICAL INFORMATION

This product is expected to have adverse affects if rel eased into the environment. Do not discharge or releas e this product to the environment, public waters OR waterways.

Section 13: DISPOSAL CONSIDERATION

Disposal options for this product are determined by federal, state and local regulations and the conditions under which it may have been used. This product is recyclable. Commit federal, state and local regulations for the proper disposal method.

Section 14: TRANSPORTATION INFORMATION

U.S. DOT HAZARDOUS MATERIALS SHIPPING INFORMATION: “Not Regulated”

Section 15: REGULATORY INFORMATION

The following information may be useful in complying with various local, state and federal laws and regulations addressing various statutes:

SARA Sec. 301-304: No TPQ for product or any constituent greater than 1 % or 0.1 % for carcinogen.

SARA Sec. 313: No toxic chemical is present greater than 1 % or 0.1 % for carcinogen.

SARA Sec. 311-312: No EPA Hazard Classification Code.

TSCA: All components are listed on the U.S. TSCA inventory, does not contain polychlorinated biphenyls.

OSHA: This product requires a warning label.

Section 16: OTHER INFORMATION

The information contained in this Material Safety Data Sheet has been compiled from the most reliable and accurate sources available at the time this document was prepared. However, no liability shall be accepted by S&B Filters, Inc. for injury or loss resultant of the use of the product or information contained in this document.

The information contained in this document is intended to be used in conjunction with applicable standards for training, work practices and facility design established by such organizations as OSHA, NIOSH, NFPA, API, NEC, NSC, Underwriters, Bureau of Mines and others.

The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that they are suitable and complete for their particular Use.

Reviewed by: Russell Tracy

MATERIAL SAFETY DATA SHEET

Section 1: PRODUCT & COMPANY IDENTIFICATION

Product Name: Filter Oil (Blue)
Product Category: Petroleum Lubricating Oil
Product Grade (Viscosity): All Grades (Viscosities)
MSDS Form: APL
MSDS Issue Date: 04/16/14

Section 2: COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS	Number(s)	Approximate	Concentration
Petroleum Hydrocarbons	6474	64742-54-7, 64742-65-0, 2-62-7	64742-58-1	96% or greater
Proprietary Additives	Mixture	4%		or less

Section 3: HAZARDS IDENTIFICATION

Route of Exposure

Ingestion: Low order of toxicity. May cause irritation in very sensitive individuals.
Inhalation: No adverse affects on short term exposure.
Eyes: Expected to cause no more than mild irritation, except in very sensitive individuals.
Skin: Expected to cause no effects, except for prolonged exposure in sensitive individuals.
Emergency Overview: This product has a low order of toxicity and does not require a cancer hazard warning.

HMIS Ratings: Health: 1, Fire: 1, Reactivity: 0 **NFPA Ratings:** Health: 1, Fire: 1, Reactivity: 0

Section 4: FIRST AID MEASURES

Ingestion: If ingested, DO NOT induce vomiting; Call a physician immediately.
Inhalation: Remove to fresh air. If breathing becomes irregular or stops; give oxygen, start resuscitation and call a physician immediately.
Eye Contact: Flush with fresh water for at least 15 minutes. Call a physician if irritation persists.
Skin: Wash thoroughly after exposure. Launder contaminated clothing. See a physician if irritation or inflammation develops.

Section 5: FIRE FIGHTING MEASURES

Flashpoint: >300 deg. F, COC. Vapors could ignite if heated above flash point. **LEL and UEL:** No Data
Extinguishing Media: Carbon Dioxide, Dry Chemical, Foam, Water Fog or Spray (avoid using water stream) and Vaporizing Liquid
Special Fire Fighting Procedures: SCBA recommended. Use water to keep sealed containers cool. Water stream may cause splattering or transport flame. Water spray may be used to flush spills away from exposures or to disperse vapors.
Hazards and Products Produced from Thermal Decomposition: Fumes, smoke, carbon monoxide, sulfur oxides and toxic gases.

Section 6: ACCIDENTAL RELEASE MEASURES

This product may be classified as an oil under Section 311 of the Clean Water Act and Oil Pollution Act. Spills or discharges into or leading to surface waters, that cause a sheen, must be reported to the National Response Center. Recover free product. Divert product from watercourses and sewers. Contain and absorb all product. Assure conformity with all applicable governmental regulations for reporting and disposal.

Section 7: STORAGE AND HANDLING

Handling Precautions: Avoid skin contact, breathing vapors and change contaminated clothing. Use in well ventilated areas. Wear recommended protective equipment. Practice good personal hygiene after handling. Do not cut, weld, braze or in any way alter empty containers or expose to any ignition source.

Storage: Store in approved closed containers in well ventilated areas away from sources of ignition and strong oxidants

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits: TLV 5 mg/m³ for oil mist in 8 hour work day

Respiratory Protection: Not usually required. Use supplied-air respiratory protection in confined or enclosed spaces, if needed. Supply sufficient ventilation so permitted exposure levels are not exceeded.

Skin Protection: Use chemical resistant gloves, aprons, and shoes, etc. to avoid prolonged and repeated skin contact. Launder soiled clothing before reuse.

Eye Protection: Use splash goggles or face shield when eye contact may occur.

Hygienic Practices: Minimize breathing vapor, mist or fumes. Wash thoroughly before meals, breaks, and at the end of work period. Remove contaminated clothing and launder before reuse. Product is readily removed from skin by waterless hand cleaners, followed by washing thoroughly with soap and water.

Section 9: PHYSICAL & CHEMICAL PROPERTIES

Boiling Range: >500 deg. F **Solubility(in water):** Negligible **Physical Form:** Red Oily Liquid

Vapor Density(air4): >5 **Evaporation Rate(water=1):** <.01 **Specific Gravity:** .80 to .90

%Volatile by Volume: Negligible **Vapor Pressure:** <.01 mm Hg@ 20 degrees C **pH:** Neutral

Section 10: STABILITY AND REACTIVITY

This product is stable and will not react violently with water. Hazardous polymerization will not OCCUF. Avoid contact with strong oxidants such as liquid chlorine, concentrated oxygen, sodium hypochlorite, calcium hypochlorite, etc., as this presents a serious explosion hazard.

Section 11: TOXICOLOGICAL INFORMATION

Oral Toxicity: Swallowing product may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea and abdominal pain. Acute Oral LD 50 (rat) > 5 g/kg of body weight

Eye Irritation: Product contacting eyes may cause irritation.

Skin Irritation: Repeated and prolonged overexposure to oil and/or oil mists may cause irritation, inflammation and increased incidence of infection. Acute Demal LD50 (rabbit) > 3.16 g/kg of body weight

Carcinogenic: Components of this product have not been identified as a carcinogen by NTP, IARC or OSHA

Filter Oil (Blue), cont.

Section 12: ECOLOGICAL INFORMATION

This product is expected to have adverse effects if released into the environment. Do not discharge or release this product to the environment, public waters OR waterways.

Section 13: DISPOSAL CONSIDERATION

Disposal options for this product are determined by federal, state and local regulations and the conditions under which it may have been used. This product is recyclable. Commit federal, state and local regulations for the proper disposal method.

Section 14: TRANSPORTATION INFORMATION

U.S. DOT HAZARDOUS MATERIALS SHIPPING INFORMATION: "Not Regulated"

Section 15: REGULATORY INFORMATION

The following information may be useful in complying with various local, state and federal laws and regulations addressing various statutes:

SARA Sec. 301-304: No TPQ for product or any constituent greater than 1 % or 0.1 % for carcinogen.

SARA Sec. 313: No toxic chemical is present greater than 1 % or 0.1 % for carcinogen.

SARA Sec. 311-312: No EPA Hazard Classification Code.

TSCA: All components are listed on the U.S. TSCA inventory, does not contain polychlorinated biphenyls.

OSHA: This product requires a warning label.

Section 16: OTHER INFORMATION

The information contained in this Material Safety Data Sheet has been compiled from the most reliable and accurate sources available at the time this document was prepared. However, no liability shall be accepted by S&B Filters, Inc. for injury or loss resultant of the use of the product or information contained in this document.

The information contained in this document is intended to be used in conjunction with applicable standards for training, work practices and facility design established by such organizations as OSHA, NIOSH, NFPA, API, NEC, NSC, Underwriters, Bureau of Mines and others.

The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that they are suitable and complete for their particular Use.

Reviewed by: Russell Tracy

MATERIAL SAFETY DATA SHEET

Section 1: PRODUCT & COMPANY IDENTIFICATION

Product Name: Air Filter Cleaner

MSDS Form:

MSDS Issue Date: 4/16/14

Section 2: HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Hazardous Components	CAS#	OSHA PEL	ACGIH TLV	Weight% (Optional)
Sodium Silicate	6834920	15MG/M3	10MG/M3	

VOC Content: Note g/L

Section 3: PHYSICAL / CHEMICAL CHARACTERISTICS

Flash Point: >212F **Specific Gravity:** 1.050

Vapor Pressure: Not Tested **Melting Point:** Not Tested

Vapor Density: Not Tested **Evaporation Rate:** Note Tested

Solubility in Water: 100%

Appearance & Odor: Clear colorless liquid with mild odor.

Section 4: FIRE & EXPLOSION HAZARD DATA

Flash Point: >212F **Flammable Limits:** Not Tested

LEL: Not Established **UEL:** Not Established

pH: 12 **DOT#:** n/a

NFPA Hazard Rating: H F R S **HMIS Hazard Rating:** H F R
(0-Least, 4-Extreme) 1 0 0 0 1 0 0

Extinguishing Media: CO2, Dry Foam

Special Fire Fighting Procedures: None

Unusual Fire & Explosion Hazards: None

Section 5: REACTIVITY DATA

Stability: Stable

Conditions to Avoid: None

Incompatible Materials to Avoid: Strong Oxidizers

Hazardous Decomposition or Byproducts: CO, CO2

Air Filter Cleaner, cont.

Hazardous Polymerization: Will not occur

Conditions to Avoid: Strong Oxidizers

Section 6: HEALTH HAZARD DATA

Routes of Entry

Inhalation? – Possible

Skin? – Possible

Ingestion? – Possible

Health Hazards: Same as Signs and Symptoms of Exposures

Note: All Chemicals in this Product are found on the TSCA Inventory List.

OSHA Carcinogenicity? – Note **NTP?** – None **IARC Monographs?**- None #04436

Signs and Symptoms of Over Exposure

Eyes: Burning Sensation

Skin: Irritant to skin with prolong contact

Ingestion: Burning Irritation

Inhalation: Not Expected to be a Problem

Medical Conditions Generally Aggravated by Exposure – Same as Signs and Symptoms of Exposure

Emergency and First Aid Procedures

Eyes: Flush with Water for 15 Minutes. If Irritation Persists, Call Physician

Skin: Wash off with Soap & Water, If Irritation Persists, Call Physician

Ingestion: Drink Large Amounts of Water, Call Physician

Inhalation: Get Person to Fresh Air, If Unconscious, Call Physician

Section 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method: Dispose of in accordance with state and local regulations.

Precautions to Be Taken in Handling and Storing: Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32F, or heat above 110F.

Other Precautions: Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8: CONTROL MEASURES

Respiratory Protection - Open all doors and windows. If there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation: Local Exhaust - If Available Special- None
 Mechanical- If Available Other - None

Protective Gloves: Plastic or Rubber, Chemical Resistant

Air Filter Cleaner, cont.

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment: None

Work Hygienic Practices: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use normally found on label which will dictate engineering and control measures.

Other Special Requirements

Note: S&B Filters believes the data set forth are accurate, S&B Filters makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

Prepared by Solaiman Jonatan