

HONDA CR500 JETTING RECOMMENDATIONS

Here are our jetting suggestions for your **CR500**. We've spent countless hours of testing to determine which settings work best when bolting on one of our pipes and silencers to a stock machine. These are recommendations only, based upon our testing at sea-level atmospheric pressure, a 65-80F degree ambient air temperature, a 32:1 fuel to oil mixing ratio on super unleaded pump fuel with a stock motor.

For some models we offer a Power Up jet kit for optimum tuning. Kits may include jets, needles and any necessary hardware and have been developed with the assistance of Dynojet.

There are too many variables outside of our control to give you an exact configuration that works perfectly under all conditions. Our recommendations are just that, a starting point to reference from. Higher elevations, high humidity, hotter temperatures are examples that will require leaner jetting. Colder temperatures are an example that will require richer jetting.

If you are unknowledgeable or don't feel comfortable tuning your machine yourself, find a mechanic in your area who is. FMF Racing is not responsible for problems derived from improper jetting and/or usage.

Always check that your jetting is correct when changing parts that could affect the intake system, exhaust system and any product or change that could alter fuel combustion in the cylinder (ie. aftermarket ignition module).

Use the following suggestions when using a FMF Fatty, Factory Fatty, Gnarly, Rev or SST exhaust pipe.

2001		2000		1999	
Main Jet	172	Main Jet	172	Main Jet	175
Pilot Jet	55	Pilot Jet	55	Pilot Jet	55
Needle	STOCK	Needle	STOCK	Needle	STOCK
Clip Position	2ND	Clip Position	2ND	Clip Position	2ND
Air Screw	2 out	Air Screw	2 out	Air Screw	2 out
1998		1997		1996	
Main Jet	175	Main Jet	175	Main Jet	175
Pilot Jet	55	Pilot Jet	55	Pilot Jet	55
Needle	STOCK	Needle	STOCK	Needle	STOCK
Clip Position	2ND	Clip Position	2ND	Clip Position	2ND
Air Screw	2 out	Air Screw	2 out	Air Screw	2 out
1995		1994		1993	
Main Jet	175	Main Jet	175	Main Jet	175
Pilot Jet	55	Pilot Jet	55	Pilot Jet	55
Needle	R1369N	Needle	R1369N	Needle	R1369N
Clip Position	3RD	Clip Position	3RD	Clip Position	3RD

2 out

Air Screw

2 out

Air Screw

Air Screw

2 out

1992		1991		1990	
Main Jet	170	Main Jet	170	Main Jet	170
Pilot Jet	55	Pilot Jet	55	Pilot Jet	55
Needle	R1369N	Needle	R1369N	Needle	R1369N
Clip Position	2ND	Clip Position	2ND	Clip Position	2ND
Air Screw	2 out	Air Screw	2 out	Air Screw	2 out
1989		1988		1987	
Main Jet	170	Main Jet	175	Main Jet	172
Pilot Jet	55	Pilot Jet	58	Pilot Jet	58
Needle	STOCK	Needle	STOCK	Needle	STOCK
Clip Position	3RD	Clip Position	3RD	Clip Position	3RD
Air Screw	2 out	Air Screw	2 out	Air Screw	1.5 out
1986		1985			
Main Jet	172	Main Jet	172		
Pilot Jet	58	Pilot Jet	60		
Needle	STOCK	Needle	STOCK		
Clip Position	3RD	Clip Position	3RD		

Air Screw

1.5 out

Air Screw

1.5 out