





G.D.I.
Tools®

Professional Tools & Accessories

Automotive | Commercial | Residential
Paint Protection | Wraps | Vinyl & Graphics



KNIVES & BLADES

STANDARD 9MM KNIVES



GT126 OLFA "SILVER" SS KNIFE

The original Olfa stainless steel knife.

GT027 NT PRO A1 "RED DOT" KNIFE

Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control. Right or left hand use. Now includes a stainless steel blade.

GT226 OLFA "SILVER 2" KNIFE

Significantly improved over the original "Olfa Silver". Features right or left handuse, blade position auto-lock, and one-segment click-action.



GT127 OLFA A1 KNIFE

Used for film pattern cutting and trimming. Features a molded plastic handle for maximum control and comfort. Right or left hand use.

GT227 OLFA XA1 ERGONOMIC KNIFE

This ergonomically correct knife features a comfortable rubber grip for better control and less fatigue.

GT1018 NT A250RP AUTO-LOCK KNIFE

Chemical-resistant and heat-resistant polypropylene grip. Ratchet auto-lock slider locks blade in place while cutting. Right or left hand use.



GT1054 NT A300GR KNIFE

All-purpose standard duty utility knife with stainless steel sliding holder and sturdy aluminum die cast grip for long lasting use. Ratchet auto-lock slider locks blade in place while cutting. End cap also functions as a blade snapper. Designed for either left or right handed use with simple reversal of blade.

GT124 PLASTIC UTILITY KNIFE

Used for film pattern cutting and trimming.

MULTI-BLADE CARTRIDGE KNIVES



GT026N NT A553P INJECTOR CARTRIDGE KNIFE

Now comes with two 30 degree blades installed but will accommodate standard 9mm blades as well. Used for film pattern cutting and trimming. Holds up to five blades for automatic blade replacement capabilities.

GT984 NT A1000RP KNIFE

Cartridge cutter with aluminum die-cast grip. Cartridge holds up to 5 blades.

GT114 OLFA PA2 PRO-LOAD KNIFE

Holds up to five blades at a time giving you 65 new cutting segments per load.

NOTE

All knives are packed with a carbon steel blade except the GT126, GT226 & GT027 which include a stainless steel blade.

KNIVES & BLADES CONT'D

STANDARD 9MM BLADES



GT115 OLFA AB10S STAINLESS STEEL SNAP BLADES

Pack of 10. The industry standard when it comes to snap blades for film and pattern cutting. Thirteen cutting edges per blade. Use in most standard duty knives.

GT116 OLFA AB50S STAINLESS STEEL SNAP BLADES

Pack of 50.

GT123 OLFA AB50B CARBON SNAP BLADES

Standard carbon snap blades with superior sharpness and edge retention. This 9mm blade fits most standard duty knives and has 13 cutting edges per blade. Pack of 50.

GT1031 OLFA ULTRAMAX ABB50B CARBON SNAP BLADES

These blades are double-honed for extreme sharpness and are 25% sharper than the standard duty carbon blade. Eight cutting edges per blade, 50 blades per pack. Fits most standard Olfa knives.

GT1020 NT BA50SS STAINLESS STEEL SNAP BLADES

Stainless steel snap blades from the makers of the "Red Dot" knife. Use in 9mm and multi-blade cartridge knives. Pack of 50.

30° KNIFE & BLADES



GT1051 OLFA SAC1 KNIFE

Slim stainless steel body with a 30° angle blade for precision in pattern cutting. Great for graphics and paint protection. Use GT1052 or GT2100 replacement blades.

GT1052 OLFA A1160B 30° CARBON BLADES

Standard duty acute angle snap-off blade for use when precision is a must. Seven cutting edges per blade strip. Pack of 10.

GT2100 BAD21P 30° BLADE 10PK

NT BAD-21P 30° blade. 10 blades per pack, Carbon. Fits GT1051, GT026N and GT027.

KNIVES & BLADES CONT'D

8PT HEAVY-DUTY KNIVES & BLADES



GT264 KDS L22 GRIPFIT AUTOLOCK KNIFE
Heavy-duty knife with comfortable grip. Use with any 8pt blade to cut window films 7 mil or greater.



GT1019 NT L500GRP KNIFE
NT heavy-duty knife with ratchet auto-lock slider which locks the blade into place while cutting. Blade storage in handle. Use with 7 mil or greater films.



GT111 8PT AUTO LOCK KNIFE
Heavy-duty knife with breakaway points for use with security films 7 mil or greater. Blade storage in handle.



GT263 KDS LB50BH POWER BLACK 8PT BLADES
Ideal for thicker films, 7 mil or greater. Fits GT111, GT264 & GT1019. Pack of 50.

GT2016 KDS GB50BH POWER BLACK G-BLADES
The G-Blade is a double-honed extremely sharp 8pt blade that is ideal for cutting safety and security film. Fits GT111, GT264, & GT1019. Pack of 50.



GT131 8PT BLADES
18mm replacement blades. Fits GT111, GT264 and GT1019. Pack of 5.



GT112 OLFA LBB50B ULTRAMAX 8PT BLADES
Replacement blades for GT111, GT264 & GT1019 heavy-duty knives. Triple-honed for extremely sharp edge. Ideal for cutting thick films, 7 mil or greater. Pack of 50.



GT1021 BL50P BLADES
Heavy-duty NT blades for use with the GT1019, GT111, & GT264. Pack of 50.

TOOL TIP

Try the most popular knife and blade option for the various applications:

- Automotive/Residential Window Films use GT126/GT027 (pg. 1) and GT116/GT1020 (pg. 2)
- Paint Protection use GT1051 and GT1052 (pg. 2)
- Vinyl Graphics use GT026N/GT114 (pg. 1) and GT123 (pg. 2)
- Safety and Security Films use GT1019 (pg. 3) and GT112 (pg. 3)

**ANY BLADE CAN
CUT OR
SCRATCH GLASS!**

It depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!

SCRAPERS & BLADES

6" SCRAPERS & BLADES



GT107 6" TRIUMPH SCRAPER
Lightweight and maneuverable. Includes cover and one double edged blade



GT107A 6" ANGLED TRIUMPH SCRAPER
The handle is tilted at a 30° angle. Includes cover and one double edged blade.



GT107PC 6" TRIUMPH SCRAPER WITH SLIDE COVER
This is the new and improved version of the slide covered Triumph. With a bigger button and smoother action, the cover easily opens and closes with no hassle. No more fumbling with a separate blade cover while doing ladder work. Great for regular window cleaning, but not recommended for stripping off old film.



GT983 6" ERGONOMIC TRIUMPH SCRAPER
An improved version of the angled 6" Triumph scraper with a more comfortable grip. Includes cover and one double edged blade.



GT983A 6" ANGLED ERGONOMIC TRIUMPH SCRAPER
An improved version of the standard 6" Triumph scraper with a more comfortable grip and tilted handle. Includes cover and one double edged blade.



GT106 6" RED HEAVY-DUTY
Scraper ideal for film removal. Includes cover and one double edged blade. Use GT110 as replacement blades.

GT110 TRIUMPH HEAVY-DUTY CARBON BLADES
Replacement blades for the Red Heavy-Duty Triumph Scraper (GT106). This thicker blade (0.40 mm) offers greater strength for those tough jobs. Pack of 10.



GT108 6" TRIUMPH CARBON BLADES
Carbon steel offers strong capable scraping that lasts longer than stainless steel blades but rust more easily. Use these blades for scraping adhesive and other debris from glass surfaces. Double edged for more scraping per package. These blades fit any of the standard 6" Triumph Scrapers. (0.20 mm x 6") Pack of 25.



GT108SS 6" TRIUMPH STAINLESS STEEL BLADES
Long lasting rust resistant stainless steel blade. Perfect for removing adhesive and other debris from glass surfaces. The double edge blade offers you more scraping than other blades. (0.15 mm x 6") Pack of 25.



GT108SS-HD 6" TRIUMPH STAINLESS STEEL HEAVY-DUTY BLADES
This rust resistant stainless steel blade is thicker and stronger than the standard 6" Triumph Stainless Steel Blades. A must have for those tough film removal jobs. A new product exclusively for the tinting industry. A must have for all residential and commercial installers. (0.20 mm x 6") Pack of 25.

NOTE

All scrapers are packaged with a carbon blade.

SCRAPERS & BLADES CONT'D

4" SCRAPERS & BLADES



GT104 4" SCRAPER WITH EXTENDED HANDLE

4" scraper with extended handle allowing for better leverage. Use with GT105 or GT1007 as replacement blades. Blade cover included.



GT1023 AL PRO 4" STRIPPER

This 4" scraper has an adjustable head as well as an adjustable knob for two handed use. Blades can be stored inside the handle.



GT105 4" CARBON SCRAPER BLADES

Fits the GT104 and GT1023. (0.017mm x 4") Pack of 10.

GT1007 4" CARBON SCRAPER BLADES

Fits the GT104 and GT1023. (0.017mm x 4") Pack of 100.

3" SCRAPERS & BLADES



GT210 3" TRIUMPH SCRAPER

Smaller version of the regular Triumph. Designed to fit perfectly into corners.



GT211 3" TRIUMPH CARBON BLADES

Use in 3" Triumph Scraper (GT210). (0.20 mm x 3") Pack of 10.

TOOL TIP

Plastic razor blades are the most effective way to safely prep automotive glass. Although the blades are plastic, proceeding with caution is always a good idea.

1" SCRAPERS & BLADES



GT109 1" CLIP SCRAPER

GT109S 1" CLIP SCRAPER WITH THUMB SCREW

These effective scrapers will accommodate standard or stainless steel 1" single edge blades as well as GT139 plastic razor blades. Try the Lil Chizler in these handles for more leverage.



GT138 HEAVY-DUTY 1" RAZOR SCRAPER

GT138HYDE HYDE 1" RAZOR SCRAPER

Retractable safety scraper; intermediate blade position keeps the blade from sliding out while in use.



GT212 1" NEON MINI SCRAPER

Holds 1" single edge blade. Use with GT140, GT140-12 & GT137.

GT994 BIG BLADE

Jumbo size plastic razor blade perfect for cleaning & film removal. (3" x 4")



GT140 1" SINGLE EDGE BLADES

Use in any 1" blade holder. #9 Carbon steel single edge blade, non-rust aluminum back. (.009"/.2286 mm) Pack of 100.

GT140-12 #12 1" SINGLE EDGE BLADES

Use in any 1" blade holder. #12 Carbon steel single edge blade, non-rust aluminum back. (.012"/.3048 mm) Pack of 100.



GT137 1" SINGLE EDGE STAINLESS STEEL BLADES

Use in any 1" blade holder. Stainless steel, uncoated. (.009"/.23 mm) Pack of 100.



GT2023 SCRAPERITE PLASTIC RAZOR BLADES

These plastic razor blades are double edged and safe for glass. Great for removing adhesives from window films and vinyl decals. Pack of 100 blades.

GT139 PLASTIC RAZOR BLADES

Perfect for removing leftover film and adhesive from surfaces that are easily damaged, such as rear window defrosters or other sensitive glass

HANDLED SQUEEGEES



GT062 6" PRO SQUEEGEE DELUXE
GT064 8" PRO SQUEEGEE DELUXE
 An installation squeegee as a ready-to-use assembly. Used to remove application solution during the installation of all flat glass film types.



GT061 8" PRO SQUEEGEE BLADE
GT063 6" PRO SQUEEGEE BLADE
 Replacement blade to Pro Squeegee Deluxe (GT064 or GT062) used as a means of removing application solutions from beneath the film during the installation of all flat glass film types. Square edge.



GT059 8" FLATFOOT SQUEEGEE BLADE
GT069 6" FLATFOOT SQUEEGEE BLADE
 Specially angled blades for the Pro Squeegee Deluxe (GT062 or GT064). The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro blade with a square edge. Beveled edge.



GT050 UNGER PRO (LATCH) HANDLE
 The original Unger Pro Handle. For use with the GT053, GT054, GT055 or GT056 stainless steel channels with black rubber for cleaning or blue replacement blades (GT118) for installation.

GT050E UNGER ERGOTEC (SPRING) HANDLE
 Features a spring mechanism for quick blade changing and a finger indent on the top of handle for complete control. For use with GT053, GT054, GT055 or GT056 channels with black rubber for cleaning or blue (GT118) for installation.



GT050A UNGER (SCREW) HANDLE
 A modified Unger handle that has proven results for maximum water extraction. For flat glass applications use with the new Extruder channels (GT252 & GT253). The handle also works excellent with Super Clear Max, Blue Max and Orange Crush Squeegees.



GT056 18" SQUEEGEE & CHANNEL
GT055 12" SQUEEGEE & CHANNEL
GT054 8" SQUEEGEE & CHANNEL
GT053 6" SQUEEGEE & CHANNEL
 Stainless steel channel and soft rubber squeegee blade insert for use with the Unger Pro Handle (GT050 or GT050E). Used in the flat glass cleaning process and in the final cleanup after the film installation to remove soap streaks or smudges.



GT252 6" EXTRUDER CHANNEL
GT253 8" EXTRUDER CHANNEL
 This channel works in your existing Unger handle or the GT050A. It is designed to give your squeegee blade added stiffness and a better angle to aid in laying down the film and extracting more water per squeegee pass. Use GT118, GT2107 or GT2108 squeegee material.




GT1001-36 UNGER 36" HARD REPLACEMENT BLADE
 Hard replacement rubber is ideal for warmer working conditions and for optimum liquid removal on large, flat surfaces.



GT045 140" SQUEEGEE BLADE
GT048 12" SQUEEGEE BLADE
GT049 18" SQUEEGEE BLADE
 Replacement blades for Unger squeegee channel. Use for window cleaning, not installation.

HANDLED SQUEEGEES CONT'D

GT2107



GT2108



GT208



GT207

GT2107 120" FUSION ORANGE CHANNEL REFILL

GT2108 120" FUSION BLUE CHANNEL REFILL

Fusion Orange Channel squeegee is 85 durometer and Fusion Blue Channel Squeegee is 94 durometer. Easily cut the roll to the channel.

GT118 BLUE SQUEEGEE REFILL (6", 8", 12", 18" OR 120" ROLL)

Use in the Unger squeegee channel as a finishing squeegee for maximum water removal. Replacement blade for GT207. Use with GT252 or GT253 Extruder Channels (pg.6).

**GT208 SIDE SWIPER HANDLE ONLY
GT207 SIDE SWIPER WITH BLADE**

A great tool for the lower edge of rear windows and behind brake lights. Use 6" of GT118, GT2107 or GT2108 as a replacement blade.



GT034 WHALE TAIL SQUEEGEE

Great for getting behind brake lights and back window applications.

GT035 WHALE TAIL REPLACEMENT BLADE

GT036 WHALE TAIL HANDLE



GT985 PERFORMAX HANDLE

Ideal for water extraction when used with GT117, GT117B, GT203 or GT257. Features a socket that accepts standard broom or paint roller extensions. This allows installers to get more leverage.



GT1042R TITAN SQUEEGEE-RED

The Titan is made with the same plastic used to make bullet proof glass. This allows more strength and rigidity. The overall length is 14 3/4" which allows a longer reach for rear windows and its unique design will easily lift inner and upper door seals.



GT040 SLIM FOOT

Modeled after the Big Foot Squeegee, the Slim Foot has a slender design that can reach into tighter openings. This no rib squeegee helps reach behind brake lights and has a rubber grip for secure handling. Measures 15" from blade tip to handle end.



GT043 BIG FOOT

Specifically designed to remove water from the lower portion of rear windows. Features a flex-firm blade molded right into the long flattened tennis racquet-style handle. The handle is wrapped with genuine Head Softac traction grip material. Reaching the lower deck of back windows is not a problem with Big Foot. This tool measures a full 15" from blade tip to handle end.



GT205 THE BULLDOZER I - AUTOMOTIVE

Allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 6" squeegee blade and is 15" in overall length.

GT206 THE BULLDOZER II - FLAT GLASS

Features reinforced ribs on the back side for extra rigidity and leverage. Includes 6" squeegee blade and is 15" in overall length. The Bulldozer Squeegees have a new rubber compound for less slip resistance, a flatter blade for better water extraction and added plastic under the blade corners for additional strength.

HANDLED SQUEEGEES CONT'D

GT178 THE REACH TOOL

This tool is designed to effectively squeegee water from the most difficult places to reach. THE REACH allows you to squeegee water from the bottom of the back window or windshield with ease.

THE REACH is made with a special formulated plastic and rubber in order to achieve the necessary stiffness and durability of its four edges. This tool is 16 3/4 inches in length, and built with a double rubber blade on each side. One side of the tool provides an excellent grip, while the other side uses both edges to squeegee the water out; one pushes the water and the other drags the water. This tool is completely adaptable with two different radiuses of curvature at each side; in other words, one side is stiffer than the other.



GT122 BLUE MAX SQUEEGEE WITH HANDLE

GT204 SUPER CLEAR MAX SQUEEGEE WITH HANDLE

Ready-to-use installation squeegee. The specially modified Unger handle makes these installation squeegees must haves. The handle is sold separately as GT050A. Replacement blades are available as part number GT203A and or GT117A.

GT117 BLUE MAX 5" HAND SQUEEGEE
Installation squeegee for automotive and flat glass applications. Harder than GT203; great for water removal.

GT117B SQUARE BLUE MAX 5" HAND SQUEEGEE
Ideal for installing security film.

GT117A ANGLED BLUE MAX 5" HAND SQUEEGEE

Installation squeegee for automotive and flat glass applications. Harder than GT203, these tools are excellent for water removal.



GT203 SUPER CLEAR MAX SQUEEGEE BLADE

GT203A ANGLED SUPER CLEAR MAX SQUEEGEE BLADE


Softer version of the Blue Max Squeegee, more flexible for back window installations.

GT037 FUSION HANDEE TOOL

The Fusion Hand Dee Tool is a MAGNETIC handle that can accommodate any 5" squeegee. Equipped with a removable "jaw" and a rounded grip to fit perfectly in your hand.

GT939 5" PINK CLEAN

Pink Clean is a 5" Cropped squeegee blade. The softest blade from Fusion Tint Tools. This blade is specifically designed with cleaning in mind. It is recommended to use the Pink Clean squeegee blade to easily remove liquids with minimal pressure applied by the user.



HANDLED SQUEEGEES CONT'D



GT2056B GO DOCTOR BLUE (HARD)
GT2056Y GO DOCTOR YELLOW (FLEX-FIRM)
GT2056R GO DOCTOR RED (SOFT)

A fully integrated squeegee system where all of the components have been designed together, to work together. The I-beam handle fits comfortably in your hand. The I-beam handle is wrapped with a comfortable, non-slip material that provides secure grip. Go Doctor incorporates a quick-change blade system for speedy on the job replacements.

GT2057B GO DOCTOR BLUE BLADE (HARD)
 Use for window film and auto wrap installs.

GT2057Y GO DOCTOR YELLOW BLADE (FLEX-FIRM)
GT2057R GO DOCTOR RED BLADE (SOFT)
 Use for window film, auto wraps, vinyl graphics and paint protection installs.



GT2057D DUAL DENSITY GO DOCTOR REPLACEMENT BLADE
 Replacement blade for any Go Doctor Handle. Get two blades for the price of one. The Dual Density blade is double sided and reversible. 85A RED, 95A BLUE.

GT1047 5" FUSION HANDLE
GT1058 5" FUSION HANDLE - SHORT HANDLE
 These handles are designed to optimize your leverage in removing mounting solution. Great for high performance automotive films and smaller residential windows. These handles accommodate the Orange Crush, Blue Max and Super Clear Max Squeegees.

GT117-8 8" BLUE MAX SQUEEGEE
 The favored Blue Max installation squeegee is now available in 8" making it perfect for flat glass installs! Use this blade in the 8" Fusion Handle (GT1046) for great water extraction.

GT1046 8" FUSION HANDLE
 Ideal handle for all residential and commercial applications. Holds the 8" Orange Crush Squeegee Blade (GT259) and 8" Blue Max Squeegee Blade (GT117-8).



GT2101 5" HYBRID SQUEEGEE
 On one side the Hybrid is an Orange 85 durometer squeegee blade and on the other side a harder Blue 95 durometer. This dual blade features double beveled working edges. Simply flip the blade in your Fusion Handle to use one side or another.

GT259 8" ORANGE CRUSH
GT258 5" CROPPED ORANGE CRUSH
GT257 5" ORANGE CRUSH
 These blades help expel water while keeping their strength. The Orange Crush conforms to curved glass. Blades fit into a handled grip or can be used alone.

GT2102 5" CLEAR CRUSH SQUEEGEE
GT2103 5" CROPPED CLEAR CRUSH SQUEEGEE
 The Clear Crush is a squeegee blade designed for users that prefer the flexibility of a soft squeegee but the stiffness of a harder squeegee. This blade is the best of both worlds. Soft enough to squeegee curved surfaces without having to apply too much pressure but stiff enough to push or pull solution away from the job at hand.



HANDLED SQUEEGEES CONT'D



GT260 5" YELLOW FLAT OUT BLADE
GT261 8" YELLOW FLAT OUT BLADE
 The Yellow Flat Squeegees are available in both 5" and 8" length. Slightly harder than the Orange Crush and comparable in hardness to the Blue Max products they work great in flat glass and security applications. For best results try in a Fusion Handle, Fusion Stretch series or Thor's Hammer.

GT153Y GRIP-N-GLIDE YELLOW (FLEX-FIRM)
GT153O GRIP-N-GLIDE ORANGE (SOFT)
 Grip-N-Glide combines an ergonomic handgrip with high-performance, interchangeable blades to give you just what you need for tint, wrap and PPF installations.

GT154Y GRIP-N-GLIDE YELLOW REPLACEMENT BLADE (FLEX-FIRM)
GT154O GRIP-N-GLIDE ORANGE REPLACEMENT BLADE (SOFT)
 Unlike tube squeegees with their belt-sanded round edges, the Grip-N-Glide features a .24" thick squeegee blade with French edges that are machine milled for maximum water extraction. Use either the firm yellow 90A or softer orange 85A blade to meet your application needs. The blades fit snugly into a frame that is covered by a substantial handgrip designed with comfortable finger grooves and a special surface texture to provide the ultimate control in either wet or dry use.



GT057 5" FUSION STRETCH HANDLE
GT058 8" FUSION STRETCH HANDLE
 The Fusion Stretch handle is the latest design for installing flat glass and security films. These handles come in both 5" & 8" widths. This handle features a 14 1/2" metal extension and two rubber grip sections for maximum water removal.

GT1006 THOR'S HAMMER
 Use for 6-mil+ safety film installations, and final pass on slow drying thin films. (Flat Glass Applications). Use GT117C as a replacement blade.

GT117C SQUARE BLUE MAX-NARROW Replacement Blade for GT1006 Thor's Hammer.

GT042 8" SILVER SECURITY SQUEEGEE
 Comfortable, ergonomic handle is designed especially for security film installation. Comes equipped with the GT041 blade. Curved handle applies more pressure to surface, reducing fatigue and ensuring easier, better installations. Blade is replaceable with either the Security Squeegee (GT041), Flatfoot (GT059), Pro Squeegee (GT061), or Orange Crush (GT259) blades.

GT041 8" SILVER SECURITY SQUEEGEE BLADE
 Standard replacement blade for GT042.



GT1022 STROKE DOCTOR
GT1022B STROKE DOCTOR REPLACEMENT BLADE
 Designed with an I-beam construction handle that features an ergonomic slip-resistant grip and longer blade to apply squeegee pressure more evenly in the most hard to reach places.

GT2109 FUSION BLUE STROKE BLADE
GT2110 FUSION ORANGE STROKE BLADE
 Fusion Blue and Orange Stroke Blades fit the Stroke Doctor handle (GT1022). Blue is 94 durometer while the Orange is softer at 85.



SQUEEGEE ESSENTIALS



GT995 WHITE KNIGHT SQUEEGEE
Large squeegee with narrow handle allowing for better reach.

GT066 6" CLEAR SUPER SQUEEGEE
Ideal for general purpose squeegeeing. The consistency of the material produces great results with minimal effort.

GT067 3" CLEAR SUPER SQUEEGEE
Works best on corners, edges and bubbles allowing maximum pressure to be applied with minimal risk of damage to your work.




GT091 SLAMMER
Used for cleaning corners and along gaskets, wicking water out along borders and easily reaches rear windows.

GT032Y TAIL FIN YELLOW (FIRM)
GT032G TAIL FIN GREEN (SOFT)
Great for getting behind brake lights and back window applications. Finger holes make holding onto the Tail Fin easy.

GT068 HARD CARD SHARPENER
A must have to keep hard card and other squeegee edges smooth. Uses 9mm replacement blades.

GT088 BONDO SQUEEGEE
Flexible and soft card style squeegee. Great for third brake light installs.

GT092 SHUTTLE
A hard card with the ability to reach into tight areas located at the bottom edge of rear window glass.



GT202 THE CONQUERER SQUEEGEE
GT202B THE BLUE CONQUERER SQUEEGEE
The Conquerer is the original corner reach tool. Features a soft squeegee blade along one edge and pointed hard card tips on the ends making it a versatile staple to any tool kit. Use the Blue version for a harder blade.

GT149 12" BLOCK SQUEEGEE
GT148 6" BLOCK SQUEEGEE
Combination squeegee/hard card used for finishing during film installations. Can be cut to various angles to reach tight, sharp corners.


GT083 LIL CHIZLER
GT083Y DURA CHISEL
GT083W CHIZZLER
Ideal for removing decals, film or adhesive from sensitive surfaces. Use for pressing down small film creases or air bubbles. The White Chizzler is slightly larger, has thicker edges and is harder than the original pink Lil Chizler or the Yellow Dura Chisel.




GT1049 GATOR BLADE I
GT1050 GATOR BLADE II
The Gator Blade I and Gator Blade II products are alternatives to the Lil Chizler. Each has a unique shape to give you a better grip making it easier to apply pressure.

TOOL TIP

The Tail Fin (GT032) is a great tool for squeegeeing behind rear brake lights.



SQUEEGEE ESSENTIALS CONT'D



- GT201G GREEN CONTOUR (SOFT)**
- GT201Y YELLOW CONTOUR (FLEX-FIRM)**
- GT201PLT PLATINUM CONTOUR (HARD)**
- GT201PCH PEACH CONTOUR (FLEX-FIRM)**

Gives you curves where you need them. Designed to match all those concave surfaces installers see every day. A great fit for window film, paint protection or vinyl installs. The Contour hugs surfaces evenly while spreading radial pressure outward for quick film adhesion. The elongated triangular shape gets in to all those hard to reach areas.



- GT113W WHITE DIAMOND TIP (HARD)**
- GT113Y YELLOW DIAMOND TIP (SOFT)**

Designed to meet the challenge of hard to reach areas, with square edges and 20° angled corners on both sides. The raised area in the center gives you a secure, slip-resistant grip, even when wet. The softer version makes a great squeegee because of the firm texture delivering pressure to the point-of-contact while the special material helps prevent scratching. Ideal for bumping edges and heat shrinking because of the high heat-resistant material.



- GT256 POWER STROKE YELLOW (SOFT)**
- GT254 POWER STROKE BLUE (HARD)**

The original hand held molded squeegee, designed to fit comfortably in your hand. Measures 5.7" from tip to tip. Blue has a durometer for the ultimate in moisture removal, especially for sputtered films. Yellow works well with dyed films and first pass on metal films.




- GT151W WHITE QUICK FOOT (FLEX-FIRM)**
- GT151B BLUE QUICK FOOT (SOFT)**
- GT151Y YELLOW QUICK FOOT (HARD)**

A stiff squeegee with a handle for jobs that require medium reach. Slim and trim with an unwrapped handle. Comes in a variety of flex ratings to meet a wide range of applications.



- GT060 EZ WING LIME (FLEX-FIRM)**
- GT060PCH EZ WING PEACH (FLEX-SOFT)**

The first difference in the EZ Wing from a product like the EZ Reach or EZ Reach Ultra is the unique chizzler tip that enables you to flip it over to chisel out those stubborn creases or dust spots. The second feature of the new EZ Wing is the increased stiffness across the nose of the tool. This will allow you to apply more pressure out at the tip in those situations where you are reaching into a tight spot. Lastly the CCT technology provides a curved main edge.



- GT044B LITTLE FOOT BLUE (SOFT)**
- GT044R LITTLE FOOT RED (FLEX-FIRM)**
- GT044BLK LITTLE FOOT BLACK (HARD)**


The Little foot features the unique blade shape of the Big Foot without the handle. Fits comfortably in your hand and features an angled, long-reach tip that gets behind gaskets and rubber seals easily. This squeegee measures about 6" (15 cm) along the usable edge. The pointed edge of this tool allows the installer to squeegee in very tight areas. Has plenty of room to keep a good grip on the squeegee.

TOOL TIP

ProToolsNow PEACH is a brand new super-lubricated material option for Hard Cards, Contours, and EZ Wings. Peach's heavy loading of special lubrication creates a unique reformable substrate when needed to shift shapes. These products glide effortlessly over the surface of every application.



SQUEEGEE ESSENTIALS CONT'D




GT1025M REBEL-MANGO (FLEX-FIRM)

A hybrid of the bump card and Diamond Tip. Great as an applicator or use as a trim guide on flat glass. Rebel has a unique diagonal shape, reaching corners easily. The parallel grip ridges make holding the Rebel easy.

GT1070 PLATINUM SMART CARDZ


The modern version of the hard card squeegee, only better! 25% wider than a hard card, with a tapered tip, comfortable grip and thin squeegee edge make it the smartest tool in your apron. Great for sliding under gaskets and seals. Use Smart Cardz anywhere you would use hard card squeegees.



GT200 EZ REACH ULTRA GOLD (FLEX-FIRM)

GT200PLT EZ REACH ULTRA PLATINUM (HARD)


If you like the Original EZ Reach, you are going to love Ultra! It is exactly the same except the hole has been removed to make it stronger and the top has been trimmed down to give installers yet another handy angle to work with. Designed specifically to get at the corners of quarter glass windows, you will also reach for it again and again to put down those little corners of film in hard to access areas.



GT2003 ORIGINAL EZ REACH GOLD (FLEX-FIRM)

GT2003PLT ORIGINAL EZ REACH PLATINUM (HARD)

Stop cutting down hard card squeegees and use this versatile tool instead. These triangular cards with flat edges are perfect for putting down those little corners of film in hard to access areas. The gold version is flex-firm while the platinum offers a hard card texture with internal lubrication technology to help prevent scratching. EZ Reach is the ultimate corner tool.



- GT2042B TRI-EDGE BLUE**
- GT2042Y TRI-EDGE YELLOW**
- GT2042O TRI-EDGE ORANGE**
- GT2043N TRI-EDGE PLUS**

Tri-Edge is the new standard in the industry. Tri-Edge Plus features a rubber squeegee edge, has finger grips on both sides and is 10% bigger than the regular Tri-Edge. (Hardness is in order of softest to hardest: Blue, Yellow, Orange)




- GT2063P TRI-EDGE X PINK**
- GT2063B TRI-EDGE X BLUE**
- GT2063Y TRI-EDGE X YELLOW**
- GT2063O TRI-EDGE X ORANGE**


Tri-Edge is now premiering the Tri-Edge X. The angles have been recalculated and extended into a bigger tool. All the durability and quality of the Tri-Edge tool is now made to make those deep gaskets and hard to reach spots more accessible.

TOOL TIP

The GT2043N Tri-Edge Plus utilizes a rubberized heat-resistant material on one edge to serve as a water squeegee. The new GT2063P Tri-Edge X Pink is made of a rubberized heat-resistant material and is used to smooth film in hard to reach places. Both squeegees work best on wet surfaces.



PPF/WRAPPS/VINYL & GRAPHICS



GT2017 FINISH LINE KNIFELESS TAPE

The Knifeless Tape has a high strength filament that creates a clean sharp cut without the risk of damaging painted surfaces. (50m / 164' roll)

GT2067 DESIGN LINE KNIFELESS TAPE

Use Design Line Knifeless Tape to create graphic elements and striping on single layers of vinyl that have curves and contours. Design Line tape stretches more than other products so it follows contours and turns easier.

GT2021 12YD. SLIP TAPE

GT2021-4 4YD. SLIP TAPE

Slip tape is the ultimate product for making your application squeegees smoothly and safely glide across window film, paint protection, car wrap and vinyl graphic applications. Avoid tearing or scratching the material you are working with. Include this product in your tool box!



SC2 SOOPER CLIP (2 PACK)

SC50 SOOPER CLIP (50 PACK)

Faster and easier than tape or rubber bands. These brightly colored Sooper Clips are designed for efficiency.

GT1000 MACTAC FELT SQUEEGEE

Recommended for paint protection or vinyl graphic installations. The soft felt is designed to avoid scratching.

GT1010 3M WET OR DRY SQUEEGEE

Soft rubber card style squeegee. Recommended for paint protection installations.



GT2002 4" MAGNETIC BLACK BONDO

Magnetic bondo squeegee is great for the application of car wraps, cutting window film patterns, and vinyl graphics. The strong magnets allow you to hold the material in place in addition to holding your knife for easy access.

GT1065 4" LIDCO FELT SLEEVE

A felt wrap for any 4" hard card squeegee.

GT1064 4" BUMP CARD WITH FELT EDGE

Four inch hard card with two ridges or "bumps". One edge is wrapped in felt.

TOOL TIP

Felt edge tools are becoming increasingly popular due to the changes in the industry. From Car Wraps, Vinyl Graphics, to Paint Protection films there is a felt product for most applications. Check out this growing selection of products.



GT2096-4 4" LEMON SUEDE BLADE (Flex-Firm)

GT2097-4 4" CHERRY SUEDE BLADE (Soft)

Evolved from the success of the Speed Wing family the new Suede Blade has quickly answered a lot of challenges for installers. The Suede Blade comes with a dual layer fabric that gives installers a cushioned, smooth fabric over the edge of the squeegee. The Suede Blade glides over window tint, paint protection film and vinyl graphics/wraps with ease.

GT2099 SUEDE BLADE STRIP

4" Suede replacement strip. These are die cut to fit the 4" Speed Wing.

PPF/WRAPPS/VINYL & GRAPHICS CONT'D



GT2005 MANGO SMART CARD WITH FELT
GT2006 MANGO REBEL WITH FELT
GT2007 MANGO LITTLE FOOT WITH FELT
GT2008 MANGO BUMP CARD WITH FELT
GT1085 MANGO PRO PACK WITH FELT (SET)
 The Monkey Strip felt added to the edge of these tools make them perfect for paint protection, vinyl signs and graphics.

WCKNIFE WRAP CUT LINER KNIFE
 The ultimate vehicle wrap knife! The Wrap Cut Knife by Image 1 Impact is made specifically to cut through just the liner side of any pressure sensitive vinyl graphic and wrap film. This knife will only cut through the paper release liner of the vinyl.

WCBLADE REPL BLADES FOR WRAP CUT KNIFE
 This is the replacement blade for the Wrap Cut Knife, WCKNIFE. Each blade has 4 available cutting edges. 10 blades per pack.



GT237 SUNNY TUCKER
 This wrap tool provides multi-functionality use by allowing the installer to reach edges and body lines like never before. This tool is a must have if you apply any graphics to challenging surfaces.

WG1 WRAP GLOVE
WG1XL WRAP GLOVE XL
 The new Wrap Glove is sold in pairs and is a must have for anyone installing vinyl graphics and vehicle wraps. Installing with your bare hands can cause over stretching and puckering of the vinyl as well as potential damage from the transfer of oils on your skin. These lint free and durable Wrap Gloves reduce friction while handling the material giving you great results every time.

WES WET EDGE SQUEEGEE
 Wrap your vehicles faster and better. The only squeegee applicator made to use wet. No scratches, no marks, just smooth motions that easily glides across vinyl films and painted surfaces without worry of mistakes or damage. The Wet Edge Squeegee is a Teflon squeegee with a unique microfiber bonded to it. Can be used either wet or dry. This is the top of the line applicator in the business. Colors will vary.




SQMAGWES MAGNETIC WET EDGE SQUEEGEE
 Wrap your vehicles faster and better. The only squeegee applicator made to use wet. No scratches, no marks, just smooth motions that easily glides across vinyl films and painted surfaces without worry of mistakes or damage. The Magnetic Wet Edge Squeegee is a Teflon squeegee with a unique microfiber bonded to it. Can be used either wet or dry and the magnetic feature only makes it more perfect! This is the top of the line applicator in the business. Colors will vary.

MOLD5 MOLDING & TRIM REMOVAL TOOLS
MOLD11 MOLDING & TRIM REMOVAL TOOLS
 Mold5 includes five distinctive tools and Mold11 includes eleven distinctive tools for the easy removal of body fasteners, interior trim pieces, exterior body moldings, wheel hub caps, etc. Made from heavy-duty plastic to prevent scratching and damage to vehicle surfaces.

BPOP BUBBLE POPPER PEN
 The Bubble Popper Pen is a must have tool for any vinyl graphics installer or car wrapper. This tool is used to put a pin hole (never a knife slit) into your vinyl, printed graphics or car wrap where a bubble or rivet might be to release the air and flatten the film graphic on to the substrate.

PPF/WRAPPS/VINYL & GRAPHICS CONT'D

**XMH XTREME MAGNET (SINGLE UNIT)****XMH6 XTREME MAGNETS-6 PER BOX**

These handy body magnets make applying vinyl and vehicle wraps faster and easier by acting as another hand to hold the material. You can also use them in the place of masking tape or pre-mask to position the material on the vehicle.

SQBUFF4 4" BUFFER SQUEEGEE

These pre-cut buffers fit any standard 4" squeegee. They are far superior to standard felt strips and will help prevent scratches to the wrap material during installation. Give your hard plastic squeegees a soft and smooth side with the Squeegee Buffer Strip.

**GT2092 PPF HORNET 4" PADDLE SQUEEGEE**

The Fusion PPF Hornet is the latest in Paint Protection Film installation tools. This triple durometer paddle squeegee offers the handler two durometers to install with. The black install side measures in at a firm but flexible 80 durometer and the yellow side at a softer more pliable 70 durometer. The red "spine" between the two layers acts as a rigid support core for the soft squeegee blades on both sides. Switching between the two install surfaces is as easy as flipping the tool in-hand to the desired working edge. The Fusion PPF Hornet is specifically engineered to be safe for installing paint protection films.

GT2106 4" PPF HYBRID PADDLE

This paddle squeegee is dual durometer and designed for paint protection films that feature a durable hard coat. The blue side of the PPF Hybrid is a hard 94 durometer while the orange side is a more flexible 85 durometer.

**GT2104 5" PPF BLACKOUT SQUEEGEE
GT2105 5" CROPPED PPF BLACKOUT SQUEEGEE**

The PPF Black Out is a squeegee blade designed specifically for paint protection film installs, but has also become a favorite in the automotive window film industry. The PPF Black Out features a high content of slip additives to help the tool slide easily across paint protection films. At 88 durometer it is flexible enough to conform to odd surfaces. Pair this blade with a magnetic Fusion Hand Dee (GT037) to help hold the paint protection film in place during installation.

**ER1 EMBLEM REMOVAL TOOL**

This tool is used before the vehicle wrap/vehicle graphic application to remove emblems, logos and badges from your vehicle. Our Emblem Removal Tool comes with custom designed ergonomic handles that are comfortable to use.

RB RIVET BRUSH

Made of stiff bristle synthetic fiber, the rivet brush for fleet graphic installers helps form flexible cut and printed vinyl over the rivet surface.

IPEN INSTALLER'S PRIMER PEN

The Installer's Primer Pen is easy to keep in your tool pouch, pocket, or tool box. Fast and easy to use on all your applications that require precise application of Primer 94. Works with any brand of vinyl film and can be used anywhere Primer 94 is required.

HARD CARDS



- GT086BLU BLUE HARD CARD
- GT086PUR PURPLE HARD CARD
- GT086BLK BLACK HARD CARD
- GT086PCH PEACH HARD CARD
- GT086W WHITE HARD CARD
- GT086PNK PINK HARD CARD
- GT086GLD GOLD HARD CARD
- GT086PLT PLATINUM HARD CARD



- GT087SQ SQUARE YELLOW LIDCO SQUEEGEE
- GT087FT FLAT YELLOW LIDCO SQUEEGEE
- GT087 YELLOW LIDCO SQUEEGEE
- GT087GRY LIDCO SQUEEGEE
- GT099 UNIVERSAL SQUEEGEE
- GT079 4" 3M GOLD SQUEEGEE
- GT080 4" 3M BLUE SQUEEGEE



- GT087-6GRY 6" LIDCO SQUEEGEE
- GT086-6Y 6" YELLOW HARD CARD SQUEEGEE
- GT086-6W 6" WHITE HARD CARD SQUEEGEE

TOOL TIP

CCT- Control Contour Technology found in the new EZ Wing (pg.12) and Speed Wing (pg.17) product lines enables the tool to encourage a finger or bubble to disperse outward reducing the chances of a crease.




- GT2072-4 4" LIME SPEED WING (HARD)
- GT2072-6 6" LIME SPEED WING (HARD)
- GT2072-8 8" LIME SPEED WING (HARD)
- GT2076-4 4" LEMON SPEED WING (FLEX-FIRM)
- GT2076-6 6" LEMON SPEED WING (FLEX-FIRM)
- GT2076-8 8" LEMON SPEED WING (FLEX-FIRM)
- GT2077-4 4" CHERRY SPEED WING (SOFT)
- GT2077-6 6" CHERRY SPEED WING (SOFT)
- GT2077-8 8" CHERRY SPEED WING (SOFT)

The Speed Wing is designed with "wings" to enable the installer to reach areas typically out of the reach of most bump, bondo, teflon and hard cards. The Speed Wing comes with one flat edge and one curved edge. Speed Wing is made from materials that enable it to slide across most film surfaces easily while maintaining its rigidity to lay the material flat and remove moisture or air trapped underneath. Features new Contour Control Technology.

TOOL TIP

4" Speed Wings are now also available with a suede edge. Check out Suede Blades on page 14.




TUBE SQUEEGEES




GT119 4" BLACK SMOOTHIE TUBE SQUEEGEE
GT119B 4" BLACK SMOOTHIE NO HANDLE
GT120 9" BLACK SMOOTHIE TUBE SQUEEGEE
GT121 28" BLACK SMOOTHIE TUBE SQUEEGEE
 Soft black squeegee with gray pvc handle.

GT146 28" BLACK SMOOTHIE BLADE ONLY
 Squeegee tool used for glass cleaning, sometimes called the "Smoothie". Economy size (28") usually cut to shorter lengths before use.




GT152 5" RED TURBO BLADE
GT150 18" RED TURBO BLADE


The hardest version of the Turbo Blade, used for removal of application solution during the installation process.



GT2053 4.5" GREEN TURBO BLADE
GT2004 18 1/2" GREEN TURBO BLADE
 The green turbo is perfect for paint protection installs, can be cut down to smaller sizes, and has a durometer (hardness) between the GT146 Black Smoothie and the GT147 Yellow Turbo Blade.



GT1026 3 1/2" SOFT DK. YELLOW TURBO SQUEEGEE
GT235S 5 1/2" SOFT YELLOW TURBO W/HANDLE
GT145S 18 1/2" SOFT DK. YELLOW TURBO SQUEEGEE
GT147S 18 1/2" SOFT DK. YELLOW TURBO SQUEEGEE BLADE
 A soft installation squeegee used to remove application solution during installation of all auto and paint protection films.




GT235 5 1/2" YELLOW TURBO SQUEEGEE
GT236 5 1/2" YELLOW TURBO SQUEEGEE BLADE
 An installation squeegee used to remove application solution during installation of all auto and paint protection films.


GT145 18 1/2" YELLOW TURBO SQUEEGEE
GT147 18 1/2" YELLOW TURBO SQUEEGEE BLADE
 Used for removal of application solution during the installation process. You can cut the blade down to smaller lengths if desired.

TOOL TIP

FUSION TURBO SIZES AND HANDLE OPTIONS:
 3 1/2" Blade only
 3 1/2" Blade with small white pvc handle
 3 1/2" Blade with large gray pvc handle
 4" Blade only (Black only)
 5" Blade only
 5" Blade with small white pvc handle
 5" Blade with large gray pvc handle
 8" Blade only
 8" Blade with small white pvc handle
 8" Blade with large gray pvc handle
 NOTE: Fusion Turbos are found on page 19




TUBE SQUEEGEES CONT'D




FUSION BLACK TURBO
82 durometer. Recommended for paint protection films and films with a softer hard coat.



FUSION RED TURBO
95 durometer. Super hard, recommended for thick vinyl applications and window films.




FUSION GREEN TURBO
80 durometer. Recommended for paint protection films and films with a softer hard coat.



FUSION YELLOW TURBO
85 durometer. Recommended for vinyl applications and areas that require more pressure.



FUSION PINK TURBO
77 durometer. Super soft, recommended for paint protection films and cleaning.



FUSION ORANGE TURBO
92 durometer. (Same durometer as Orange Crush)
Recommended for most window films and vinyl applications.

INSTALLATION ACCESSORIES



GT130 GASKET WIZARD

This device is used to carefully pull back gaskets for easy film-to-glass installations below the gasket. Rub rails are located at the base of all automotive door window glass and are used for weatherproofing the openings between the glass and the door structure. Many installers find the Gasket Wizard helpful, even without the use of the bungee cords.



GT128 CERAMIC SAFETY FILM CUTTER

Designed to deliver rapid, precise cuts for thick gauge safety films. It is intended for precision pre-cutting on flat, square-edged tables.

GT944 AUTOMOTIVE GLASS EDGE TRIMMER

Use along the top edge of roll down windows for a precise "micro-edge" finish (1/8"). Use GT137 as a replacement blade.



GT033 RED DEVIL SQUEEGEE

Flexible squeegee that is great for tight corners and maneuvering around gaskets.

GT191 THE EDGE TOOL

A convenient trim guide or use the curved edge to pull back gaskets.

TOOL TIP

Tinting automotive windows is progressively more challenging. View the different tools to assist you in "tucking" the film under the door panel.



GT132 HOOK TOOL

Use this tool to pull back on rubber gaskets to tuck film below the seal.

GT030 MOTUS D GRIP HANDLE

Use with almost any handled squeegee to give extra leverage.



GT135 BLADEATER

Designed for professional installers, the BLADEater holds your knife safely and securely, and allows you to easily snap and discard blades into the replaceable well. Once the well is full, simply toss the well, blades and all.

GT134 BLADEATER REPLACEMENT WELL

Replacement well for BLADEater.




GT1004 OLFA DC4 BLADE DISPOSAL

Blade disposal unit that can be emptied and reused.

TOOL TIP

You don't want to leave behind discarded blades on a job site for a potential injury later. Safely snap blades into a disposal unit.




GT194 GASKET PUSH STICK
GT194B BLUE GASKET PUSH STICK



GT176 WAIST APRON
Heavy-duty waist apron for easy access to tools while on the job.

GT1080 ERGODYNE WAIST APRON
13 pocket tool apron.



SS-MINI SOAK SHIELD-MINI
SS-OG SOAK SHIELD-ORIGINAL
SS-XL SOAK SHIELD-XL
SS-INSTALLER SOAK SHIELD-INSTALLER SET

The window tinting industry's original braided water absorbent rope. Soak Shield is tucked between the glass and the deck to reduce the chances of water damage to electronic parts during film installation.

INSTALLATION ACCESSORIES CONT'D



GT251 WAGNER HT3500 DIGITAL HEAT GUN
 This model allows you to heat shrink in low or high fan speeds and has a variable temperature setting to fine tune the amount of heat needed for a specific application. (120 volt)

GT250 FURNO 300 DUAL TEMP HEAT GUN
 Furno 300 Dual Temp Heat Gun with high, medium, low settings. (120 volt)

GT979 KEVLAR HEAT GLOVES (PAIR)
 Heat-resistant gloves great for use during heat shrinking.



GT921C JIFFY STEAMER J2W REPLACEMENT BOTTLE
 Replacement bottle for the J2W Jiffy Steamer (GT921).

GT921B JIFFY STEAMER J2W REPLACEMENT FUSE

GT2081B SMOOTH-IT MAT-BLACK
GT2081G SMOOTH-IT MAT-GREY
 Smooth-It is designed to effectively and evenly smooth out the edge of most tools used for film installation. It works great on plastic and rubber tools. The black mat is a medium fabric that works best and faster on big or deep scratches in the tool's edge while the grey mat is a fine fabric that is ideal for removing small or light scratches from the tool.

GT2082B BLACK REPLACEMENT MAT
GT2082G GREY REPLACEMENT MAT
 Smooth-It Replacement Mats are sold in a 3 pack. The black (600D) mat is a medium fabric that works best and faster on big or deep scratches. The grey (1000D) is a fine fabric, ideal for removing small or light scratches on your installation tools.



GT2015 JIFFY STEAMER J4000W STEAMBLADE
 The J4000W has a large 1 gallon internal water reservoir and provides 2 hours of continuous steam before refilling. Go from PREHEAT mode to full steam power in just two minutes. Has a flexible 7.5' hose for easy maneuverability on the job and an angled 9" aluminum steam head that concentrates steam into a targeted area for precise removal. Steam-resistant nitrile gloves included in each unit. (120 volt; alternate voltage available upon request).

GT921 JIFFY STEAMER J2W FILM REMOVER
 Impact resistant, with a 1300 watt heating element and heats up in two minutes with 2 hours of steaming per filling. Great for removing film and adhesive from vehicle rear windows. (120 volt; alternate voltage available upon request).

TOOL TIP

Jiffy Steamer will help prevent damaging defroster lines when removing film from rear windows. Besides making life easier, a Steamer will pay for itself in just a few jobs when you consider the considerable time savings.

MEASURE/MARK & TRIM



GT190GRY GREY 5-WAY TRIM GUIDE
GT190BLK BLACK 5-WAY TRIM GUIDE
GT190W WHITE 5-WAY TRIM GUIDE
 Use these tools as a trim guide or wrap in paper towels and use as a bump tool. Each of these offers unique shapes and corners. The GT190 White even features a ruler.



GT991 1" RED FILM TAPE
GT990 3/8" RED FILM TAPE
 Features low-tack adhesive. Use to retape film rolls for storage. (60.1 yards per roll)



DOTRIX DOT MATRIX VINYL 16"X50'
 Gives the dot matrix area on cars a smooth finished look. Pressure sensitive adhesive requires no heat shrinking.

TOOL TIP

In addition to a trim guide, the GT190 5-Way Tools are also an effective squeegee, especially when wrapped with a low lint paper towel or cloth to absorb moisture along the border of the film.

TOOL TIP

Whether you're a novice or a professional, dot matrix on rear glasses are difficult to contend with for installers worldwide. Try the "Dotrix" product for the most problematic areas.



GT157 1/2" BLACK OUT TAPE
GT158 1" BLACK OUT TAPE
GT159 1 1/2" BLACK OUT TAPE
 Black matte vinyl used to hide light gaps along edges of film installations. (150' per roll)



GT981 DO NOT ROLL DOWN STICKER
 Perfect as a reminder on new auto installs. Features low-tack adhesive. (1000 per roll)
GT1096 DO NOT ROLL DOWN TAPE
 Approximately 200 stickers per roll.



GT972 DIGITAL TAPE MEASURE
 This compact meter uses a narrow beam to measure distances instantly, even through door openings and in crowded rooms. Lifetime lithium battery included.



GT078-75 3/4" BLACK ACRYLIC FELT
GT078 1 1/2" BLACK ACRYLIC FELT
 Helps reduce scratching of automotive films on some vehicle roll down windows. (50' per roll)

TOOL TIP

Application of felt tape has become a popular solution to the familiar "scratching" problem on some vehicle roll down windows.



GT075 YELLOW FILM MARKER
 Handy for 3 basic purposes:
 1. Marking film prior to installation of windows with unusual shapes (arches, trapezoids, etc.) which must be cut to approximate shape before the final "lay-up".
 2. Circling a contaminant (hair or fiber) before pulling back the film to remove it.
 3. Marking film edges to check for glass movement on side roll-ups during the trimming process. Yellow grease mark easily wipes away.



GT076 FILM OPAQUER PEN - THIN POINT

GT077 FILM OPAQUER PEN - BROAD POINT

Used by installers to hide fine line mistakes in trimming which causes light intrusion at the film edge.



GT187 12" TRIANGLE
 45/90° with circle templates.
GT186 8" TRIANGLE
 30/60° with circle templates.



GT182 36" STRAIGHT RULER
 Imperial measurements including 1/8ths & 1/16ths.

SPRAYER & ACCESSORIES



GT090 SPRAYMASTER BOTTLE & TRIGGER

An overall heavy-duty sprayer, this spray bottle comes with a 5 year manufacturers warranty and is chemically resistant. It is equipped with a strong trigger and holds 32 ounces.

TOOL TIP

Due to the large amount of contamination in tap water, to achieve the best results and the cleanest installs we highly recommend using distilled water or a reverse osmosis filtering system.

GT096



GT1008

GT096 POLYSPRAY 2

This pressurized spray bottle holds more solution than the 32 oz. bottles and reduces "finger-fatigue" eliminating the need for pumping while spraying via a simple trigger. Handy for large windows and long duration sprays. Has an adjustable spray nozzle. (1.25 liters)

GT1008 IMPACT JR. PUMP-UP SPRAYER

Pressurized spray bottle that holds 48 ounces and reduces "finger-fatigue" eliminating the need for pumping while spraying via a simple trigger. Has adjustable spray nozzle.

GT1067



GT1067R

GT1067 MERCURY PRO+ BOTTLE & TRIGGER

The next generation in spray bottles, the Mercury PRO+ features viton seals and a double action pump that sprays both when you pull back and when you release the trigger giving you more liquid with each pull. This lightweight ergonomic trigger/bottle combo holds up to 1 liter (33 ounces) of fluid.

GT1067R MERCURY PRO + SUPER 300 SPRAYER

360 degree sprayer that allows continual spray at all angles, sideways or even upside down which uses up all the product in the container. Double action trigger for a constant fine spray. Viton® seals are resistant to most common chemicals and detergents. Level indicator embossed on container marked in ML and pints.

GT097



GT098N

GT097 32OZ. BOTTLE

Empty 32 ounce bottle only.

GT098N MAXI TRIGGER SPRAYER

An industry staple. Ergonomic trigger with high output and durability.



GT101N 5 GALLON STAINLESS STEEL SPRAYER

Deluxe pressure sprayer holds up to 5 gallons of mounting solution in a stainless steel tank. Hose can reach up to 25' in length. Fill with solution and pressurize with air from any compressor. Curly, flexible hose reaches into cars or stretches to go up a ladder with you.

GT101-H



GT101-HG

GT101-H REPLACEMENT SPRAY GUN FOR GT101N

Replacement nozzle for GT101N.

GT101-HG 25' REPLACEMENT HOSE AND SPRAY GUN FOR GT101N

Replacement hose and nozzle assembly for 5 gallon Stainless Steel Sprayer.

GT102



GT2012

GT102-P

GT102 3 GALLON PRESSURE SPRAYER

Stores either window cleaner or application solution. Essential for those big commercial jobs. Long 13' hose allows great mobility and large capacity gives uninterrupted and fatigue-free installation.

GT2012 NOZZLE FOR PRESSURE SPRAYER

Replacement nozzle for the GT102, 3 gallon Pressure Sprayer.

GT102-P REPLACEMENT PUMP FOR ORANGE 3 GALLON SPRAYER



GT101G 5 GALLON STAINLESS STEEL SPRAYER

This pressure sprayer has a 15' flex line hose with a brass tip nozzle. The no curl hose allows for less tension when maximizing the reach. A great sprayer for any type of installation.

GT1038-HG



GT1038

GT1038-HG GILMORE NOZZLE & HOSE ASSEMBLY

15' flex line hose and Gilmore nozzle assembly for 5 gallon Stainless Steel Sprayer.

GT1038 GILMORE NOZZLE

Use with flex line hose. (Does not fit on GT101-HG hose)

TOOL TIP

Always clean your tanks and sprayers after 48 hours of use to keep contamination down. Don't forget to clean the filters!

CLEANING/PREP & CHEMICALS



GT070 LOW LINT WIPES
Center Pull Towels, 2 Ply, 8" x 605", 660 sheets/roll, 3" core diameter.

GT072 WIPE DISPENSER
For use with GT070.

GT085 WHITE SCRUB PAD
GT085THK 1" THICK SCRUB PAD
Great for cleaning windows prior to installation and prepping dot matrix areas.

GT1066 COPPER MESH PAD
The Copper Mesh Pad is for dot matrix prep ONLY! It will ABSOLUTELY scratch glass.



GT071 VIRTUALLY "LINT FREE"
Reusable wipes. 300' of cloth per box.

TOOL TIP

Low lint towels or wipes are a necessity for quality window film installations. Absorbent wipes are ideal for cleaning windows and covering hard cards for bumping or wicking around the film edge.

GT209 THE SCRUBBER
Used to reach behind speakers and brake lights. Scrub away adhesive along the bottom edges of sloped rear windows. Uses replaceable standard White Scrub Pads (GT085) cut 2" x 3". This tool is 3" by 15" long.

GT715 SPRAYWAY GLASS CLEANER-19 OZ
Ammonia free, film-friendly aerosol spray used for cleaning film surfaces after installation. Can also be used as an adhesive remover when left to soak.



GT160 FILM GUARD-19 OZ
Highly recommended for use after film installations as a cleaner and polish. Helps reduce friction and condensation between film and rubber gaskets on roll-down windows.

TOOL TIP

After installing film, be sure to clean and polish it with GT160 Film Guard. Film Guard is specifically designed for window film and is a great sales add-on.

GT735 FILM-ON CONCENTRATE
1 quart concentrate mounting solution. Use for pressure sensitive adhesives and sputtered copper films.

GT733 DIRT-OFF CONCENTRATE
1 quart concentrate cleaning solution. Use for interior automotive window cleaning. Great for removing oily deposits on automotive glass. Dirt-Off can also be used as an adhesive accelerant to give additional tack for dot matrix areas.



GT2111 FUSION EPIC ORANGE ADHESIVE REMOVER-QUART
GT2112 FUSION EPIC ORANGE ADHESIVE REMOVER-GALLON
Epic Orange Adhesive Remover is specifically formulated to break down adhesive used in window films, paint protection films and vinyl. Simply spray the desired area and watch the adhesive breakdown. No alcohol and no ammonia!

GT1071 SUPER STRIPPER ADHESIVE REMOVER-GALLON
A highly concentrated, ready-to-use adhesive remover.

GT162P EASY STRIPPER II ADHESIVE REMOVER-GALLON
Used to soften adhesive left on glass. Ready-to-use.

CLEANING/PREP & CHEMICALS CONT'D



GT714 X-100 APPLICATION SOLUTION-GALLON
 Cleaning and application concentrate for most dry adhesives. The mild acid formulation makes this a great cleaning agent for glass contaminated with oil, grease or dirt. Recommended mixture is 1 ounce per 1 quart of water. Not to be used with copper or silver based films.



GT1036 SIMPLE PINK ADHESIVE REMOVER-GALLON
 Adhesive remover. Can be used full strength or 2-3 parts water.

TOOL TIP

When mixing mounting solutions, it is recommended that you use filtered water for best results.



GT1035 BLUE SLIP UP-GALLON
 Slip agent to aid in window film installation. Mix 8 ounces with 1 gallon water to serve as a conditioner or cleaner.

GT1040



GT1039



GT1040 RAPID REMOVER-GALLON
GT1039 RAPID REMOVER-32 OZ
 A non-toxic, water-soluble adhesive remover that breaks down and removes adhesive fast. Ready-to-use. Available in two sizes: Gallon or 32 ounce bottles.



GT1041 RAPID TAC II-30 OZ
 Great adhesive promoter even in cold weather conditions. A great solution for dot matrix areas or vinyl products.

TOOL TIP

Always err on the side of caution when using chemicals. Be sure to protect your skin as well as any surfaces the product may come in contact with.



GT1034 DOT DEVIL-32 OZ
 A ready-to-use dot matrix prep solution. Use to aid film adhesion over dot matrix areas in auto installs.

GT2010



GT2009



GT2010 TINT OFF-QUART
GT2009 TINT OFF-GALLON
 Ready-to-use and specially formulated for the window film industry to make tint removal a snap.

TOOL TIP

There are many ways to clean and prepare automotive glass, no matter what the circumstance always test the product of your choice in an inconspicuous area to prevent potential damage.



GT2013



GT2022

GT2013 TINT SLIME-GALLON
GT2022 TINT SLIME-32 OZ
 Tint Slime is a window tint mounting & cleaning solution. Tint Slime can be used to install automotive window tint, paint protection film, flat glass film, and vinyl. Tint Slime is free of particulates and won't separate. Tint Slime is safe for use on interiors, biodegradable, and of course, tint safe. Concentrate; mix 1 ounce per 1 gallon of water.



GT2013U




GT2022U

GT2013U TINT SLIME ULTRA-GALLON
GT2022U TINT SLIME ULTRA-32 OZ
 Tint Slime Ultra is a higher rated slip designed to function in high heat and high humidity installs. Tint Slime Ultra is not designed to perform as well as regular Tint Slime in climate controlled areas. Mix 1 ounce per 1 gallon of water.



GT2093



GT2094

GT2093 FUSION ALL TYPE-GALLON
GT2094 FUSION ALL TYPE-1/2 QUART
 Clear, clean mounting solution with no unnecessary ingredients. Fusion All Type is safe for use on all films and all adhesives. Use on any Window Film, PPF, & Vinyl. Get more for your money with the conservative mixing ratios and easy to use built-in measuring cup (1/2 QT bottle) and dispensing pump on (1 gallon jug).

SLITTERS & ACCESSORIES



TOOL TIP

The GT910 or GT911 Film Handler will reduce waste, save labor and help complete jobs in a more timely manner. They can also be wall mounted for use in automotive applications.

GT910 60" FILM HANDLER GT911 72" FILM HANDLER

The GT910 or GT911 Film Handler comes standard with 2 each Cutter Head Assembly (GT912), 2 each 3" Roller Assembly (GT904) and one pack of blades (GT943).
LADDER NOT INCLUDED



GT940 FILM HANDLER REPAIR KIT
GT943 FILM HANDLER REPLACEMENT BLADES
20 blades per cartridge.



GT912 FILM HANDLER CUTTER ASSEMBLY
This is the base and the swivel head of the blade holder.

GT986 FILM HANDLER BLADE HOLDER
The swivel head portion of the blade holder.



GT913 6" ROLLER ASSEMBLY
Use for security film on 6" cores. Comes with 12" risers to accommodate rolls of film on 6" cores. Sold as a pair (2).

GT904 3" ROLLER ASSEMBLY
Standard roller assembly on Film Handler. These are 6" risers and will accommodate film on 3" cores. Sold as a pair (2).



GT1012 1/4" SHIM FOR 6" HUBS
GT941 1/8" SHIM FOR 3" HUBS
GT942 1/4" SHIM FOR 3" HUBS
Sold as eaches (1).


TOOL TIP

To prevent damage to your Film Handler cutter head/blade holder always move the blade holder from the base not by the swivel head.



GT822 72" BOX SLITTER CHANNEL
72" aluminum U-channel for sliding over the edge of a film box to serve as a straight edge when making horizontal cuts (across the web width) after pulling film out to desired length. Handy for in-field work. Saves the cost of more expensive film cutters. Blade Holder (GT821) sold separately.

GT821 BLADE HOLDER FOR GT822
Use any 9mm blade. Blade not included.



GT1002 CLEAN CUT BOX SLITTER
Clean cut is back and better than ever! Available in 36", 48", 60" and 72" sizes. The new and improved bars are an alloy U-channel in a brushed polished finish. Each bar has a ruler across the top edge for precise measuring and placement of the Cutter Head.
Cutter Head Sold Separately.



GT1002CH CLEAN CUT CUTTER HEAD ASSEMBLY
Cutter head assembly for the clean cut box slitter. The Clean Cut Cutter Head is now machined from composite with two neodymium magnets that provide tremendous attachment to the Clean Cut Bar.



GT1002B CLEAN CUT REPLACEMENT BLADES
A five pack of replacement blades for the Clean Cut Cutter Head (GT1002CH).



GT1002T CLEAN CUT BOX TRAY
Allows film boxes to be mounted on top of a ladder.

METERS



GT978 LASER THERMOMETER
 Reads temperatures of solid surfaces. Demonstrate difference once window film is applied to glass with new reading of solid surface. Not to be used on glass. Powered by a 9-volt alkaline battery (included).



GT2020
GT2020 & GT2019 SOLD SEPARATELY

GT2020 HEAT SHEET DEMO CARD
 Vibrantly changes color when it encounters heat. To demonstrate heat blocking capabilities of your glass or film, use the Demo Card in combination with a heat lamp.



GT963 UV LIGHT SOURCE LAMP
 Excellent tool to demonstrate, measure or show how much UV window films keep out. Powered by 4 "AA" alkaline batteries (NOT included).

GT2019 HEAT SHEET ACRYLIC STAND
 Used to hold your Heat Sheet Demo Card in place to show heat transfer.



GT976 GLASS SAMPLE SET
 Conduct your sales demonstration effectively by including glass samples to help illustrate the benefits of film over standard glass. Includes 2 clear single pane, 2 clear IG and 2 low-E sets.



GT961 INSULATED GLASS THICKNESS & GAP GAUGE
 Used to measure glass and air space thickness in sealed insulating glass units. Carrying case included. Powered by two standard "AAA" alkaline batteries (included).



GT962 HEAT LAMP UNIT
 Great tool for tabletop presentations. Powered by 110 volt power cord. (Plug in).



GT2064 ENFORCER II
 The TM1000 Enforcer II is a light weight and pocket sized automotive tint meter. It comes equipped with a coin cell battery that will last for up to 2500 uses and is auto calibrating. For roll down windows only.



GT238 TM2000 INSPECTOR II
 The TM2000 Inspector II is the newest in **two-piece** light meter technology allowing you to measure ALL windows on vehicles with auto calibration accurate to within +/-2%. This meter is 75% smaller than older models and carries a 1 year manufacturer's warranty.



GT2035 TINT-CHEK TC1800 AUTOMOTIVE METER
 Measures visible light transmission (VLT) on roll down windows. A smaller meter that fits comfortably into a shirt pocket. Tremendous reliability, ignoring ambient light. Calibrated to a NIST traceable standard.



GT2036 TINT-CHEK + TC2800 AUTOMOTIVE METER
 Measures visible light transmission (VLT) on roll down windows. Includes ALL the benefits of the TC1800 (GT2035) plus features a backlit LCD display making it much easier to read in low light conditions. Reads to the nearest tenth percent for greater accuracy. Calibrated to a NIST traceable standard.



GT239 TINT CHEK PRO (TC3800) AUTOMOTIVE METER
 Measure Visible Light Transmittance (VLT) of automotive glass as well as any glass/film up to 1/4" or 6.5mm thick. The **two-piece** design allows for testing of the windshield, as well as rear and side windows. The Instrument Unit contains all of the electronics. A single, extremely long lasting, 9-volt alkaline battery powers the electronics.



GT975 STRENGTHENED GLASS DETECTOR
 Allows users to confirm if glass has been strengthened. The detector can test single panes of glass or multiple panes in a window at a single time, and from a single side.

METERS CONT'D



GT969 TOUGHENED GLASS INDICATOR
Used to determine which, if any, panes in a window unit are heat-treated. Knowing this allows use of films that would otherwise be inappropriate on regular annealed glass. Full set of user instructions and case included. (120 volt)



NOT ALL ITEMS SHOWN ARE INCLUDED IN KIT

GT974-SOFT PROFESSIONAL METER SALES KIT W/CASE
Our UV & Solar Sales Presentation Kits offer a single source for convenient and convincing sales demonstrations. Kit Includes: GT968 Digital BTU & Trans-Meter, GT962 Heat Lamp Unit, GT973 UV Meter, GT963 UV Light Source Lamp, GT971 Soft Case with Strap.

GT971 SOFT CASE



GT973 UV SENTRY METER
Position the meter facing the UV source, such as sunlight or a heat lamp (GT962), and turn the meter on. Place various materials between the meter and the UV source and the resulting UV Transmission percentage will be displayed. Powered by a 9-volt alkaline battery (included).



GT967 SP1065 DIGITAL BTU SOLAR POWER METER
This wide spectrum digital meter measures solar radiant energy intensity directly transmitted through glass (or the film-glass combination) in units of BTUs per square foot per hour or watts per square foot. Effective tool showing the relative effectiveness of various films in blocking solar radiant heat. Especially useful for showing how a very dark dyed film may allow far more energy to pass through than a much lighter metallic film. Can be switched to read in metric units. Powered by a 9-volt alkaline battery (included).



GT968 SP2065 SOLAR TRANSMISSION & POWER METER
Use this meter to evaluate solar performance. It provides excellent resolution, reading low light conditions more accurately than competitors, with no need for adjustments. The easy to read digital display toggles between power and transmission percentage mode. It's small, portable, and convenient to take out in the field. Can be switched to read in metric units. Powered by a 9-volt alkaline battery (included).



GT977 UV AND SOLAR DUAL TRANSMISSION METER
Effective meter to demonstrate the amount of Solar UV and UV Transmission.

GT960 LOW-E COATING DETECTOR
Detects the presence and location of thermal resistant coatings (LOW-E) used on energy efficient single and dual pane glass. Never requires calibration. Powered by a 9-volt alkaline battery (included).



GT2034 SS2450 SOLAR SPECTRUM TRANSMISSION METER
This device is the most accurate meter to date. It is the only meter calibrated to ISO9050, NFRC300 and EN410 standards. Effortlessly demonstrate six performance characteristics at a time including two IR measurements: UV, VIS, SOLAR, IR 900-1000 nm, and IR 780-1780 nm ensuring the complete picture of a window film's performance. Simply slide the glass sample into the opening and see the resulting values displayed. No additional light sources are needed. Everything is self-contained in a single convenient package to visualize the true performance of a glazing system, this meter is a must. Glass samples not included.



GT982 SPECTRUM DETECTIVE METER
Displays three ratings at a time: UV, Visible Light, and Infrared transmission values. Carrying case included. Powered by a 9-volt alkaline battery (included). Glass samples not included.