

Safety Data Sheet

SECTION 1: Identification		
1.1. Identification		
Product form	: Mixture	
Product name Product code	: GRIOT'S PLASTIC POLISH : 11186	

1.2. Recommended use and restrictions on use

No additional information available

SECTION 2: Hazard		
	f the substance or	mixture
GHS-US classification		
Flammable liquids Category 3	H226	Flammable liquid and vapor
Full text of H statements :	see section 16	
2.2. GHS Label elem GHS-US labeling	nents, including pro	ecautionary statements
Hazard pictograms (GHS-U	19)	
	55)	
Signal word (GHS-US)		: Warning
Hazard statements (GHS-I	JS)	: H226 - Flammable liquid and vapor
Precautionary statements	,	<ul> <li>P210 - Keep away from open flames No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear eye protection, protective clothing, protective gloves P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P370+P378 - In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>
2.3. Other hazards v	which do not result	in classification
No additional information a	vailable	
2.4. Unknown acute	toxicity (GHS US)	
Not applicable		
<b>SECTION 3: Compo</b>	sition/Informati	on on ingredients
3.1. Substances		
Not applicable		
3.2. Mixtures		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
solvent naphtha (petroleum) heavy aliph.	(CAS No) 64742-96-7	9 - 11	Asp. Tox. 1, H304
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-47-8	8 - 9	Flam. Liq. 4, H227 Asp. Tox. 1, H304

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measure	S
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove the victim into fresh air. If not breathing give artificial respiration. Get immediate medical advice/attention. Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap and water. Get immediate medical advice/attention. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
First-aid measures after eye contact	: Move victim away from exposure and into fresh air. Get immediate medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: This material is an aspiration hazard. If individual is drowsy or unconscious, place on left side with head down. Get immediate medical advice/attention. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and e	effects (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries	: May cause drowsiness or dizziness. Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and	d special treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measur	es
5.1 Suitable (and unsuitable) extind	

5.1. Suitable (and unsuitable) extinguish	Suitable (and unsuitable) extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry chemical powder. Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Specific hazards arising from the ch	emical	
Fire hazard	: Flammable liquid and vapor.	
Explosion hazard	: May form flammable/explosive vapor-air mixture.	
5.3. Special protective equipment and pr	recautions for fire-fighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Complete protective clothing. Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.	

SECT	ION 6: Accidental release mea	ISURES
6.1.	Personal precautions, protective equipment and emergency procedures	
Genera	Imeasures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1.	For non-emergency personnel	
Emerge	ency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protecti	ve equipment	: Equip cleanup crew with proper protection.
Emerge	ency procedures	: Ventilate area.
6.2	Environmental precautions	

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for	r containment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other section	ons
5 .	
See Heading 8. Exposure controls a SECTION 7: Handling and s 7.1 Procentions for safe ban	torage
<b>.</b>	torage

Ū	smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
ons for safe storage, including	g any incompatibilities
es	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.
5	: Store in a well-ventilated place. Keep cool. Keep away from heat, sparks, and flames. Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.
ucts	: Strong bases. Strong acids.
erials	: Sources of ignition. Direct sunlight. Heat sources.
1	ions for safe storage, including res s lucts erials

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) Not applicable solvent naphtha (petroleum) heavy aliph. (64742-96-7)

Not applicable

### 8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves

## Eye protection:

Chemical goggles or safety glasses

### **Respiratory protection:**

Wear appropriate mask

### Other information:

Do not eat, drink or smoke during use.

9.1.       Information on basic physical and chemical properties         Physical state       : Liquid         Appearance       : White Creamy Liquid.         Color       : White	SECTION 9: Physical and chemical properties		
Appearance : White Creamy Liquid.	9.1. Information on basic physical and c	chemical properties	
	Physical state	: Liquid	
Color : White	Appearance	: White Creamy Liquid.	
	Color	: White	
Odor : Sweet	Odor	: Sweet	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	: No data available
рН	: ≥ 0 No Data
Melting point	: No Data
Freezing point	: No data available
Boiling point	: 370 - 550 °F @ 760 mmHg
Flash point	: 140 °F Method TCC
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: < 1 mmHg @ 77.0 F
Relative vapor density at 20 °C	: No data available
Relative density	: 0.804 - 815 @ 60.0 F
Solubility	: Water: < 0.01
Log Pow	: No data available
Auto-ignition temperature	: 420 °F
Decomposition temperature	: No data available
Viscosity	: >= 95 cP
Viscosity, kinematic	: No dataavailable
Viscosity, dynamic	: No dataavailable
Explosion limits	: No dataavailable
Explosive properties	: No dataavailable
Oxidizing properties	: No dataavailable

9.2. Other information

No additional information available

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

SECTION 10: Stability and reactivit	У	
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Stable under normal conditions. Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperat	ures. Open flame. Overheating. Heat. Sparks.	
10.5. Incompatible materials		
Oxidizing agent. Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide. May release flammable gases.		
<b>SECTION 11: Toxicological informa</b>		
11.1. Information on toxicological effect	S	
Acute toxicity	: Not classified	
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)	
Skin corrosion/irritation	: Not classified	
	pH: ≥ 0 No Data	
Serious eye damage/irritation	: Not classified	

pH: ≥ 0 No Data

: Not classified

: Not classified

: Not classified

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries	: May cause drowsiness or dizziness. Not expected to present a significant hazard under anticipated conditions of normal use.

SECT	ION 12: Ecological information	
12.1.	Toxicity	

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
LC50 fish 1	> 100 mg/l (Pisces)	
EC50 Daphnia 1	> 100 mg/l (Invertebrata)	
Threshold limit algae 1	> 100 mg/l (Algae)	

12.2. Persistence and degradability					
GRIOT'S PLASTIC POLISH					
Persistence and degradability	Not established.				
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)					
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.				

## 12.3. Bioaccumulative potential

GRIOT'S PLASTIC POLISH	
Bioaccumulative potential	Not established.
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)	
Log Pow	6 - 8.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).

## 12.4. Mobility in soil

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
Surface tension	0.026 N/m (20 °C)	
12.5. Other adverse effects		
Effect on the global warming	: No known effects from this product.	
GWPmix comment	: No known effects from this product.	
Other information	: Avoid release to the environment.	

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.			
Additional information	: Handle empty containers with care because residual vapors are flammable.			
Ecology - waste materials	: Avoid release to the environment.			

## **SECTION 14: Transport information**

## Department of Transportation (DOT)

In accordance with DOT		
Transport document description	:	UN1993 Flammable liquids, n.o.s. (aliphatic naphtha), 3, III
UN-No.(DOT)	:	UN1993
Proper Shipping Name (DOT)	:	Flammable liquids, n.o.s.
		aliphatic naphtha
Class (DOT)	:	3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	:	III – Minor Danger

Product may be reclassified as combustible per 40 CFR 173.150 and not subject to shipping requirements when transported domestically in the US by rail or highway in non-bulk packaging.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### TDG

No additional information available

### Transport by sea

No additional information available

#### Air transport

No additional information available

SECTION 15: Regulation	atory information
------------------------	-------------------

15.1. US Federal regulations

## **GRIOT'S PLASTIC POLISH**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

solvent naphtha (petroleum) heavy aliph. (64742-96-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

## CANADA

hydrocarbons, C11-C14, n-alkanes, isoalkane	es, cyclics, < 2% aromatics (64742-47-8)
Listed on the Canadian DSL (Domestic Substances List)	

**EU-Regulations** No additional information available

National regulations No additional information available

## 15.3. US State regulations

No additional information available

TION 16: Other informatio	1	
evision date	: 07/22/2019	
Other information	: None.	
Full text of H-phrases:		
H226	Elammable liquid and vanor	

H226	Flammable liquid and vapor
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product