







Arai, Bell, Bluetooth, BMW, CanAm, Garmin, Gold Wing, Harley-Davidson, Heritage Softail, HJC, Honda, Hondaline, iPhone, iPod, J&M, Kawasaki, Motorola, Nolan, Road King, Suzuki, Vega, Victory, Yamaha, and XM are registered trademarks.




John Lazzeroni, President

2

The evolution in audio performance continues for our ROKKER® speakers and amplifiers, along with significant advances in our Bluetooth® product line-up. We appreciate all of our loyal customers world-wide.









J&M PRODUCT GUIDE

Bluetooth Wireles Products 4-7, 13- 51		PRODUCTS FOR Harley Baggers	30-49
CB Radios and Accessories 27	, 49-51	PRODUCTS FOR Honda GoldWing GL-1833	26-2
Helmet Headsets Bluetooth	13-28	PRODUCTS FOR Honda GL-1800/ GL-1500	28-29
Helmet Headsets 8-27	Corded	PRODUCTS FOR JMCB-2003	
Headset Hook-up Cords	9, 11	Systems Ordering Informat	50-5:
Helmets-Arai	22-25	52-53	1011
Helmets-HJC	12-15	ROKKER Audio	30-39
Helmets-Nolan	16-19	Speakers (externa 29-31, 34-47	al)
Helmets-Bell	20-21	Stocking Dealers	52-53
PRODUCTS FOR Cruiser Motorcycle	98		

50-51

J&M * Bluetooth®

NEW BT-04 Wireless Helmet Headsets



J&Ms Exciting NEW BT-04 Bluetooth Helmet Headsets With aptX™ Digital Stereo and SmartBlu™ Technology.

We are proud to introduce the new J&M Bluetooth wireless helmet headsets.

J&M's new model elite series BT-04 helmet headsets offer THE BEST audio performance available. With build quality, features and on-highway performance to directly challenge the competition. Whether purchasing your first Bluetooth wireless helmet headset or replacing and existing model, you can now step up to J&M.

J&M's new BT04 Elite Series Bluetooth headsets take another significant step forward in performance, functionality and ease of use, with all new J&M propriety internal firmware.

- Custom Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/aptX digital stereo, along with J&M's "private" helmetto-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset.
- Utilizes J&Ms new SmartBlu™ linking technology, for easy pairing to most standard Bluetooth enabled audio devices, along with direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harley with J&M BluHub custom dongle44, 2017-2019 Indian Chieftain, 2018-2019 CanAm Spyder and others yet to be released.
- Easy to install clip-on mount Bluetooth control head, 45mm or 40mm highintensity helmet speakers with both boom and chin-bar versions of our highoutput AeroMike VI microphone available.
- Versatile, easy to install component design to allow removal of the control head for in-house charging away from the helmet.
- · Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.
- Easy-to-download software updates to add additional features and improve performance are available from this page of the J&M website.





You will not find a better performing Bluetooth helmet headset anywhere, you have our name on it.










Elite BT-04 Series w/Hi-Intensity Speakers & AeroMike VI for FL/FF/OF Style Helmets **HSBT-04EL-UNV**

Elite BT-04 Series w/Lrg-Dia. Hi-Intensity Spkrs & AeroMike VI FL/OF Style Helmets **HSBT-04EL-LDC**

Elite BT-04 Series w/Hi-Intensity Spkrs & AeroMike VI for Shorty (1/2) Style Helmets HSBT-04EL-HHU









J&M * Bluetooth



Dual-Module aptX Stereo Bluetooth® Dongle Systems

These are J&Ms brand new Blu<>Hub® dual-module Bluetooth Dongle kits loaded with our exclusive JMAHP software profile.

This latest version of the JMAHP profile from J&M provides low-latency aptX™ digital stereo to the headset, (aptX decoding active with BT-03+/BT-04 or later model J&M headset) with simultaneous and continuous microphone signals back to the dongle audio source, allowing full stereo music, private driver/passenger intercom and CB radio transmissions.

Now you can finally "Cut-The-Cord" between your helmet headset and the factory audio system WITHOUT sacrificing that great J&M sound!

These new J&M Blu<>Hub dongles will also link to most other brands of Bluetooth helmet headsets available and provide mono audio to the headset with simultaneous and continuous mike signals back to the audio system, for full intercom, cell phone and CB radio communications.

Harley® Ultra/Street/Road

1998-2013 Harley® Ultra/Ultra

JBLU-DNG44-GL18 J&M Blu<>Hub® Dual-Module Driver/

Passenger Stereo Bluetooth® Dongle Kit for Honda® GL1800

JBLU-DNG44-HD14 J&M Blu<>Hub Dual-Module Driver/Passenger Bluetooth® Dongle Kit w/ aptX Digital Stereo 2014-19

JBLU-DNG44-HD06 J&M Blu<>Hub® Dual-Module Driver/

Passenger Bluetooth® Dongle Kit with aptX™ Digital Stereo

The factory handlebar & dash-knob volume controls will raise and lower the music, intercom & CB volume levels inside each Bluetooth headset, once linked and

Either driver or passenger can also link their own cell phone to their individual J&M Bluetooth headsets, simultaneously with this Blu<>Hub dongle, for automatic switching back & forth between stereo music/intercom/CB and individual cell phone conversations.

With this J&M Blu<>Hub dongle system installed, CORDED helmet headsets can still be used at any time thru the standard headset connection plugs, simultaneous with either of the Bluetooth headset links.

The Blu<>Hub dongle will turn on and off automatically with the motorcycle ignition and there are NO BATTERIES EVER. to charge or replace.

Blu⇔Hub aptX"





JBLU-DNG44-HD14

JBLU-DNG44-GL18

CALIFORNIA

WARNING: Cancer and

J&M * Bluetooth

BT-03 Wireless Helmet Headsets



- The audio performance of J&M's elite series Bluetooth headsets will rival that of our best corded headsets, so you don't have to sacrifice good sound when going wireless.
- · Our elite series features both the boom and chin-bar mount style AeroMike VI microphones for the very best in wind and ambient noise cancelling at highway speeds.
- · Easy to feel and operate external controls for volume up/dn. helmet to helmet linking, multifunction button call answer/initiate/linking and on/off.
- Control head features the CSR Bluecore8 module, for easy pairing to most Bluetooth enabled audio devices, including iPhone, Android & Windows Smartphones, Bluetooth enabled GPS units, Bluetooth enabled MP3 and iPod type music devices.
- Multifunctional Bluetooth 4.1 software package includes standard profiles of HSP, HFP, A2DP Stereo & AVRCP, along with the J&M Exclusive helmet to helmet intercom profile.
- Versatile, easy to install component design to allow removal of the control head for in-house charging away from the helmet.
- Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.
- Up to four headsets can be paired together for crystal clear intercom communications at distances of up to 1/2 mile.





Performance BT-03 Series for most FL/FF/OF Style Helmets **HSBT-03PF-UNV**



Elite BT-03 Series (High-Intensity Speakers) for most FL/FF/OF Style Helmets **HSBT-03EL-UNV**

ELITE 801 SERIES

HELMET HEADSETS

We Are Proud to Offer The Elite 801 Series **Helmet Headsets... OUR BEST Performing Helmet** Headsets.

Made-in-the-USA

- New 40mm slim-line & 45mm custom hi-intensity helmet speakers for crystal-clear sound even at highway speeds.
- Extra hi-output AeroMike® VI provides an even stronger output signal in the human voice frequency range, when compared to previous versions of J&M's AeroMike microphones.
- Ultra-durable Z-series UPPER section cord included with all Elite 801 series headsets.
- Easy connection to all factory audio systems using correct lower section









INTEGRATED HEADSETS



Slide-in **Shorty-Style**

Elite 801 Series w/ XHO AeroMike®VI & 40mm High-Intensity Speakers w/
Slide-in Shorty ½ Style Pouch HS-IHI801-HHU-XHO



Nolan® N103 🍆 /N90/N91/ N88/N43

Elite 801 Series w/XHO eroMike®VI & 40mm Highensity Speakers. S-IHI801-N143-XH0



XHO AeroMike®VI & 40mm High-Intensity Speakers for HJC/Harley® Shorty 5/8 Style









Elite 801 Series w/XHO AeroMike®VI & 40mm Slim-Line High-Intensity Speakers for most Open-Face/Flip-Front/Full-Face Style Helmets

HS-EHI801-UNV-XHO

Z-SERIES

Lower Cords



Please choose a Z-Series LOWER section cord from the chart below for connection to your specific motorcycle audio system.

HONDA® AUDIO SYSTEMS

1980-2017 w/8-pin system 1918-2019 w/5-pin J&M #CBLU-GL1833 Corded Headset Adapter

w/inline volume control for 1980-2017 5-pin system

HC-ZB-S w/integrated aux speaker jack 1980-2017 5-pin system

HARLEY® AUDIO SYSTEMS

1998-2019 w/7-pin system **HC-ZHD-S** w/integrated aux spkr jack 1998-2019 7-pin system HC-ZC 1989-1997 w/5-pin system

J&M AUDIO SYSTEMS

1999-2019 w/6-pin system w/inline volume control 1999-2019 6-pin system **HC-ZJM-S** w/integrated aux spkr jack 1999–2019 6-pin system

1980-2017 w/5-pin system

YAMAHA® AUDIO SYSTEMS

1983-2015 w/5-pin system

KAWASAKI® AUDIO SYSTEMS

HC-ZVT 2008–2019 w/7-pin system **HC-ZVT-X** w/inline passenger vol/PTT cont 2008-2019 7-pin sys

HC-ZC 1984-1997 w/5-pin system

CAN-AM® SPYDER AUDIO SYSTEMS

2008-2019 w/7-pin system **HC-ZVT-X** w/inline passenger vol/PTT cont 2008-2019 7-pin sys

VICTORY® VISION AUDIO SYSTEMS

HC-ZVT 2008–2019 w/7-pin system **HC-ZVT-X** w/inline passenger vol/PTT

cont 2008-2017 7-pin sys

PERFORMANCE 291 SERIES

HELMET HEADSETS

The HS-BCD291 Series
Helmet Headsets
represent our continuing
dedication to helmet
headset design and
performance.

- These headsets provide the industry's best combination of wind and ambient noise reduction with our high-output AeroMike® VI miniature microphones.
- Superior audio fidelity has been achieved with our new highintensity helmet speakers.
- The versatility of our convenient two-piece cord system allows these headsets to be connected to any factory installed motorcycle audio system ever built, just by interchanging the lower-section hook-up cord.







Performance Series Headset w/Ultra-Slim Speakers & AeroMike V for most Open-Face/FlipFront/Full-Face Style Helmets
HS-CD9291-UNV-XHO

P-SERIES

Lower Cords



HONDA® AUDIO SYSTEMS

sets to your specific

audio system.

HC-PB 1980-2017 w/5-pin system
4C-PB 2018-2019 w/5-pin J&M
CBLU-GL1833 Corded
Headset Adapter

HARLEY® AUDIO SYSTEMS

HC-PHD 1998–2019 w/7-pin system **HC-PC** 1989–1997 w/5-pin system

J&M AUDIO SYSTEMS

C-PJM 1999-2019 w/6-pin

system

w/inline volume control

1999-2019 6-pin system

Oyotom

3 1980-2000 w/5-pin

system

YAMAHA® AUDIO SYSTEMS

HC-PC 1983–2015 w/5-pin system

KAWASAKI® AUDIO SYSTEMS

HC-PVT 2008–2019 w/7-pin system **HC-PC** 1984–2006 w/5-pin system

CAN-AM® SPYDER AUDIO SYSTEMS

HC-PVT 2008–2019 w/7-pin system

VICTORY® VISION AUDIO SYSTEMS

HC-PVT 2008–2017 w/7-pin system

HJC® HELMETS

With Custom Integrated Corded Headsets



The NEW HJC IS-MAX-2 Helmets are now available with the J&M high performance integrated corded & Bluetooth headsets custom installed at our factory in Tucson.

are available from J&M in colors Gloss-Black.

5XLarge (see size chart below) and feature;

- · Advanced Polycarbonate Composite Shell.
- · Chinbar: Lightweight, superior fit and

HJC IS-MAX-2 Colors









Anthracite





Matte Black

- These exciting new HJC Modular helmets
- Metallic-Silver, Wine-Cherry, Matt-Anthracite, Gloss-White, & Matt-Black in sizes XSmall --
- comfort using advanced CAD technology.
- Optically Superior Faceshield: 95% UV-A, UV-B protection.
- One-touch integrated Sunshield: 3-stage adjustable Sunshield deploys quickly and
- Single-button Chinbar/Faceshield Release: Open with one hand even with gloves on.
- QuickSlide™ Shield Replacement System: Quick, secure, tool-less removal &
- SuperCool® Moisture-wicking Interior: Anti-bacterial, removable and washable.
- "ACS" Advanced Channeling Ventilation

- System: Full front to back airflow flushes heat and humidity up and out.

J&M'S INTEGRATED HEADSETS



12

The J&M high performance custom integrated corded headsets feature our miniature high-output AeroMike® VI boom integrated microphones, (tuned

for use with all factory installed motorcycle audio systems), new high-intensity helmet speakers for improved on-highway audio performance, along with our 8-pin two-piece hook-up cord system (upper cord ONLY included with headset) that allows connection of these headsets to any factory installed motorcycle audio system in existence today, including the new 2014-2019 Harley Infotainment systems & Honda GL-1800 Premium Audio, just by interchanging the lower section hook-up cord.

Choose between the new top-of-the line Elite 801 series or the performance 291 series

headsets, custom installed at our factory in Tucson Arizona.



Important Note: You will need to choose a Z-series (for 801 headset) or a P-series (for 291 headset) lowersection 8-pin hook-up

cord for proper connection of the J&M integrated helmet headset to your specific audio system. (See pages 9 & 11)

HJC IS-MAX-2 solid-colors with J&M elite 801 Series **Integrated Corded Headset** Installed (includes Z-Series upper cord only)


HJC IS-MAX-2 solid-colors with J&M 291 Series **Integrated Corded Headset** Installed (includes P-Series upper cord only)

HJC IS-MAX-2 solid-colors with No Headset

HJC® HELMETS

With Wireless Bluetooth Headsets





- 45mm large-diameter high-intensity helmet speakers and high-output AeroMike VI boom style microphone are custom installed at our factory in Tucson.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/ aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset, including Sena..
- Utilizes J&Ms new SmartBlu™ linking technology, direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harley with J&M BluHub custom dongle44, 2017-2019 Indian Chieftain, 2018-2019 CanAm Spyder and others yet to be released.
- Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.

HJC IS-MAX-2 solid-colors with J&M Integrated BT-03+/ **BT-04 Elite Series Bluetooth Headset Custom Installed**











IMPORTANT

How to Fit Your HJC IS-MAX2 Helmet

How well your helmet fits your head is one of the most important factors in the ability of the helmet to protect your head in the event of an accident or impact.

Please measure the circumference of your head iust above your evebrows and choose the correct size from the size chart below. (3X-Large thru 5X-Large for IS-MAX2 only.

Head measurement.... You will need size (hat size)

201/4" - 207/8"	X-Small	$(6^{1}/_{2} - 6^{5}/_{8})$
21" - 215/8"	Small	$(6^3/_4 - 6^7/_8)$
213/4" - 223/8"	Medium	$(7 - 7^{1}/_{8})$
221/2" - 231/8"	Large	$(7^{1}/_{4} - 7^{3}/_{8})$
231/4" - 24"	X-Large	$(7^{1}/_{2} - 7^{5}/_{8})$
241/8" - 247/8"	XX-Large	$(7^3/_4 - 7^7/_8)$
25"-255/8"	3X-Large	(8-81/8)
25 ⁷ /8" - 26 ¹ / ₂ "	4X-Large	$(8^{1}/_{4}-8^{3}/_{8})$
26 ⁵ /8" - 27 ¹ /4"	5X-Large	$(8^{1}/_{2} - 8^{5}/_{8})$

All of us at I&M want to insure that you receive a helmet that fits properly and if it does not, to make sure that it is promptly exchanged for a size that does

If you should need to exchange your helmet for one of another size or color, simply return it to J&M via common carrier pre- paid within 5 days of receipt, with instructions as to which size or color you wish to substitute.

To insure a high standard of quality control, no exchange will be honored if the helmet is returned with its finish scuffed or scratched, any parts missing or the Arai carton is broken or damaged



HJC® HELMETS

With Custom Integrated Corded Headsets



The NEW HJC IS-33 II Helmets are now

available with the J&M high performance integrated corded & Bluetooth headsets custom installed at our factory in Tucson.

These exciting new HJC Open-Face helmets are available from J&M in colors Gloss-Black, Metallic-Silver, Wine-Cherry, Matt-Anthracite, Gloss-White & Matt-Black in sizes XSmall - 2XLarge (see size chart below) and feature;

- Shell.
- RapidFire™II shield replacement system
- SuperCool® Moisture-wicking Interior: Anti-bacterial, removable and washable.
- UV-treated Flip-up Face-shield
- Ventilation System: Full front to back airflow flushes heat and humidity up and out.
 - · "Sleek, Aerodynamic Peak Visor
 - Standard Certifications: D.O.T.

HJC IS-33 II Colors









Wine Cherry

Anthracite





Matte Black

J&M'S INTEGRATED HEADSETS



14

The J&M high performance custom integrated corded headsets feature our miniature high-output AeroMike® VI boom integrated microphones, (tuned

for use with all factory installed motorcycle audio systems), new high-intensity helmet speakers for improved on-highway audio performance, along with our 8-pin two-piece hook-up cord system (upper cord ONLY included with headset) that allows connection of these headsets to any factory installed motorcycle audio system in existence today, including the new 2014-2019 Harley Infotainment systems & Honda GL-1800 Premium Audio, just by interchanging the lower section hook-up cord.

Choose between the new top-of-the line Elite 801 series or the performance 291 series

headsets, custom installed at our factory in Tucson Arizona.



Important Note: You will need to choose a Z-series (for 801 headset) or a P-series (for 291 headset) lowersection 8-pin hook-up

cord for proper connection of the J&M integrated helmet headset to your specific audio system. (See pages 9 & 11)

HJC IS-33-II solid-colors with J&M Elite 801 series **Integrated Corded Headset Custom Installed** (includes new slim-line Z-Series upper cord only)


HJC IS-33-II solid-colors with J&M 291 series Integrated **Corded Headset Custom** Installed (includes P-Series upper cord only)

HJC IS-33-II solid-colors without headset

HJC® HELMETS

With Wireless Bluetooth Headsets





- 45mm large-diameter high-intensity helmet speakers and high-output AeroMike VI boom style microphone are custom installed at our factory in Tucson.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/ aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset, including Sena.
- Utilizes J&Ms new SmartBlu™ linking technology, direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harley with J&M BluHub custom dongle44, 2017-2019 Indian Chieftain, 2018-2019 CanAm Spyder and others yet to be released.
- Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.

HJC IS-33-II solid-colors with J&M Integrated Elite BT-03+/ **BT-04 Bluetooth Headset Custom Installed**











IMPORTANT

How to Fit Your HJC IS-33 II Helmet

How well your helmet fits your head is one of the most important factors in the ability of the helmet to protect your head in the event of an accident or impact.

Please measure the circumference of your head iust above your evebrows and choose the correct size from the size chart below

Head measurement.... You will need size (hat size)

201/4" - 207/8"	X-Small	(61/2 - 65/8)
21" - 215/8"	Small	$(6^3/_4 - 6^7/_8)$
213/4" - 223/8"	Medium	$(7 - 7^{1}/_{8})$
221/2" - 231/8"	Large	$(7^{1}/_{4} - 7^{3}/_{8})$
231/4" - 24"	X-Large	$(7^{1}/_{2} - 7^{5}/_{8})$
241/8" - 247/8"	XX-Large	$(7^3/_4 - 7^7/_8)$

All of us at J&M want to insure that you receive a helmet that fits properly and if it does not, to make sure that it is promptly exchanged for a size that does.

If you should need to exchange your helmet for one of another size or color, simply return it to J&M via common carrier pre-paid within 5 days of receipt, with instructions as to which size or color you wish to substitute.

To insure a high standard of quality control, no exchange will be honored if the helmet is returned with its finish scuffed or scratched, any parts missing or the Arai carton is broken or damaged



NOLAN® HELMETS

With Custom Integrated Corded Headsets



Nolan N100-5 Helmets

These exciting new Nolan N100-5 helmets are available from J&M in SOLID colors Gloss-Black, Metal-White, Platinum-Silver, Flat-Black and Black-Graphite

N100-5 Fade are available from J&M in FADE colors Fade-Silver and Fade-Cherry. Available in sizes XXS-XXXL.

- P/J Homologation. The helmet can be used either with the chin guard open (J) or closed (P)
- Ultrawide Visor
- · Pinlock® Fog Resistant inner visor
- VPS Sunscreen with UV 400
- · Ventilation System and Air booster Technology

Nolan N100-5 Colors













Fade Silver

Flat Black

Chin Guard rotation with Elliptical Trajectory

- Dual Action Chin Guard opening system
- Microlock® (patented) double lever retention system
- · Neck Roll removable and washable
- Fully removable and washable "Clima Comfort" interior padding
- · Single-block cheek pads
- · Eye-wear adaptive exclusive system designed for the comfort of eyeglass wearers
- DOT approved (in Europe ECE-2205)

Fade Cherry

J&M'S INTEGRATED HEADSETS



The J&M high performance custom integrated headsets feature our miniature high-output (XHO-HO) AeroMike® boom microphones, new

high-intensity helmet speakers for improved on-highway audio performance, along with our 8-pin two-piece hook-up cord system (upper cord ONLY included with headset) that allows connection of these headsets to any factory installed motorcycle audio system in existence today, including the new 2014-



2019 Harley Infotainment systems & Honda GL-1800 Premium Audio, just by interchanging the lower section hook-up cord.

Important Note: You will need to choose a Z-series lower-section 8-pin hook-up cord for

proper connection of the J&M/Nolan integrated elite 801 series helmet headset to your specific audio system. (See pages 9 & 11)



Integrated Headset Custom Installed (includes new slimline Z-Series upper cord only) Nolan N100-5 FADE colors with J&M Elite 801 Series **Integrated Headset Custom**

Nolan N100-5 SOLID colors

with J&M Elite 801 Series

Installed (includes new slimline Z-Series upper cord only) Nolan N100-5 SOLID colors with J&M 291 Series Integrated Headset Custom Installed

(includes P-Series upper cord

only)

Nolan N100-5 FADE colors with J&M 291 Series Integrated Headset Custom Installed (includes P-Series upper cord only)


CALIFORNIA



NOLAN® HELMETS

With Wireless Bluetooth Headsets





- 45mm large-diameter high-intensity helmet speakers and high-output AeroMike VI boom style microphone are custom installed at our factory in Tucson.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/ aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset, including Sena.
- Utilizes J&Ms new SmartBlu[™] linking technology, direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harley with J&M BluHub custom dongle44, 2017-2019 Indian Chieftain, 2018-2019 CanAm Spyder and others yet to be released.
- Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.

NOLAN N100-5 solid-colors with J&M Integrated Elite BT-03+/BT-04 Bluetooth **Headset Custom Installed**

NOLAN N100-5 Fade-colors with J&M Integrated Elite BT-03+/BT-04 Bluetooth **Headset Custom Installed**











IMPORTANT

How to Fit Your Nolan Helmet

How well your helmet fits your head is one of the most important factors in the ability of the helmet to protect your head in the event of an accident or impact.

All of us at J&M want to insure that you receive a helmet that fits properly and if it does not, to make sure that it is promptly exchanged for a size that does.

Please measure the circumference of your head just above your eyebrows and choose the correct size from the size chart below

Head measurement	You will need	d size (hat size)
211/4" - 211/2"	XX-Small	$(6^{1}/_{4} - 6^{3}/_{8})$
20 5/8" - 217/8"	X-Small	$(6^{1}/_{2} - 6^{5}/_{8})$
22" - 225/8"	Small	$(6^3/_4 - 6^7/_8)$
223/4" - 233/8"	Medium	$(7 - 7^{1}/_{8})$
23½" - 23½"	Large	$(7^{1}/_{4} - 7^{3}/_{8})$
24" - 245/8"	X-large	$(7^{1}/_{2} - 7^{5}/_{8})$
243/4" - 253/8"	XX-large	$(7^3/_4 - 7^7/_8)$
25½" - 25¾"	XXX-large	(8 - 8½)

NOLAN® HELMETS

With Custom Integrated Corded Headsets

Nolan N40-5 Helmets

This is a lightweight, open face style helmet of superb comfort for the discriminating rider.

The NEW Nolan N40-5 Helmets are now available with the J&M high performance integrated corded & Bluetooth headsets custom installed at our factory in Tucson.

These exciting new Nolan helmets are available from J&M in SOLID colors Platinum-Silver, Gloss-Black, Metal-White, Flat-Black and Black-Graphite in sizes XSmall - 2XLarge (see size chart) and feature;

- Ultra-wide, full coverage face shield
- VPS, internal drop down sun screen with UV resistance
- · AirBooster ventilation system provides optimal airflow
- Shield movement coordinates with visor to ensure full clearance when open
- DOT approved (in Europe ECE-2205)

Nolan N40-5 Colors







Gloss Black



Metallic White



Flat Black



Black Graphite

J&M'S INTEGRATED CORDED HEADSETS



The J&M high performance custom integrated 801 elite series corded headset features our miniature high-output AeroMike® VI

chin-bar microphone, (tuned for use with all factory installed motorcycle audio systems), new high-intensity 45mm helmet speak-

ers for improved on-highway audio performance, along with our 8-pin two-piece hook-up cord system (upper cord ONLY included



with headset) that allows connection of these headsets to any factory installed motorcycle audio system in existence today, including the new 2014-2019 Harley Infotainment systems & Honda GL-1800 Premium Audio, just by interchanging the lower section hook-up cord.

Important Note: You will need to choose a Z-series lower-section 8-pin hook-up cord for proper connection of the J&M/Arai integrated elite 801



integrated elite 801 series helmet headset to your specific audio system. (See pages 9 & 11)


Nolan N40-5 solid-colors with J&M Elite 801 Series Integrated Headset Installed (includes Z-Series upper cord only)

Nolan N40-5 solid-colors with J&M 291 Series Integrated Headset Installed (includes P-Series upper cord only)

NOLAN® HELMETS

With Wireless Bluetooth Headsets





- 45mm large-diameter high-intensity helmet speakers and high-output AeroMike VI boom style microphone are custom installed at our factory in Tucson.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/ aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset, including Sena.
- Utilizes J&Ms new SmartBlu™ linking technology, direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harley with J&M BluHub custom dongle44, 2017-2019 Indian Chieftain, 2018-2019 CanAm Spyder and others yet to be released.
- Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.

Nolan N40-5 solid-colors with J&M Integrated Elite BT-03+/ BT-04 Bluetooth Headset Installed.











IMPORTANT

How to Fit Your Nolan Helmet

How well your helmet fits your head is one of the most important factors in the ability of the helmet to protect your head in the event of an accident or impact.

All of us at J&M want to insure that you receive a helmet that fits properly and if it does not, to make sure that it is promptly exchanged for a size that does.

Please measure the circumference of your head just above your eyebrows and choose the correct size from the size chart below.

Head measurement	You will need	size (hat size)
211/4" - 211/2"	XX-Small	$(6^{1}/_{4} - 6^{3}/_{8})$
205/8" - 217/8"	X-Small	$(6^{1}/_{2} - 6^{5}/_{8})$
22" - 225/8"	Small	$(6^3/_4 - 6^7/_8)$
223/4" - 233/8"	Medium	$(7 - 7^{1}/_{8})$
231/2" - 237/8"	Large	$(7^{1}/_{4} - 7^{3}/_{8})$
24" - 24 ⁵ / ₈ "	X-large	$(7^{1}/_{2} - 7^{5}/_{8})$
243/4" - 253/8"	XX-large	$(7^3/_4 - 7^7/_8)$
25 ¹ / ₂ " - 25 ³ / ₄ "	XXX-large	(8 - 8½)

With Custom Integrated Corded Headsets

PIT-BOSS Shorty-Style Helmets

The New Bell Pit-Boss Helmets are now available with the J&M high performance Integrated corded headsets custom installed at our factory in Tucson.

Available from J&M in solid-colors Gloss-Black, Pearl-White, & Flat-Black, sizes XS-3XL.

- · Lightweight advanced composite shell.
- SpeedDialFit[™] System
- · Integral Pull-Down Sun-Shade.
- · Built-in Sun Visor/Peak.
- Removable Zip-On Custom Headset Option.
- · Meets or exceeds US DOT standard.



Bell Pit-Boss Shorty Solid Colors



Gloss Black



Pearl White



Flat Black

Bell Pit-Boss Shorty with J&M Elite 801 Series Custom Zip-On Headset (includes Z-Series upper cord only)

Bell Pit-Boss Shorty with J&M 291 Series Custom Zip-On Headset (includes P-Series upper cord only)


Bell PitBoss Shorty WITHOUT Headset

J&M'S INTEGRATED HEADSETS



The J&M high performance custom integrated headsets feature our miniature high-output AeroMike® VI boom microphones, new high-intensity helmet

speakers for improved on-highway audio performance, along with our 8-pin two-piece hook-up cord system (upper cord ONLY included with headset) that allows connection of these headsets to any factory installed motorcycle audio system in existence today, including the new 2014-2018 Harley Infotainment systems & Honda GL-1800 Premium Audio, just by interchanging the lower section



the new top-of-

the line Elite 801 series or the performance 291 series integrated zip-on headsets, custom installed at our factory in Tucson Arizona.

Important Note: You will need to choose a Z-series (for Elite 801 headset) or a P-series (for 291 headset) lowersection 8-pin hook-up



cord for proper connection of the J&M integrated zip-on helmet headset to your specific audio system. (See pages 9 & 11)

IMPORTANT

How to Fit Your Bell Pit-Boss Helmet

How well your helmet fits your head is one of the most important factors in the ability of the helmet to protect your head in the event of an accident or

All of us at J&M want to insure that you receive a helmet that fits properly and if it does not, to make sure that it is promptly exchanged for a size that

Please measure the circumference of your head just above your eyebrows and choose the correct size from the size chart below.

Head measurement You will need size (hat size)

		0.20 (0.20)
205/8" - 211/4"	X-Small	$(6^{5}/_{8} - 6^{3}/_{4})$
213/8" - 22"	Small	$(6^{7}/_{8}-7)$
221/8" - 223/4"	Medium	$(7^{1}/_{8} - 7^{1}/_{4})$
227/8" - 235/8"	Large	$(7^3/_8 - 7^1/_2)$
233/4" - 243/8"	X-large	$(7^5/_8 - 7^3/_4)$
241/2" - 251/4"	XX-large	$(7^{7}/_{8} - 8)$
251/4" - 251/2"	XXX-large	(8 - 81/4)

BELL HELMETS

With Wireless Bluetooth Headsets

J&M's new Integrated BT-03+/BT-04 Elite series stereo Bluetooth headset offers THE BEST audio performance available.

- 40mm large-diameter high-intensity helmet speakers and high-output AeroMike VI boom style microphone are custom installed at our factory in Tucson.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset, including Sena.
- Utilizes J&Ms new SmartBlu™ linking technology, direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harlev with J&M BluHub custom dongle44. 2017-2019 Indian Chieftain, 2018-2019 CanAm Spyder and others yet to be released.
- Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.

Bell Pit-Boss Shorty with J&M Integrated BT-04 **Custom Bluetooth Zip-On** Headset















ARAI® GOLDWING HELMETS

With Custom Integrated Corded Headsets

Arai[®] Special Edition Goldwing Helmets

The Arai Special Edition GoldWing Helmets are now available with J&M Elite Integrated BT-04 Bluetooth or 801 Corded headsets custom installed at our factory in Tucson.

Featuring Arai's legendary fit, finish and attention to detail, these may very well be THE finest motorcycle helmets made anywhere in the world.

These exciting new Arai helmets are available from J&M in GoldWing colors Red-Black, Gray-Black and Blue-Black (Blue-Black ONLY available in open-face style).

Available in sizes XS-XXXL.



Arai XC-W & Signet-X Colors







XC-W Gray-Black



XC-W Blue-Black





J&M'S INTEGRATED CORDED HEADSETS



The J&M high performance custom integrated Elite 801 series corded headsets feature our miniature high-output (XHO-HO)

AeroMike® microphones, (tuned for use with all factory installed motorcycle audio

systems), new highintensity helmet speakers for improved on-highway audio performance. along with our 8-pin two-piece



hook-up cord system (upper cord ONLY included with headset) that allows connection of these headsets to

any factory installed motorcycle audio system in existence today, including the Honda GL-1800 Premium Audio, just by interchanging the lower section hook-up cord.

Important Note: You will need to choose a Z-series lower-section 8-pin hook-up cord for proper connection of the J&M/Arai integrated elite 801 series helmet headset to your specific audio system. (See page 9)



Arai GoldWing XC-W OpenFace with J&M Elite 801 Integrated Corded Headset Installed, (includes new slim-line Z-Series upper cord only)

Arai GoldWing XC-W ONLY with NO-Headset

Arai GoldWing Signet-X with J&M Elite 801 Integrated **Corded Headset Installed.** (includes new slim-line Z-Series upper cord only)

Arai GoldWing Signet-X ONLY with NO-Headset

ARAI® GOLDWING HELMETS

With Wireless Bluetooth Headsets

J&M's new Integrated BT-03+/BT-04 Elite series stereo Bluetooth headset offers THE BEST audio performance available.

- 45mm large-diameter high-intensity helmet speakers and high-output AeroMike VI boom style microphone are custom installed at our factory in Tucson.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset. including Sena.
- Utilizes J&Ms new SmartBlu™ linking technology, direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harley with J&M BluHub custom dongle44, 2017-19 Indian Chieftain, 2018-19 CanAm Spyder and others yet to be released.
- Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.

Arai GoldWing XC-W Open-Face with J&M Integrated Elite BT-04 Bluetooth Headset Custom Installed.

Arai GoldWing Signet-X with J&M Integrated Elite BT-04 **Bluetooth Headset Custom** Installed.











IMPORTANT

How to Fit Your Arai Helmet

How well your helmet fits your head is one of the most important factors in the ability of the helmet to protect your head in the event of an accident or impact.

All of us at J&M want to insure that you receive a helmet that fits properly and if it does not, to make sure that it is promptly exchanged for a size that does.

Please measure the circumference of your head iust above your evebrows and choose the correct size from the size chart below

$20^{1}/_{4}$ " - $20^{7}/_{8}$ ". 21" - 215/2" $(6^3/_4 - 6^7/_8)$

 $21^{3}/_{4}$ " - $22^{3}/_{8}$ " .Medium $(7 - 7^{1/8})$ 221/2" - 231/8" $(7^{1}/_{4} - 7^{3}/_{8})$ 231/4" - 24" ..X-Large $(7^{1}/_{2} - 7^{5}/_{8})$ 241/8" - 247/8" ..XX-Large $(7^3/_4 - 7^7/_8)$ 25" - 253/4" ..XXX-Large (8 - 8½)

To insure a high standard of quality control, no exchange will be honored if the helmet is returned with its finish scuffed or scratched, any parts missing or the Arai carton is broken or damaged

If you should need to exchange your helmet for one of another size or color, simply return it to J&M via common carrier pre-paid within 5 days of receipt, with instructions as to which size or color vou wish to substitute.

CALIFORNIA



WARNING: Cancer and eproductive Harm

ARAI® SIGNET-X HELMETS

With Custom Integrated Corded Headsets

Arai® Signet-X Helmets

The NEW Arai Signet-X Helmets are now available with J&M integrated elite 787 Corded & elite BT-03 Bluetooth headsets custom installed at our factory in Tucson.

The new Arai Signet-X provides a long oval fit, wide eye port, advanced ventilation, aerodynamic shell shape. retractable chin spoiler, emergency cheek pad removal system along with removable neck roll, & one piece bottom edge trim, meets or exceeds SNELL and D.O.T. standards of course.

Featuring Arai's legendary fit, finish and attention to detail, these may very well be THE finest motorcycle helmets made anywhere in the world.

They are available from J&M in colors Diamond-Black. Aluminum-Silver, Black-Frost & Diamond-White, sizes XS-XXL.



Arai Signet-X Solid Colors









&M'S INTEGRATED CORDED HEADSETS



The J&M high performance custom integrated 801 elite series corded headset features our miniature high-output AeroMike® VI

chin-bar microphone, (tuned for use with all factory installed motorcycle audio systems). new high-intensity 45mm helmet speak-

ers for improved on-highway audio performance, along with our 8-pin two-piece hook-up cord system (upper cord ONLY included

24



with headset) that allows connection of these headsets to any factory installed motorcycle audio system in existence today, including the new 2014-2019 Harley Infotainment systems & Honda GL-1800 Premium Audio, just by interchanging the lower section hook-up cord.

Important Note: You will need to choose a Z-series lower-section 8-pin hook-up cord for proper connection of the J&M/Arai integrated elite 801

series helmet headset to your specific audio system. (See pages 9 & 11)

Arai Signet-X with J&M Elite 801 Integrated Corded Headset Installed (includes new slim-line Z-Series upper cord only)

Arai Signet-X ONLY with NO-Headset

ARAI® SIGNET-X HELMETS

With Wireless Bluetooth Headsets

J&M's new Integrated BT-03+/BT-04 Elite series stereo Bluetooth headset offers THE **BEST** audio performance available.

- 45mm large-diameter high-intensity helmet speakers and high-output AeroMike VI boom style microphone are custom installed at our factory in Tucson.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset, including Sena.
- Utilizes J&Ms new SmartBlu™ linking technology, direct headset linking to specific Bluetooth compatible motorcycle audio systems like the new 2018-2019 Honda Gold Wing, 2014-2019 Harley WHIM Dongle, 2001-2017 GL1800 with J&M BluHub® custom dongle44, 2006-2019 Harley with J&M BluHub custom dongle44, 2017-2019 Indian Chieftain, 2018-2019 CanAm Spyder and others vet to be released.
- · Control head is powered by a rechargeable Lithium power cell providing 14-18 hours of use from a full charge.

Arai Signet-X with J&M Integrated BT-03+/BT-04 Elite **Series Bluetooth Headset Custom Installed**











IMPORTANT

How to Fit Your Arai Helmet

How well your helmet fits your head is one of the most important factors in the ability of the helmet to protect your head in the event of an accident or impact.

All of us at J&M want to insure that you receive a helmet that fits properly and if it does not, to make sure that it is promptly exchanged for a size that does.

Please measure the circumference of your head just above your eyebrows and choose the correct size from the size chart below

Head measurementYou will need size (hat size)

201/4" - 207/8"	X-Small	$(6^{1}/_{2}-6^{5}/_{8})$
21" - 215/8"	Small	$(6^3/_4 - 6^7/_8)$
213/4" - 223/8"	Medium	$(7 - 7^{1}/_{8})$
221/2" - 231/8"	Large	$(7^{1}/_{4} - 7^{3}/_{8})$
231/4" - 24"	X-Large	$(7^{1}/_{2} - 7^{5}/_{8})$
$24^{1}/s^{2} - 24^{7}/s^{2}$	XX-Large	$(7^3/_{\Lambda} - 7^7/_{8})^{-1}$

If you should need to exchange your helmet for one of another size or color, simply return it to J&M via common carrier pre-paid within 5 days of receipt, with instructions as to which size or color

To insure a high standard of quality control, no exchange will be honored if the helmet is returned with its finish scuffed or scratched, any parts missing or the Arai carton is broken or damaged.



2018-19 HONDA GL1833 GOLDWING





SIN BT-04

J&Ms Exciting NEW BT-04 Bluetooth Helmet Headsets w/ SmartBlu™ Technology.

The audio performance of the NEW BT-04 model is outstanding and will rival that of our best corded headsets, so you don't have to give up good sound when going wireless.

- Featuring both the boom-style and chin-bar AeroMike VI microphones, along with our highintensity mount-in-helmet speakers for the very best performance on the new Wing.
- Bluetooth 4.3 software package with profiles HSP, HFP, A2DP, AVRCP, JMAHP w/aptX digital stereo, along with J&M's private helmet-to-helmet intercom, using the simple secured pairing (SSP) linking mode to another J&M BT-04, BT-03 or other brand of Bluetooth helmet headset, including Sena.
- Control head features the CSR Bluecore8 module, for easy pairing to most Bluetooth enabled audio devices, along with J&M's new SmartBlu™ technology for direct headset linking and operation with the new Honda GoldWing GL1833.
- Compatible with the Wing's dual-zone audio system allowing separate music streams for driver and passenger with easy to activate "private" rider/ passenger intercom.
- Control head is powered by a rechargeable lithium power cell providing 14-18 hours of use from a full charge.
- Versatile easy to install component design allowing removal of the control head to provide for easy inhouse charging away from the helmet.









Elite BT-04 Series w/Hi-Intensity Speakers & AeroMike VI for FL/FF/OF Style Helmets HSBT-04EL-UNV



Elite BT-04 Series w/Lrg-Dia. Hi-Intensity Spkrs & AeroMike VI FL/OF Style Helmets HSBT-04EL-LDC



Elite BT-04 Series w/Lrg-Dia. Hi-Intensity Spkrs & AeroMike VI FL/OF Style Helmets HSBT-04EL-FFS

J&M Bluetooth helmet headsets are protected by one or more of the following US Patents: 5,329,593, 7,616,774, 9,398,620. © 2018 J&M Corporation. All rights reserved.

J&M Custom BluHub® Bluetooth® CORDED Helmet Headset Adapter Kit for the 2018-2019 Honda Gold Wing GL1833

This new J&M BluHub® CORDED helmet headset adapter kit will link directly to the Wing's main audio system and provide ALL of the audio system functions that are standard on the new Wing, to one or two corded helmet headsets.

WHILE at the same time providing a constant and continuous "private" driver/passenger intercom system with simple to operate volume control on the face of the BluHub component.

ALL standard handlebar levers/buttons and system functions from the new Wing, will control everything going to the corded helmet headsets, including stereo music from all sources, cell phone, navigation and 40-CH CB radio.

Supplied headset cable jacks are the standard 5-pin configuration that have been used on all Gold Wings from 1980-2017.

If rider and/or passenger decide to use Bluetooth headsets instead of corded at any given time, they can link their Bluetooth headsets to the Wing's system, instead of the BluHub and all systems will function normal, with NO interference from the BluHub.

This is an easy to install, totally plug-n-play CORDED helmet headset solution for the 2018-2019 Honda Gold Wing GL1833 that is 12v powered, turns on/off with the ignition and there are NO BATTERIES to charge.

CBLU-GL1833 J&M Custom BluHub® Bluetooth® CORDED Helmet Headset Adapter kit for the 2018-2019 Honda Gold Wing GL1833



CBLU-GL1833

Shorty CB Antenna Staff Upgrade for 2018-2019 Honda® Gold Wing GL-1833

This new shorty antenna model from J&M comes out of the package pre-tuned for all 40-channel CB radio frequencies.

Installation is a snap as you simply unscrew by hand the stock Honda CB antenna, screw in the included SS antenna stud, slide over the molded trim bushing and then screw on the new J&M shorty CB staff.

With total overall length at approximately 17", this new shorty CB antenna option looks great and compliments the lines and contours of the new Wing.

SHCB-GL1833 Shorty CB Antenna Staff Upgrade 2018-2019 Honda® Gold Wing GL-1833





GL-1800/F6B/1500

Audio Products



Passenger Bluetooth® Dongle Kit
with aptX™ Digital Stereo 2001-2017
Honda® GL1800/F6B

This is J&Ms brand new



Blu<>Hub® dual-module Bluetooth Dongle kit with J&M's exclusive JMAHP software profile.

This latest version of the JMAHP profile from J&M provides low-latency aptX™ digital stereo to the headset, (aptX decoding active with BTO3+plus or later model J&M headset) with simultaneous and continuous microphone signals back to the dongle audio source, allowing full stereo music, private driver/passenger intercom and CB radio transmissions.

Now you can finally "Cut-The-Cord" between your helmet headset and the factory audio

system on the GL1800/F6B WITHOUT sacrificing that great J&M sound!

The factory handlebar & dash-knob volume controls will raise and lower the music, intercom & CB volume levels inside each Bluetooth headset, once linked and adjusted.

Either driver or passenger can also link their own cell phone to their individual J&M Bluetooth headsets, simultaneously with this Blu<>Hub dongle, for automatic switching back & forth between stereo music/intercom/CB and individual cell phone conversations.

With this J&M Blu<>Hub dongle system installed, CORDED helmet headsets can still be used at any time thru the standard headset connection plugs, simultaneous with either of the Bluetooth headset links.

The Blu<>Hub dongle will turn on and off automatically with the motorcycle ignition and there are NO BATTERIES EVER, to charge or replace.

This Blu<>Hub dongle kit is 100% plug-n-play into the GL1800/F6B as a permanent and secure installation inside the left fairing pocket location.

Assembled in the USA at our factory in Tucson Arizona, with comprehensive linking and operation manual included.

JBLU-DNG44-GL18 Blu<> Hub® Dual-Module Driver/Passenger Bluetooth® Dongle Kit with aptX™ Digital Stereo 2001-17 Honda® GL1800/F6B

28







JBLU-DNG44-GL18

FOR CALIFORNIA





Performance Fairing Speaker Upgrades

Our high-output fairing speaker upgrades for the 2006-2017 Honda® GL-1800 & F6B (Except Euro Model GL-1800), are manufactured a full 10mm's larger in cone diameter than stock, while still retaining the same exact dimension mounting hole pattern and electrical spade-lug size/polarity as stock, to make installation a snap.

Rated at 3 ohms impedance and 140 watts max power, they feature a very thin, hard, injection molded combination carbon fiber/polycarbonate cone, titanium colored dust cover, super flexible rolled edge, high sensitivity voice coil and dual-donut design high-flux strength Neodymium magnet structure, to provide for maximum air movement & voice coil cool-

ing, along with superior bass and midrange response.

100% waterproof from the frontal position, you will be impressed by the significant improvement in overall volume and sound quality with a measured 2 full decibel increase over stock at volume level setting #25. ((sold in pairs))

FSPU-GL06-XT Performance FAIRING Speaker Upgrade for '06 - '17 GL-1800 & F6B

FRSU-GL1518 Performance FAIRING Speaker Upgrade '88 - '05 GL-1800/GL-1500



FSPU-GL06-XT



FRSU-GL1518



RSPK-GL18



FRSU-GL1518

Performance Rear Speaker Upgrades

Our high output rear speaker upgrades for 2001 - 2017 Honda Goldwings are manufactured with the same exact dimension mounting hole pattern and electrical spade lug size/polarity as stock to make installation a snap.

Rated at 3 ohms impedance and 120 watts max power, they feature a very thin, hard, injection molded polycarbonate cone, titanium colored dust cover, super flexible rolled edge, high sensitivity voice coil and dual-donut design high-flux strength Neodymium magnet structure, to provide for maximum air movement, along with superior bass, midrange and high frequency response.

You will be impressed by the significant improvement in volume and sound quality while riding your Wing. ((sold in pairs))



FRSU-GL1518 Performance REAR Speaker Upgrade for '01 - '17 GL-1800

RSPK-GL18 Performance REAR Speaker Kit Complete (Incl wiring harness) '01 - '05 GL-1800

ROKKER

For 2014-19 Harley Steetglide/Ultra/Ltd./RoadGlide





30

ROKKER"XXX SERIES

J&M ROKKER XXR 6.71" Fairing Speaker Upgrade Kit 2014-19 Harley® StreetGlide/Ultra and 2015-19 Harley RoadGlide/Ultra

NEW ROKKER XXR series 6.71" speakers have been designed as exact size component upgrades for the fairing position on the 2014-18 Harley StreetGlide, Ultra/Ltd & 2015-19 Harley RoadGlide/Ultra.

Spec'd at 2 ohms impedance and an impressive 300 watts maximum input (175w RMS continuous - 91db sensitivity), these speakers provide the ultimate in raw audio power and include new custom grills with built-in high-output tweeters.

Features of this new ROKKER XXR series speaker kit:

- Lightweight waterproof one-piece woven-fiber driver cone with super-rigid metal basket design.
- High-density lite-weight Neodymium magnet structure, specially coated to maintain flux-strength integrity even at extreme operating temperatures.
- High efficiency VENTED voice-coil for improved cooling when operating at high volume levels for extended periods.
- Custom speaker grills with high-output tweeters for crystal clear sound at highway speeds.

Mounting hole pattern and spade electrical connections are exactly the same as the factory specification, this is a total plug-and-play no-modification solution complete with easy to follow installation instructions.

These are THE most powerful speakers you can buy for your Harley and they will perform extremely well when used with a medium to high-powered accessory amplifier.

HCRK-6712TW-XXR ROKKER XXR 6.71" Fairing Speaker Upgrade Kit 2014-19 Harley® StreetGlide/Ultra/Ltd.

HRRK-6712TW-XXR ROKKER XXR 6.71" Fairing Speaker Kit 2015-19 Harley® RoadGlide/Ultra

ROKKER" XXX R SERIES

J&M ROKKER XXR 6.71" Rear-Pod/Lower-Fairing Speaker Upgrade Kit w/H-Output Grill Mounted Tweeters 2014-19 Harley® Ultra/Ltd

J&M's NEW ROKKER XXR series 6.71" speakers have been designed as exact size component/replacements for the stock 6.5" Harley rear trunk-pod or lower-fairing speakers as installed on the 2014-19 Harley Ultra or Ultra Ltd. (NOT applicable for liquid-cooled lower-fairings)

Spec'd at 2 ohms impedance and an impressive 300 watts maximum input (175w RMS - 91db sensitivity), these speakers provide the ultimate in raw audio power and include the new custom grills with built-in high-output tweeters.

Features of this new ROKKER XXR series speaker kit:


- Lightweight waterproof one-piece woven-fiber driver cone with superrigid metal basket design.
- High-density lite-weight Neodymium magnet structure, specially coated to maintain flux-strength integrity even at extreme operating temperatures.
- High efficiency VENTED voice-coil for improved cooling when operating at high volume levels for extended periods.
- Custom speaker grills with high-output tweeters for crystal clear sound at highway speeds.

Mounting hole pattern and spade electrical connections are exactly the same as the factory specification, this is a total plug-and-play no-modification solution complete with easy to follow installation instructions.

These are THE most powerful speakers you can buy for your Harley and they will perform extremely well when used with a medium to high-powered accessory amplifier.



HURK-6712TW-XXR



HURK-6712TW-XXR ROKKER XXR 6.71" Rear Trunk-pod or Lower-Fairing Speaker Upgrade Kit for 2014-19 Harley® Ultra/Ltd







HLRK-6652-ISCH JAWH-HSGU14-LWR

HLRK-6652-ISCH LOWER Speaker In-Series Wiring kit for 2014-19 Harley Lower Fairing Speakers

JAWH-HSGU14-LWR LOWER Speaker Wiring Harness for 2014-19 Harley



WARNING: Cancer and Reproductive Harm

ROKKER XXX RSERIES "B





J&M ROKKER XXR/XXRP Amplifier Kits for 2014-19 Harlev®.

These exciting new J&M amplifier kits have been designed for use on 2014-19 Harley StreetGlide/Roadglide/Ultra/Ltd.

The specific green-band plug-n-play RCA input harnesses included with these amplifier kits provide 2 or 4 separate channels of amplification at 175 watts RMS continuous power perchannel into a 2 or 4-ohm speaker load.

These are full range class D digital amplifiers, properly shielded against RF interference into the AM or FM stereo radio bands.

Amplifiers mount to the custom made stainless steel 2-piece bracket system to provide solid and secure mounting inside the fairing.

These new ROKKER XXR/XXRP series amplifiers come out of the box already dialed in for each specific custom speaker configuration, to provide maximum highway performance from your Harley Davidson audio system.

Also included are our custom made heavy-gauge power and ground wires, along with all necessary mounting hardware and complete installation/operation instructions.

JAMP-350HC14 ROKKER XXR 350w 2-CH Amplifier Kit 2014-19 Harley® StreetGlide/Ultra

JAMP-350HR15 ROKKER XXR 350w 2-CH Amplifier Kit 2015-19 Harley® RoadGlide

JAMP-700HC14-SGP ROKKER XXRP 700w 4-CH DSP Programmable Amplifier Kit 2014-19 Harley® StreetGlide W/Lower or Rear Spkrs

JAMP-700HC14-ULP ROKKER XXRP 700w 4-CH DSP Programmable Amplifier Kit for Harley® 2014-19 Harley® Ultra or Ultra/Ltd.

JAMP-700HR15-RCP ROKKER XXRP 700w 4-CH DSP Programmable Amplifier Kit for 2015-19 Harley® RoadGlide w/Rear or Lower Spkrs

JAMP-700HR16-ULP ROKKER XXRP 700w 4-CH DSP Programmable Amplifier Kit for 2016-19 Harlev® RoadGlide Ultra



JAMP-350HC14





JAMP-700HR15-RCP



JAMP-700HR16-ULP



JAMP-700HC14-SGP

HDRK-5X7TW-XXR



JAWH-HSGU14-SDB



32

ROKKER® XXR 5X7" Saddlebag-Lid Speaker Upgrade Kit w/High-Output Tweeter for 2006-2019 Harley® Baggers

JAMP-700HC14-ULP

J&M's NEW ROKKER XXR series 5X7" speakers have been designed as exact size component/replacements for the stock 5X7" Harley saddlebag-lid speakers as installed on the 2006-2019 Harley Baggers.

- Spec'd at 20hms impedance, 300w maximum (175w RMS 91db sensitivity).
- Lightweight waterproof one-piece woven-fiber driver cone.

HDRK-5X7TW-XXR ROKKER® XXR 5X7" Saddlebag-Lid Speaker Upgrade Kit w/High-Output Tweeter for 2006-2019 Harley® BaggersSpeaker-Lids

JAWH-HSGU14-SDB Saddlebag Speaker/Lids Wiring Harness for 2014-19 Harley



WARNING: Cancer and

Performance Series 200w & 400w Amplifier Kits

J&M Performance Series Amplifier Kits for 2014-19 Harley® StreetGlide/Ultra/Ltd./RoadGlide

These exciting new J&M amplifier kits have been designed for use on 2014-19 Harley StreetGlide/Roadglide/Ultra/Ltd.

The specific green-band plug-n-play RCA input harnesses included with these amplifier kits, provide 2 or 4 separate channels of amplification at 100 watts RMS continuous power per-channel into a 2-ohm speaker load.

These are full range class D digital amplifiers, properly shielded against RF interference into the AM or FM stereo radio bands.

Amplifiers mount to the custom made stainless steel 2-piece bracket system to provide solid and secure mounting inside the fairing.

These new performance series amplifiers come out of the box already dialed in for each specific custom speaker configuration, to provide maximum highway performance from your Harley Davidson audio system.

JMAA-2000HC14 Performance Series 200w 2-ch Amplifier Kit for 2014-19 Harley® StreetGlide/Ultra

JMAA-2000HR15 Performance Series 200w 2-ch Amplifier Kit for 2015-19 Harley® RoadGlide

JMAA-4000HC14-SG Perf Series 400w RMS 4-CH Amplifier Kit for 2014-2019 Harley® StreetGlide w/Rear or Lower Speakers

JMAA-4000HC14-UL Performance Series 400w RMS 4-Ch Amplifier Kit for 2014-2019 Harley® Ultra or Ultra Ltd.

JMAA-4000HC15-RC Perf Series 400w RMS 4-CH Amplifier kit for 2015-2019 Harley® RoadGlide w/Rear or Lower Speakers

JMAA-4000HR16-UL Performance Series 400w RMS 4-Ch Amplifier kit for 2016-2019 Harley® RoadGlide Ultra



JMAA-2000HC14





JMAA-4000HC14-SG



JMAA-4000HC14-UL



JMAA-4000HR15-RC



JMAA-4000HR16-UL

J&M Solo Helmet Headset Connection Harness kit for 2014-19 Harley StreetGlide or RoadGlide

This is a custom plug-n-play wiring harness kit (ONLY) to connect a J&M or Harley brand helmet headset, to the factory Harley radio (either version) on the 2014-19 StreetGlide or RoadGlide. (helmet headset not included).

When connected, it allows the rider to answer and communicate on the Bluetooth linked cell phone, thru the factory audio system, as well as listen to music & navigation commands from the cell phone link, all thru his/ her helmet headset (see pages 4-7).

This new J&M harness kit features a top-quality in-line 7-pin female din-jack with weather cover, to provide maximum flexibility when choosing the convenient mounting location that is just right for you.

This easy to install, plug-n-play headset cable harness kit is made-in-the-USA at our factory in Tucson, AZ.

HSPT-H14S Solo Helmet Headset Connection Harness kit 2014-19 Harley Street/RoadGlide



OKKER XXR EXTREME KITS for 2014-19 Harley®

J&M ROKKER XXR EXTREME Custom Installation KITS for 2014-19 Harley® Baggers.

At the very heart of these custom systems are your choice of a J&M in-fairing mounted 2 or 4 channel ROKKER XXR/ XXRP amplifier rated @ 175w RMS per channel X 2 or 4 to provide up to 700w total RMS power!

Depending on which amplifier and specific system you choose, our single in-fairing mounted amplifiers can power

2, 4, 6 or 8 total main speakers on your Harley Bagger, along with up to 8 total tweeters.

Each custom kit listed below is completely assembled together with the amplifier already dialed in for each exact speaker configuration, to provide the on-highway volume, clarity and overall performance that most riders only dream about.

J&Ms fully weatherproof 6.71" & 5x7" ROKKER XXR speakers feature a high-tech woven-fiber woofer cone & a massive highdensity high-flux strength Neodymium magnet structure with large center & perimeter positioned voice coil cooling vents, to provide for maximum heat dissipation when operating at high volume levels for extended periods.

The custom designed grill mounted dome tweeters are also weather-proof and shock-proof for maximum long-term durability.

Each of these ROKKER XXR EXTREME custom installation kits are engineered to be 100% plug-and-play for your convenience during the installation and to maintain the complete integrity of your Harley's internal wiring

THE Harley Radio FLASH Nightmare is FINALLY OVER!

All of the J&M ROKKER XXR EXTREME series kits listed below are tuned/enhanced for the latest STOCK HARLEY Radio flash, and include the exclusive Green-Band RCA amplifier input harnesses

XXRK-350SP2-14SG

XXRK-700SP4-14UL

34









XXRK-350SP2-15RG ROKKER XX

XXRK-700SP4-14SG ROKKER XXR EXTREME 700w 4-Speaker/Amp Kit 2014-19 Harley StreetGlide

XXRK-700SP4-14UL ROKKER XXR EXTREME 700w 4-Speaker Install Kit 2014-19 Harley Ultra/Ltd

PSXK-400SP4-14UL Performance Series XXRK-700SP4-15RC ROKKER XXR 400w 4-Speaker/Amp Kit 2014-19 Harley EXTREME 700w 4-Speaker/Amp Kit 2015-19 Harley RoadGlide Ultra/Ultra Ltd

> PSXK-400SP4-16RU Performance Series 400w 4-Speaker/Amp Kit 2016-19 Harley Roadglide/Ultra

StreetGlide/Ultra

RoadGlide/Ultra

XXRK-350SP2-14SG ROKKER XXR

2014-19 Harley StreetGlide/Ultra

EXTREME 350w 2-Speaker Install Kit 2015-19 Harley RoadGlide









XXRK-350SP2-15RG

XXRK-700SP4-15RC





XXRK-700SP4-16RU



Performance Installation KITS for 2014-19 Harley® Bagge

J&M Performance Series Custom Installation Kits for 2014-19 Harley StreetGlide/Ultra/Ultra Ltd. or 2015-19 RoadGlide.

At the very heart of these custom systems is your choice of a J&M in-fairing mounted 2 or 4 channel Performance Series amplifier rated @ 100w RMS per channel X 2 or 4 to provide up to 400w total RMS power!

Depending on which amplifier and specific system you choose, our single in-fairing mounted amplifiers can power 2, 4, 6 or 8 speakers on your Harley Bagger audio system.

Each custom kit listed below is completely assembled together with the amplifier already dialed in for each exact speaker configuration, to provide the on-highway volume, clarity and overall performance that most riders only dream about.

J&Ms fully weatherproof 6.71" ROKKER XXR speakers feature a high-tech woven-fiber woofer cone and a massive high-density high-flux strength Neodymium magnet structure with large center & perimeter positioned voice coil cooling vents, to provide for maximum heat dissipation when operating at high volume levels for extended periods.

The custom designed dome tweeters are also weather-proof and shock-proof for maximum long-term durability.

Each of these J&M Performance Series custom installation kits are engineered to be 100% plug-and-play for your convenience during the installation and to maintain the complete integrity of your Harley's internal wiring harness.

THE Harley Radio FLASH Nightmare is FINALLY OVER!

PSXK-200SP2-14SG Performance Series 200w 2-Speaker/Amp Kit 2014-19 Harley

PSXK-200SP2-15RG Performance Series

200w 2-Speaker Install Kit 2015-19 Harley

All of the J&M Performance series kits listed below are tuned/ enhanced for the latest STOCK HARLEY Radio flash, and include the exclusive Green-Band RCA amplifier input harnesses.



PSXK-200SP2-14SG



PSXK-400SP4-14UL



PSXK-200SP2-15RG




PSXK-400SP4-16RU



XXRK-700SP4-16RU ROKKER XXR





ROKKER

e MOST POWERFUL speaker available for your Harley Bagger audio system!!









J&M ROKKER XXR 7.25" Fairing Speaker kit 1998-2013 Harley StreetGlide/ Ultra/ElectraGlide/RoadGlide

J&M's NEW ROKKER XXR series 7.25" drivers are the largest diameter speakers that can be installed into the Harley BatWing or RoadGlide style fairing, with cone volume and mass comparable to a 6X9" speaker.

Spec'd at 2 ohms impedance and an impressive 217 watts maximum input (165w RMS continuous - 92db sensitivity), these new speakers provide the ultimate in raw audio power.

These complete custom speaker installation kits have been designed for the 1998-2013 Harley® StreetGlide, Ultra, RoadGlide or

ElectraGlide Fairing. (NOT for direct connection to the 1998-2005 Harley RSI factory radio system).

Features of this new **ROKKER XXR series** speaker kit:

- · Lightweight waterproof one-piece polycarbonate driver cone with superrigid metal basket design.
- · High-density lite-weight Neodymium magnet structure, specially

coated to maintain fluxstrength integrity even at extreme operating temperatures.

- High efficiency VENTED voicecoil for improved cooling when operating at high volume levels for extended periods.
- · Custom speaker grills with high-output tweeter & midrange for crystal clear sound at highway speeds.
- Top-quality adapter rings/bracket hardware for secure and clean mounting into the

Mounting hole pattern and spade electrical connections are exactly the same as the factory specification, this is a total plug-and-play nomodification solution.

These are THE most powerful speakers you can buy for your Harley and they will perform



HCRK-7252GTM-XXR



HRRK-7252GTM-XXR

RRPA-RGSPA

extremely well when used with a medium to high-powered accessory amplifier.

Important Note: For most 1998-2005 RoadGlide fairings, when upgrading from the stock 5 1/4" to J&M 7.25" speakers OR when replacing the stock Harley 5X7" speaker plates used on 2012-2013 CVO RoadGlide fairings, with speaker plates that can be used with the Harley 5.25" or 'J&M 7.25" speakers, you will need J&M Roadglide speaker plate kit, part #RRPA-RGSPA, which are also exact dimensional substitutes for Harley part#s 77021-98B & 77022-98B.

HCRK-7252GTM-XXR ROKKER XXR 7.25" Fairing Speaker Kit 98-13 Harley StreetGlide/Ultra/ Electra

HRRK-7252GTM-XXR ROKKER XXR Series 7.25" Fairing Speaker Kit w/Grill Midrange/Tweeter 98-13 Harley RoadGlide

RRPA-RGSPA Fairing Speaker Adapter Kit 98-13 RoadGlide



ROKKER" XXX R SERIES

7.25" LOWER Fairing Speaker Kit 2006-2013 Harley Ultra

J&M's NEW ROKKER XX series 7.25" drivers are the largest diameter speakers that can be installed into the Harley vented lower fairings, with cone volume and mass comparable to a 6X9" speaker.

Spec'd at 2 ohms impedance and an impressive 217 watts maximum input (165w RMS continuous - 92db sensitivity), these new speakers provide the ultimate in raw audio power.

This new high-power ROKKER XX series speaker set has been designed specifically for the 2006-2013 Harley® Ultra or Harley StreetGlide/RoadGlide custom with the factory Harley Ultra Vented LOWER fairing shells installed.

HLRK-7252-RXX ROKKER XXR Series 7.25" LOWER Fairing Speaker Kit 06-13 Harley Ultra

HLRK-7252-ISCH LOWER Speaker In-Series Wiring kit for 06-13 Harley Lower Fairings





HLRK-7252-RXX









High-Performance Gauge Tweeters

These ROKKER XT series gauge-tweeters mount in place of the two lower gauges on your 1998-2013 Harley Batwing or RoadGlide fairing.

HTWT-1025-CRF ROKKER XT Series Gauge-Tweeter Kit 1998-2013 Harley BatWing/ RoadGlide Fairing



HTWT-1025-CRF





ROKKER XT 5.25" Rear Pod Speaker Kit

This three-way high-performance ROKKER XT speaker kit has been designed specifically for the rear pod position on the 1998-2013 Harley®

speakers provide superior bass response, along with an extended mid/high frequency range. (NOT for direct connection to the 1998-2005 Harley factory radio)



HURK-5252GTM-XTC

HURK-5252GTM-XTC ROKKER XT Series 5.25" Rear Speaker Kit 1998-2013 Harley Ultra

CALIFORNIA



WARNING: Cancer and eproductive Harm

ROKKER

The MOST POWERFUL Amplifiers Available!!

ROKKER" XXX R SERIES

350w & 700w Amplifier Kits

2006-2013 Harley® Ultra/Street/Electra Glide Fairing

These exciting new J&M fairing/rear speaker amplifier kits have been designed specifically for use on the 2006-2013 Harley® Ultra/Steet/ElectraGlide fairing, with the Harley HK radio.

These are full range class D digital amplifiers and are spec'd at 175w RMS per

channel, continuous power into a 2 ohm load @ 14.4vdc with both 2 & 4 channel versions available.

These new ROKKER XXR/XXRP series amplifiers come out of the box already dialed in for these specific speaker configurations to provide maximum highway performance for your Harley Bagger audio system.

Amplifiers mount to the custom made stainless steel bracket systems, to provide solid and secure mounting.

Custom made plug-n-play wiring harnesses are included with these amplifier kits.

JAMP-350HC06 ROKKER XXR Series 350w 2-channel Amplifier Kit 06-13 Harley Street/Ultra/ElectraGlide

JAMP-700HC06-ULP ROKKER XXRP Series 700w 4-channel DSP Programmable Amplifier Kit 06-13 Harley Ultra Classic

JAMP-700HC06-SGP ROKKER XXRP Series 700w 4-channel DSP Programmable Amplifier Kit 06-13 Harley StreetGlide w/Upper & Lower Fairing Spkrs







JAMP-350HC06



JAMP-700HC06-ULP



JAMP-700HC06-SGP

HDRK-5X7TW-XXR

ROKKER XXX R SERIES

ROKKER® XXR 5X7" Saddlebag-Lid Speaker Upgrade Kit w/High-Output Tweeter for 2006-2017 Harley® Baggers

J&M's NEW ROKKER XXR series 5X7" speakers have been designed as exact size component/replacements for the stock 5X7" Harley saddlebag-lid speakers as installed on the 2006-2017 Harley Baggers.

- Spec'd at 20hms impedance, 300w maximum (175w RMS 91db sensitivity).
- Lightweight waterproof one-piece woven-fiber driver cone.

HDRK-5X7TW-XXR ROKKER® XXR 5X7" Saddlebag-Lid Speaker Upgrade Kit w/High-Output Tweeter 2006-2017 for Harley® Baggers

JAWH-HSGU06-SDB J&M Saddlebag-Lid or Rear-Pod Speaker Wire Harness kit 98-13 Harley®



WARNING: Cancer and Reproductive Harm



350w & 700w Amplifier Kits

For 2006-2013 Harley® RoadGlide Fairing

These exciting new J&M fairing/rear speaker amplifier kits have been designed specifically for use on the 2006-2013 Harley® RoadGlide fairing, with the Harley HK radio.

These are full range class D digital amplifiers and are spec'd at 175 w RMS per channel, continuous power into a 2 ohm load @ 14.4 vdc with both 2 & 4 channel versions available.

These new ROKKER XXR/XXRP series amplifiers come out of the box already dialed in for these specific speaker configurations to provide maximum highway performance for your Harley Bagger audio system.

Amplifiers mount to the custom made stainless steel bracket systems, to provide solid and secure mounting.

Custom made plug-n-play wiring harnesses are included with these amplifier kits.

JAMP-350HR06 ROKKER XXR Series 350w 2-channel Amplifier Kit 06-13 Harley RoadGlide Fairing

JAMP-700HR11-ULP ROKKER XXRP Series 700w 4-channel DSP Programmable Amplifier Kit 2011-13 Harley RoadGlide Ultra

JAMP-700HR06-RCP ROKKER XXRP Series 700w 4-ch Amp Kit 2010-13 RoadGlide w/Upper & Lower Fairing Speakers



JAMP-350HR06



JAMP-700HR11-ULP



P JAMP-700HR06-RCP

ROKKER" XXX R SERIES

Saddlebag-Lid Kit w/ROKKER® XXR 5X7" Speakers & Plug-n-play Wiring Harness Included for 1998-2013 Harley® Baggers

This complete custom saddlebag-lid kit with ROKKER XXR 5X7" speakers & plug-n-play wiring harness included, has been designed specifically for the 1998-2013 Harley® Bagger saddlebags.

J&M's NEW ROKKER XXR series 5X7" speakers have been upgraded extensively from the original release.

Spec'd at 2 ohms impedance and an impressive 300 watts maximum input (175w RMS - 91db sensitivity), these speakers provide the ultimate in raw audio power and include the bridge-mounted high-output tweeter.

Lightweight waterproof one-piece woven-fiber driver cone with super-rigid metal basket design.

High-density liteweight Neodymium magnet structure, specially coated to maintain fluxstrength integrity even at extreme operating tempera-



HSBL-065X7-XXR

High efficiency

VENTED voice-coil for improved cooling when operating at high volume levels for extended periods and custom bridge-mounted high-output tweeter.

These are THE most powerful 5X7" speakers you can buy for your Harley and they will perform extremely well when used with a medium to high-powered accessory amplifier.

HSBL-065X7-XXR Saddlebag-Lid Kit w/ ROKKER® XXR 5X7" Speakers & Plug-n-play Wiring Harness for 1998-2013 Harley® Baggers



Audio Products



Maximum-Performance 7.25" Fairing Speaker Upgrade For 2006-2013 Harley® RoadGlide/Ultra

POW!!! --- J&M's 7 1/4" round subs are the largest diameter speakers that can be installed into the 2006-2013 Harley RoadGlide fairing, with cone volume and mass comparable to a

Spec'd at 2 ohms impedance and 140+ watts max power, these new speakers provide the ultimate in bass response, extended mid/high frequency range and raw audio power.

They feature a waterproof injection-molded polycarbonate woofer cone, high-flux strength but lite-weight dual-donut Neodymium magnet, high efficiency voice coil, the latest design grillwork with mounted black tweeter and midrange drivers, along with top-quality adapter rings for secure and clean mounting.

HRSK-7252GTM Performance 2-ohm 7.25" Fairing Speaker Kit 06-13 Harley® RoadGlide


RRPA-RGSPA Fairing Speaker Adapter Plt Kit 98-13 RoadGlide



HRSK-7252GTM



RRPA-RGSPA



Performance Rear Upgrades For 2006-2013 Harley® Ultra

These two-way high-performance speaker sets have been designed specifically for the rear pod position on the 2006-2013 Harley® Ultra.

Spec'd at 2 ohms impedance and 120+ watts max power, these speakers provide superior bass response, along with an extended mid/high frequency range.

They feature a waterproof injection-molded polycarbonate woofer cone, high-flux strength but light-weight Neodymium magnet, high efficiency voice coil, and the latest design grillwork with mounted black tweeter and midrange drivers.

These are THE most efficient speakers you can buy for your Harley. They will perform extremely well with the stock Harley HK radio system or a medium powered accessory amplifier.

HURE-5252GTM Performance 2-ohm 5.25" Rear Speaker Kit w/Grill-Tweet/Mid 2006-2013 Harley® Ultra

HSUK-5252 Performance 2-ohm Rear Speaker Kit 06-13 Harley® Ultra





HURE-5252GTM

HSUK-5252



Performance Fairing Speakers for 1998-2013 Harley® RoadGlide

Spec'd at 2 or 8 ohms impedance and 140+

HSUK-5252 Performance 2-ohm Speaker Kit 2006 - 2013 Harley® RoadGlide



HSUK-5252





Maximum-Performance 7.25" **Fairing Speaker Upgrade For 2006-2013 Harley Ultra/** StreetGlide/ElectraGlide

POW!!! – J&M's 7 1/4" round subs are the largest diameter speakers that can be installed into the 2006-2013 Harley BatWing style fairing, with cone volume and mass comparable to a 6X9" speaker.

Spec'd at 2 ohms impedance and 140+ watts max power, these speakers provide the ultimate in bass response, extended mid/high frequency range and raw audio power.

They feature a waterproof injection-molded polycarbonate woofer cone, high-flux strength but lite-weight dual-donut Neodymium magnet, high efficiency voice coil, the latest design grillwork with mounted black tweeter and midrange, and topquality adapter rings/bracket hardware for secure and clean mounting into the fairing. (Hardware included to utilize the old or new designs of the Harley inside-fairing metal-brackets)

The mounting hole pattern and spade electrical connections are exactly the same as the factory specification. This is a total plug-and-play solution complete with easy to follow installation instructions.

These are THE most efficient speakers you can buy for your Harley. They will perform extremely well with the stock Harley HK radio system or a medium powered accessory amplifier.





HCSK-7252GTM 7 1/4" Speaker Kit w/Black Grill-Mounted Mid-Range/Tweeter 2006 - 2013 Ultra/StreetGlide/ElectraGlide (2 ohm)

HCSK-7252GTM

Performance Fairing Speaker Upgrades For 1998-2013 Harley Ultra/StreetGlide/ElectraGlide

These speaker upgrades have been designed specifically for the 1998 - 2013 Harley® ElectraGlide/Ultra/StreetGlide fairing (not for use with stock 1998-2005 Harley radio) and feature a waterproof injection molded polycarbonate cone woofer, high-flux strength Neodymium magnet, high

Spec'd at 2 or 4 ohms impedance and 140+ watts power, you will be impressed by the significant improvement in bass response, midrange clarity, audio power and overall fidelity.

The mounting hole pattern and spade electrical connections are exactly the same as the factory specification, making replacement a snap.

HSUK-5252 Performance 2-ohm Speaker Kit 1998 - 2013 Harley® Street/Ultra/Electra/



HSUK-5252



Audio Products

Performance Series 200w & 400w **Amplifier Kits**

2006-2013 Harley® **Ultra/Street/Electra Glide Fairing**

These exciting new J&M Performance Series amplifier kits have been designed specifically for use in the 2006-2013 Harley® Ultra/Street/ Electra Glide fairing, with the Harley HK radio. They are full range class D amplifiers and are spec'd at 100watts RMS, continuous power into a 2 ohm load @ 14.4vdc, with both two and four channel versions available.

Amplifiers mount to the top of the custom made stainless steel bracket system, which has the slots in the bottom section to properly relocate the Harley CB, iPod, and/or XM sat radio modules, if installed,

Custom made plug-nplay wiring harnesses are also included with these amplifier kits, top quality heavy gauge power/ground wires are used for the fused battery connection, along with all necessary mounting hardware & complete installation/operation instructions.

JMAA-2000HC06 Performance Series 200w 2-channel Amplifier Kit 06-13 Harley Street/Ultra/

JMAA-4000HC06-UL Performance Series 400w RMS Amplifier Kit 06-13 Harley Ultra/ElectraGlide

JMAA-4000HC06-SGR Performance Series 400w RMS Amplifier Kit for 2006-2013 Harley Street-Glide w/4-Speakers





JMAA-2000HC06



JMAA-4000HC06-SGR





JMAA-4000HC06-UL

Performance Series 200w & 400w **Amplifier Kits**

For 1998-2013 Harley® RoadGlide **Fairing**

These exciting new J&M Performance Series amplifier kits have been designed specifically for use in the 1998-2013 Harley® RoadGlide fairing.

They are full range class D amplifiers and are spec'd at 100watts RMS, continuous power into a 2 ohm load @ 14.4vdc, with both two and four channel versions available. Amplifiers mount to the custom made metal mounting bracket systems, designed specifically for the RoadGlide fairing.

Custom made plug-nplay wiring harnesses are also included with these amplifier kits, top quality heavy gauge power/ground wires are used for the fused battery connection, along with all necessary mounting hardware & complete installation/operation instructions.

JMAA-2000HR06 Performance Series 200w 2-channel Amplifier Kit 06-13 Harley RoadGlide

JMAA-4000HR11-UL Performance Series 400w RMS 4-Ch Amplifier Kit for 2011-2013 Harley RoadGlide Ultra

JMAA-4000HR06-RCR Performance Series 400w RMS 4-Ch Amplifier Kit for 2006-2013 Harley RoadGlide w/Rear Speakers





JMAA-2000HR06



JMAA-4000HR11-UL



JMAA-4000HR06-RCR

7.25" LOWER Fairing Speaker Kit 2006-2013 **Harley Ultra**

J&M's new Performance series 7.25" drivers are the largest diameter speakers that can be installed into the Harley LOWER fairing shells, with cone volume and mass comparable to a 6X9"

This new Performance series speaker set is designed specifically for the 2006-2013 Harley® Ultra or Harley StreetGlide/RoadGlide custom with the factory Harley Ultra vented LOWER fairing shells installed.

Spec'd at 2 ohms impedance and 140 watts max power, these new speakers provide the ultimate in raw audio power from the lower fairing position.

HLPS-7252 Performance Series 7.25" LOWER Fairing Speaker Kit 06-13 Harley Ultra

42

Features of this Performance series kit are:

- Waterproof injection-molded polycarbonate driver cone.
- High-flux strength but lite-weight Neodymium magnet.
- High efficiency voice-coil.
- · Custom designed grillwork.
- Top-quality LOWER fairing housing inserts molded specifically to fit the vented Harley lower fairing shells.

These are THE most efficient speakers you can buy for your Harley and they will perform extremely well when used with a medium sized accessory amplifier.





LOWER Speaker In-Series Wiring Kit for 2006-2013 Harley Lower Fairings


This in-series wiring harness kit is to be used when connecting the J&M ROKKER series 7.25" LOWER fairing speakers, together with the J&M 7.25" UPPER fairing speakers, to a J&M in-fairing mounted 2-channel amplifier, (4 speakers total on the motorcycle) OR the front 2-channels of a J&M in-fairing 4-channel amplifier (6-8 speakers total on the motorcycle).



HLRK-7252-ISCH

HLRK-7252-ISCH LOWER Speaker In-Series Wiring Kit for 06-13 Harley Lower Fairings

Complete Installation Kits



Performance Series 2 & 4 Speaker Audio Installation Kits Complete with 200w or 400w RMS Amplifier for 06-13 **Harley StreetGlide or Ultra Classic**

POW!!! – J&M's new 7 1/4" round drivers are the largest diameter speakers that can be installed into the Harley BatWing style fairing, with cone volume and mass comparable to a 6X9" speaker.

J&M's 5 1/4" round drivers are the most efficient speakers you can install into the rear trunk pod position on the Harley Ultra.

Both spec'd at 2 ohms impedance and 140/120+ watts max power, these new speakers provide the ultimate in bass response and extended mid/high frequency

They feature a waterproof injection-molded polycarbonate woofer cone, high-flux strength but light-weight Neodymium magnet, high efficiency voice coil, the latest design grillwork with mounted tweeter and midrange, and top-quality adapter rings/ bracket hardware for secure and clean mounting into the StreetGlide, UltraClassic or

These are THE most efficient speakers you can buy for your Harley and their mounting hole pattern and spade electrical connections are exactly the same as the factory

New J&M 2 or 4-channel 200/400w fairing/rear speaker amplifiers have been designed specifically for use in the 2006-2013 Harley® StreetGlide, Ultra-Classic or ElectraGlide fairing with the Harley HK radio.

These are full range class D amplifiers and are spec'd at 100watts RMS per channel driven continuous into a 2 ohm load @ 14.4vdc.

Amplifier mounts to the top of the custom made stainless steel bracket system, which has the slots in the bottom section to properly relocate 2 of the Harley CB, MP3 or XM sat radio modules, if installed.

Amplifier gain adjustments are factory preset for each 2 or 4 speaker configuration.

Custom made plug-n-play wiring harnesses are included with these speaker/amplifier kits, top quality heavy gauge power/ground wires are used for the fused battery connection, along with all necessary mounting hardware & complete installation/operation instructions.





JHAK-HC06-2002SP





JHAK-HCU06-4004SP



JHAK-HC06-2002SP Performance Series 2 Speaker Audio Installation Kit Complete with 200w RMS Amplifier for 06-13 Harley StreetGlide

JHAK-HCU06-4004SP Performance Series Complete Audio KIT w/400w RMS 4-Ch Amp, 7.25" Fairing & 5.25" Trunk-Pod Speakers for 2006-2013 Harley Ultra

Performance Series 6 Speaker Audio Installation Kit Complete with 400w RMS Amplifier for **06-13 Harley Ultra Classic**

POW!!! – J&M's new 7 1/4" round drivers are the largest diameter speakers that can be installed into the Harley BatWing style fairing, and vented lower fairings, with cone volume and mass comparable to a 6X9" speaker.

J&M's 5 1/4" round drivers are the largest & most efficient speakers you can install into the rear trunk pod position on the Harley Ultra.

Both spec'd at 2 ohms impedance and 140/120+ watts max power, these new speakers provide the ultimate in bass response and extended mid/high frequency range.

They feature a waterproof injection-molded polycarbonate woofer cone, high-flux strength but light-weight Neodymium magnet, high efficiency voice coil, the latest design grillwork with mounted tweeter and midrange, (plain grills only for LOWER fairing speakers) and top-quality adapter rings/bracket hardware for secure and clean mounting into the UltraClassic ElectraGlide.

These are THE most efficient speakers you can buy for your Harley and their mounting hole pattern and spade electrical connections are exactly the same as the factory specification.

Lower fairing speaker housings are custom molded to fit the late model VENTED lower fairing shells, as mounted on the Harley Ultra.

New J&M 4-channel 400w fairing/rear speaker amplifier kit has been designed specifically for use in the 2006-2013 Harley® UltraClassic fairing with the Harley HK radio.

This is a full range class D amplifier and is spec'd at 90watts RMS per channel X4 channels, (360w total) driven continuous into a 2 ohm load @ 14.4vdc.

Amplifier mounts to the top of the custom made stainless steel bracket system, which has the slots in the bottom section to properly relocate 2 of the Harley CB, MP3 or XM sat radio modules, if installed.

Amplifier gain adjustments are factory preset for this 6 speaker configuration on the Harley Ultra, along with the custom in-series wiring harness for the front upper/lower fairing speaker positions.

Custom made plug-n-play wiring harnesses are included with this amplifier kit, top quality heavy gauge power/ground wires are used for the fused battery connection, along with all necessary mounting hardware & complete installation/operation instructions.

JHAK-HCU06-4006SP Perf Series Audio KIT w/400w RMS 4-Ch Amp, 7.25" Fairing, 7.25" Lower & 5.25" Rear Speakers for 2006-2013 Harley Ultra
















JHAK-HCU06-4006SP







Complete Installation Kits



Performance Series 2 & 4 Speaker Audio Installation Kits Complete with 200w or 400w RMS Amplifier for 98-13 Harley RoadGlide/Ultra

POW!!! – J&M's new 7 1/4" round drivers are the largest diameter speakers that can be installed into the Harley RoadGlide style fairing, with cone volume and mass comparable to a 6X9" speaker.

J&M's 5 1/4" round drivers are the most efficient speakers you can install into the rear trunk pod position on the Harley RoadGlide Ultra.

Both spec'd at 2 ohms impedance and 140/120+ watts max power, these new speakers provide the ultimate in bass response and extended mid/high frequency range.

They feature a waterproof injection-molded polycarbonate woofer cone, high-flux strength but light-weight Neodymium magnet, high efficiency voice coil, the latest design grillwork with mounted tweeter and midrange, and top-quality adapter rings/bracket hardware for secure and clean mounting into the RoadGlide fairing.

These are THE most efficient speakers you can buy for your Harley and their mounting hole pattern and spade electrical connections are exactly the same as the factory specifi-

New J&M 2 or 4-channel

200/400w fairing/rear speaker amplifiers have been designed specifically for use in the 1998-2013 Harley® RoadGlide/Ultra fairing.

These are full range class D amplifiers and are spec'd at 100watts RMS per channel driven continuous into a 2 ohm load @ 14.4vdc.

Amplifiers mount to the custom made metal mounting bracket systems, designed specifically for the RoadGlide fairing.

Amplifier gain adjustments are factory preset for each 2 or 4 speaker configuration.

Custom made plug-n-play wiring harnesses are included with these speaker/amplifier kits, top quality heavy gauge power/ground wires are used for the fused battery connection, along with all necessary mounting hardware & complete installation/operation instructions.

Important Note: For most 1998-2005 RoadGlide fairings, when upgrading from the stock 5 1/4" to J&M 7.25" speakers OR when replacing the stock Harley 5X7" speaker plates used on 2012-2013 CVO RoadGlide fairings, with speaker

plates that can be used with the Harley 5.25" or 'J&M 7.25" speakers, you will need J&M Roadglide speaker plate kit, part #RRPA-RGSPA, which are also exact dimensional substitutes for Harley part#s 77021-98B & 77022-98B.





JHAK-HRU11-4004SP





RRPA-RGSPA

JHAK-HR06-2002SP Perf Series 2 Speaker Installation Kit Complete w/200w RMS 2-CH Amp 06-13 RoadGlide

JHAK-HRU11-4004SP Perf Series Complete Audio KIT w/400w RMS 4-Ch Amp, 7.25" Fairing & 5.25" Trunk-Pod Spkrs 2011-13 RoadGlide Ultra

RRPA-RGSPA Fairing Speaker Adapter Plate Kit 98-13

Performance Series 6 Speaker Audio Installation Kit Complete with 400w RMS Amplifier for 11-13 Harley RoadGlide Ultra

POW!!! – J&M's new 7 1/4" round drivers are the largest diameter speakers that can be installed into the Harley RoadGlide style fairing, and vented lower fairings, with cone volume and mass comparable to a 6X9" speaker.

J&M's 5 1/4" round drivers are the largest & most efficient speakers you can install into the rear trunk pod position on the Harley RoadGlide Ultra.

Both spec'd at 2 ohms impedance and 140/120+ watts max power, these new speakers provide the ultimate in bass response and extended mid/high frequency range.

They feature a waterproof injection-molded polycarbonate woofer cone, high-flux strength but light-weight Neodymium magnet, high efficiency voice coil, the latest design grillwork with mounted tweeter and midrange, (plain grills only for LOWER fairing speakers) and top-quality adapter rings/bracket hardware for secure and clean mounting into

These are THE most efficient speakers you can buy for your Harley and their mounting hole pattern and spade electrical connections are

exactly the same as the factory specification. Lower fairing speaker housings are custom molded

to fit the late model VENTED lower fairing shells, as mounted on the Harley RoadGlide Ultra. New J&M 4-channel 400w fairing/rear speaker amplifier kit has been designed specifically for use in the

2011-2013 Harley® RoadGlide Ultra fairing with the Harley HK radio. This is a full range class D amplifier and is spec'd at 90watts RMS per channel X4 channels, (360w total)

Amplifiers mount to the custom made metal mounting bracket systems, designed specifically for the Road Glide fairing.

driven continuous into a 2 ohm load @ 14.4vdc.

Amplifier gain adjustments are factory preset for this 6 speaker configuration on the Harley RoadGlide Ultra, along with the custom in-series wiring harness for the front upper/lower fairing speaker positions.

Custom made plug-n-play wiring harnesses are included with this amplifier kit, top quality heavy gauge power/ground wires are used for the fused battery connection, along with all necessary mounting hardware & complete installation/operation instructions.

JHAK-HRU11-4006SP Performance Series 6 Speaker Audio Installation Kit Complete with 400w RMS Amplifier for 2011-2013 Harley RoadGlide Ultra

















JHAK-HRU11-4006SP













JBLU-DNG44-HD14

J&M Blu<>Hub® Dual-Module Driver/Passenger Bluetooth® Dongle Kit with aptX™ Digital Stereo 1998-2019 Harley Infotainment System

These are J&Ms brand new Blu<>Hub® dual-module Bluetooth Dongle kits featuring the CSR/Qualcomm BlueCore8 IC chip-sets, loaded with J&M's exclusive JMAHP software profile.

This latest version of the JMAHP profile from J&M provides low-latency aptX[™] digital stereo to the headset, (aptX decoding active with BT-03+/BT-04 or later model J&M headset) with simultaneous and continuous microphone signals back to the dongle audio source, allowing full stereo music, private driver/passenger intercom, cell-phone and CB radio communications.

Now you can finally "Cut-The-Cord" between your helmet headset and the factory audio system WITHOUT sacrificing that great J&M sound!

This new J&M Blu<>Hub dongle will also link to most brands of Bluetooth helmet headsets available and provide mono audio to the headset with simultaneous and continuous mike signals back to the audio system, for full intercom, cell phone and CB radio communications.

The factory handlebar & dash-knob volume controls will raise and lower the volume levels inside each Bluetooth headset, once linked and

With this J&M Blu<>Hub dongle system installed, CORDED helmet headsets can still be used at any time thru the standard headset connection plugs, simultaneous with either of the Bluetooth headset links.

The Blu<>Hub dongle will turn on and off automatically with the motorcycle ignition and there are NO BATTERIES EVER, to charge or replace.

JBLU-DNG44-HD14 J&M Blu<>Hub Dual-Module Driver/ Passenger Bluetooth® Dongle Kit w/ aptX Digital Stereo 2014-19 Harley® Ultra/Street/Road

JBLU-DNG44-HD06 J&M Blu<>Hub® Dual-Module Driver/Passenger Bluetooth® Dongle Kit with aptX™ Digital Stereo 1998-2013 Harley® Ultra/Ultra

Acoustic Fairing Pads for 98-13 Harley Classic or RoadGlide

J&M's in-fairing acoustic pads are one of the easiest things you can do to tighten-up-the-bass and improve the overall sound quality of your fairing mounted speakers.

These special acoustic foam pads are die-cut with adhesive backing installed and are spec'd for the 1998-2013 versions of the Harley Classic (BatWing) & Roadglide fairing.

Installation is a snap, kit includes complete and detailed installation instructions.

FSAP-HDCL Fairing/Speaker Acoustic Pads 98-13 Harley Classic (BatWing) Fairing

FSAP-HDRG Fairing/Speaker Acoustic Pads 98-13 Harley RoadGlide Fairing



FSAP-HDRG



WARNING: Cancer and Reproductive Harm



J&M's new Passive FLEXPOWER® hide-a-way AM/FM/WB antenna is THE BEST hide-a-way antenna on the market today, for ALL THREE reception bands of AM, FM and WB, to help you eliminate altogether the rear mounted antenna on your 1989-2019 Harley StreetGlide /Ultra/Ltd./RoadGlide.

These new passive versions (no 12v connection required) provide all of the great reception performance of our original design, but with the correct standard push-plug (89-13) or "FAKRA" style plug (14-17) on the end of the cable, for direct connection to the 1998-2019 Harley radios (all versions).

Over the years we have learned that proper tuning and adequate stinger capture area is far more important to reception quality for an in-fairing (hidden) antenna than trying to artificially amplify a less than ideal signal.


Installation is a snap, as there are no wires to cut or splice.

These antenna kits include complete and detailed installation instructions.

These unique in-fairing antennas are manufactured complete at our shop in Tucson, Arizona USA using only high-grade copper coaxial cable & stinge wire, for maximum durability and performance.

FPA-HCFM-P FLEXPOWER™ Passive AM/FM/WB Antenna 1989-2013 Harley Classic/RoadGlide

FPA-HCFM14-P FLEXPOWER™ Passive AM/FM/WB Antenna 2014-19 Harley StreetGlide/Ultra/Ltd./RoadGlide





FPA-HCFM14-P





FPA-HCFM-P

FLEXPOWER® CB Antenna for 1998-2019 Harley StreetGlide/Ultra/Ltd./RoadGlide w/ **Harley CB Radio**

J&M's new FLEXPOWER® hide-a-way CB antenna is THE BEST hide-away CB antenna on the market today, to help you eliminate altogether the rear mounted CB antenna on your 1998-2019 Harley®.

These J&M in-fairing antennas are pre-tuned from our factory for the 27mhz CB radio band (no further tuning is required during installation) and is spec'd for the 1998-2019 Harley Ultra or StreetGlide Fairing, with the factory Harley CB radio (check application box below for your specific model year).

Installation is a snap, as there are no wires to cut or splice and antenna wire lead is secured in the fairing with included double sided tape clips.

Antenna kits include complete and detailed installation instructions.

FPA-HCCB-14 FLEXPOWER™ CB Ant 14-19 Harley Ultra/ StrGld w/Harlev® CB Radio

FPA-HCCB FLEXPOWER™ CB Ant 06-13 Harlev Classic/ RoadGlide Fairing w/Harley® CB Radio

FPA-HJCB FLEXPOWER™ CB Ant 89-19 Harley Classic/ RoadGlide Fairing w/J&M®/ Aftermarket CB Radio

These unique in-fairing antennas are manufactured complete at our shop in Tucson, Arizona USA using only high-grade copper coaxial cable, custom wound load coil & stinger wire, for maximum durability and performance.



FPA-HCCB-14



FPA-HCCB



FPA-HJCB

JMCB-2003

Handlebar-Mounted CB Audio System



The World's First. All-In-One, Handlebar-**Mounted Motorcycle** Audio System...


This exciting product from J&M features a 40-channel CB radio, NOAA weather band, rider/passenger intercom and stereo music amplification from any Portable/MP3 type/ iPod music device.

Mount it to your left handlebar with the proper bracket kit, connect the headset/ power harness to your bike's electrical system, (choose between solo or rider/ passenger kits) install our license plate mounted CB antenna, (or any other properly tuned CB antenna) plug in your favorite J&M dual mode helmet headset/headsets and you are ready to go.

All knobs and controls have been designed for ease of use while riding, even with gloves on and in addition, the unit is water resistant so you won't have to worry about getting caught out in the rain

The new JMCB-2003K model has been designed with an expanded 6-circuit aux input plug to accept J&M's new iPod controller with Bluetooth connection interrupt, to provide the circuits necessary to play music from an iPod, keep the iPod charged while riding and/or listen to stereo music from a Bluetooth linked device AND actually talk over the cell phone, all thru the driver or passenger corded helmet headsets (no batteries to charge).

New Can-bus compatible power supply/noise filter included with all models.



JMCB-2003K-SL JMCB-2003 kit for solo (driver only) headset

JMCB-2003K-DU JMCB-2003 kit for driver/passenger headset operation

Mounting bracket sold separately. (See chart)



Solo: JMCB-2003K-SL



Driver/Passenger: JMCB-2003K-DU





JCB03-HBK

JMCB-2003 MOUNTING BRACKETS FOR MOST MOTORCYCLES

Harley w/1" or 1 ½" handlebars (Black powder coated) for 98-15 models	JCB03-HBK02-14
Harley w/1" or 1 ½" Handlebars (Polished)	ЈСВ03-НВК02Р
Honda Valkyrie/St 1300/ 1100 (Black powder coated)	JCB03-HBK01
Honda Cruisers (Polished)	JCB03-HBK01P
Honda SilverWing (Black powder coated)	ЈСВ03-НВК08
Kawasaki Cruisers (Polished)	ЈСВ03-НВК05
Kawasaki Concours14 (Black powder coated)	ЈСВ03-НВК05С
Suzuki Cruisers (Polished)	ЈСВ03-НВК04
Victory Cruiser Motorcycles (Polished)	ЈСВ03-НВК07
Yamaha Cruisers (Polished)	ЈСВ03-НВК03
Yamaha FJR-1300 (Black, not for paddle-shift model)	ЈСВ03-НВК06
Yamaha Stratoliner (Polished)	JCB03-НВК03S



License Plate/Trunk **Mount CB Antenna Kits**

These license plate trunk mount CB

antenna kits include a 1', 2', 3' or 4' antenna staff, mounting stud, frame attachment grounding strap, antenna connection cable, cable ties, mounting hardware and complete installation instructions. These very versatile kits allow you to mount a CB antenna to almost any motorcycle.

LPCBA-100 with 1' staff LPCBA-200 with 2' staff LPCBA-300 with 3' staff LPCBA-400 with 4' staff





JMDM-IPBT-JCB03

Bluetooth Cell Phone/GPS/iPod/ Radar Beep Digital Music Controller

J&M's new digital music controller will connect to a standard iPod by wire and direct the stereo music into the JMCB-2003's audio system aux input, using the iPod's own onscreen controls, while at the same time keeping the iPod fully charged.

A Smartphone or Garmin Zumo can also be linked by Bluetooth to the J&M music controller, while an iPod is simultaneously connected by wire, and when a naviga-

tion command or cell phone call is received, it will automatically interrupt the iPod music signal into

This controller wiring harness also provides for direct plug-n-play of the custom J&M CFRG type radar detector adapter harnesses, (extra cost item) for automatic radar beep alert into one headset speaker, along with a power/ground source connection for a Garmin Zumo.

JMDM-IPBT-JCB03 Bluetooth Cell Phone/ iPod/GPS/Radar Beep audio integration terminal for the JMCB-2003K/E (Will connect to older "B" model w/adapter)

JMDM-ADT-JCB03 JMCB-2003B Model Adapter Harness



J&M Radar Accessory Harnesses

These direct plug-and-play adapter harnesses connect to the new J&M Integratry, CFBR, CFRG, FGA units or other applicable J&M integration/system modules.

CFRG-VLT1 Radar Detector Harness Adapter Valentine One

CFRG-PP85 Radar Detector Harness Adapter Passport 8500

CFRG-WHXT Radar Detector Harness Adapter Whistler XTR

CFRG-BRX65 Radar Detector Harness Adapter Bell RX65

