PRODUCT INFORMATION

| Description | 12-24V ECE LED LH Headlight with FP, [- Single Light |
|----------------------------------|---|
| Height | 176.53 mm / 6.95 i |
| Width | 176.53 mm / 6.95 i |
| Depth | 99.82 mm / 3.93 in |
| Shape | Round |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Aluminum |
| Housing Color | Gray |
| Bezel Color | Black |
| Retrofits | 2D1 "PAR56" or 7" |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | H4 |
| Mating Connector | H4 AMP#172615-2 |
| Product Weight | 2.31 lbs / 1.05 kgs |
| Shipping Weight | 3.35 lbs / 1.52 kgs |
| | |


12-24V ECE LED LHT High & Low Beam Headlight with FP, DRL, Black Inner Bezel - Single Light 176.53 mm / 6.95 in 176.53 mm / 6.95 in 99.82 mm / 3.93 in Round Polycarbonate Clear Aluminum Gray Black 2D1 "PAR56" or 7" round headlights -40 °C / -40 °F 65 °C / 149 °F H4 H4 AMP#172615-2







PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| Input Voltage | 12-24V DC |
|----------------------------|--|
| Operating Voltage | 9-32V DC |
| Transient Spike Protection | 150V Peak @ 1 HZ-100 Pulses |
| Black Wire | Ground |
| Yellow Wire | Low Beam |
| White Wire | High Beam |
| Red Wire | Front Position |
| Blue Wire | DRL |
| Current Draw | 4.2A @ 12V DC (High Beam) 2.00A @ 12V DC (Low Beam) 2.3A @ 24V DC (High Beam) 1.10A @ 24V DC (Low Beam) 1.60A @ 12V DC (DRL) 0.80A @ 24V DC (DRL) 0.16A @ 12V DC (Front Position) 0.10A @ 24V DC (Front Position) |




REGULATORY STANDARDS COMPLIANCE



Buy America Standards ECE Reg 112 ECE Reg 87 IEC IP67 ECE Reg 10 ECE Reg 7 Eco Friendly


PHOTOMETRIC SPECIFICATIONS

| Raw Lumen Output | 3,200 (High Beam); 1,770 (Low Beam) |
|----------------------------------|---|
| Effective Lumen Output | 1,260 (High Beam); 750 (Low Beam) |
| Candela Output | 71,500 (High Beam) 35,003 (Low Beam) |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Daytime Running Light Forward Lighting - High Beam (ECE) Forward Lighting - Low Beam (ECE Left Hand) Signalization - Front Position |





APPLICATIONS







ADDITIONAL INFORMATION

This light has been updated with Dual Burn[™] high beam optics.

This technology combines your high and low beam when turning on your high beam, providing the driver with both widespread visibility along with a powerful punch of light down the road.



Installation:

Headlight must be securely mounted and properly aimed such that the beam pattern cut off line complies with all applicable regulations. If you are not familiar with the legal requirements for aiming your headlights, please see a professional service provider. We recommend that headlights are aimed with a headlight aiming system for proper alignment.

Fits the following vehicles:

1955-1983 Jeep CJ-5* 1976-1986 Jeep CJ-7* 1981-1985 Jeep CJ-8* 1997-2006 Jeep Wrangler (TJ)

2007-2015 Jeep Wrangler 2-Door (JK)

2007-2015 Jeep Wrangler Unlimited 4-Door (JK)

*Some modification of the bucket may be required

ECE-COMPLIANCE

This light is ECE-compliant and is not for use on-road in the U.S.

<u>To be ECE-compliant</u> guarantees your lights are compliant in the European Union and in non-European countries that have adopted ECE Regulations for visibility, durability, and reliability.



ACCESSORIES



Part Number 8000381 H4/H4 Anti-Flicker Harness for J.W. Speaker LED headlights



Part Number 3156351 Mounting Ring Kit for 7" Round (PAR56) Headlights



Part Number 3156561 Panel Mount Bucket Assembly for 8700 Evolution & 8710 Series



Part Number 3266081 Jumper Harness H4/H13 for 8700 Evolution & 8710 Series



Part Number 8000311 Anti-Flicker Harness H4/H13 for 8700 Evolution Series Headlights



Part Number 8200411 Wire Harness H4 for 7" Round (PAR56) Headlights



RELATED PRODUCTS



<u>Part Number</u> 0552761

12-24V ECE LED RHT High & Low Beam Headlight with FP, DRL, Black Inner Bezel -Single Light



Part Number 0553311

12-24V ECE LED LHT High & Low Beam Headlight with FP, DRL, Chrome Inner Bezel -Single Light



<u>Part Number</u> 0553321

12-24V ECE LED RHT High & Low Beam Headlight with FP, DRL, Chrome Inner Bezel -Single Light



Part Number 0554941

12-24V DOT LED High & Low Beam Headlight with Black Inner Bezel -Single Light



<u>Part Number</u> 0554961

12-24V DOT LED High & Low Beam Headlight with Chrome Inner Bezel - Single Light



<u>Part Number</u> 0554981

12-24V DOT LED High & Low Beam Headlight with Black Inner Bezel & Mounting Ring -Single Light



<u>Part Number</u> 0554991

12-24V DOT LED High & Low Beam Headlight with Chrome Inner Bezel & Mounting Ring - Single Light



<u>Part Number</u> 0556281 12-24V DOT LED High

& Low Beam Heated Headlight with Black Inner Bezel - Single Light

