



KENDA
TIRES

**ATV / UTV &
MOTORCYCLE
TIRES & TUBES**

2021



JACKSON STRONG GOES PYRO
FOR X-GAMES REAL MOTO 2020



WELCOME TO KENDA

Where form and function transform into traction

«««KENDA

KENDA

Designed for Your Journey

TIRE SIDEWALL INFORMATION GUIDE



METRIC TIRE SIZING

150/80R-16 58W

Tire Width
Aspect Ratio
Structure Code
Rim Diameter
Load Index
Speed Rating

ALPHA TIRE SIZING

MV85-16 58W

Motorcycle Code
Tire Width
Aspect Ratio
Rim Diameter
Load Index
Speed Rating

STANDARD TIRE SIZING, INCHES

6.00-16 58W

Section Width
Rim Diameter
Load Index
Speed Rating

ATV TIRE SIZING, INCHES

24 X 8 - 12

Overall Diameter
Section Width
Rim Diameter

TIRE SIZE CONVERSION GUIDES

KENDA STREET MOTORCYCLE TIRE SIZE CONVERSION CHART

FRONT TIRES		
METRIC	ALPHA	INCH
80/90	MH90	2.50/2.75
90/90	MJ90	2.75/3.00
100/80	MJ90	3.00
100/90	MM90	3.25/3.5
110/70	*	*
110/80	*	3.25/3.5
110/90	MN90	3.75/4.00
120/70	*	*
120/80	*	3.75/4.25/4.60
120/90	MR90	4.25/4.50
130/60	*	*
130/70	*	*
130/90	MT90	5.00/5.10
REAR TIRES		
METRIC	ALPHA	INCH
110/90	MN90	3.75/4.25
120/80	MP85	4.50/4.75
120/90	MP85	4.50/4.75
130/70	*	*
130/80	*	5.00/5.10
130/90	MT90	5.00/5.10
140/60	*	*
140/70	*	*
140/80	*	5.50/6.00
140/90	MU90	5.50/6.00
150/70	*	*
150/80	MV85	6.00/6.25
150/90	MV85	6.00/6.25
160/60	*	*
160/70	*	*
160/80	*	*
170/60	*	*
170/80	*	*
180/50	*	*
180/55	*	*

*OEM low profile sizing

KENDA KNOBBY MOTORCYCLE TIRE SIZE CONVERSION CHART

FRONT TIRES	
METRIC	INCH
60/100	2.50/2.75
70/100	2.75/3
80/100	3/3.25
90/100	3.25
REAR TIRES	
METRIC	INCH
80/100	2.5/3.00
-	3.25/3.50
-	3.25/3.50
90/100	3.60/4.10
100/100	4.00/4.50
110/100	4.00/4.50
-	4.00/4.50
120/100	5.00/5.10
-	5.00/5.50
-	5.50

LOAD INDEX

L.I.	L.B.	L.I.	L.B.	L.I.	L.B.
33	254	50	419	67	677
34	260	51	430	68	694
35	267	52	441	69	716
36	276	53	454	70	739
37	282	54	467	71	761
38	291	55	481	72	783
39	300	56	494	73	805
40	309	57	507	74	827
41	320	58	520	75	853
42	331	59	536	76	882
43	342	60	551	77	908
44	353	61	567	78	937
45	364	62	584	79	963
46	375	63	600	80	992
47	386	64	617	81	1019
48	397	65	639	82	1047
49	408	66	661	83	1074

SPEED RATINGS

RATING	F	J	K	L	M	N	P	Q	R	S	T	U	H	V	Z	W	Y
MAX MPH	50	62	68	74	81	87	94	100	106	112	118	124	130	149	149+	168	186





JEFF WARD #3x

LEGENDS RIDE KENDA

JEFF WARD

7-time international MX des Nations Champion. X Games gold medalist. Multi-time AMA Motocross, Supercross, Supermoto champion. AMA Motorcycle Hall of Fame inductee. Jeff 'Wardy' Ward becomes the newest member of the Kenda Legends team, representing Kenda tires in multiple disciplines including Automotive, Motorcycle and Bicycle. Join Kenda in welcoming Jeff to the team.

#RideKenda

KENDA
Designed for Your Journey



DOUG HENRY #19



LEGENDS RIDE KENDA

DOUG HENRY

AMA Hall of Famer Doug Henry continues as part of the Kenda team for his second year.

Doug continues to dominate in adaptive racing events including motocross and downhill mountain biking on his Kenda tires while being an inspiration to other athletes across the board.

[#RideKenda](#)

KENDA
Designed for Your Journey



OFF-ROAD





OFF-ROAD



Mud & Sand	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	Dry Hard Pack	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Loam	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	Longevity	■ ■ ■ ■ ■ ■ ■ ■ ■ ■

WASHOUGAL III K7102F

- First offroad tire with Kenda's Advanced Apex (AA) technology for increased lateral response and optimal carcass stiffness
- All new tread design allows for faster forward roll, increased side bite, and controlled flex without washing out
- Unique sipe and groove orientation allow for linear cornering characteristics and superb braking control
- Larger footprint for better grip
- Deepest front tread in the offroad lineup and still FIM-compliant



Mud & Sand	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	Dry Hard Pack	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Loam	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	Longevity	■ ■ ■ ■ ■ ■ ■ ■ ■ ■

WASHOUGAL II K775F/K786

- Multi-time National Off-Road Championship winner
- Dual-compound rear for durability and cornering traction
- Front: Single compound
- Youth sizes feature Sticky compound only



Mud & Sand	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	Dry Hard Pack	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Loam	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	Longevity	■ ■ ■ ■ ■ ■ ■ ■ ■ ■

MILLVILLE II K785

- Directional designed for soft or intermediate terrain, perfect for MX
- New compound formula for traction and durability
- Scoop-shaped blocks improve braking traction
- Improved cornering traction with more biting edges
- Tie bar knob support to reduce knob squirm and increase durability

PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K7102F WASHOUGAL III											
047102212FI	FRONT	80/100-21	51M	28	3	36	14	9	1.60x21	TT	Y
K775 WASHOUGAL II											
047751032COS2	FRONT	250-10	33J	15	3	20	8	3	1.40X10	TT	N
047751232COS2	FRONT	250-12	33J	17	3	20	8	4	1.40X12	TT	N
047751401COS2	FRONT	60/100-14	30M	19	3	20	10	4	1.40X14	TT	N
047751702COS2	FRONT	70/100-17	40M	23	3	20	10	5	1.40X17	TT	N
047751902COS2	FRONT	70/100-19	42M	25	3	20	10	6	1.40X19	TT	N
047752130COP	FRONT	80/100-21	51M	28	4	20	12	9	1.60X21	TT	Y
047752140COP	FRONT	90/100-21	57M	28	4	20	12	9	1.60X21	TT	Y
K786 WASHOUGAL II											
047861003COS2	REAR	80/100-10	42J	16	3	20	9	4	1.40X10	TT	N
047861230COS2	REAR	80/100-12	41M	18	4	20	13	5	1.60X12	TT	N
047861440COS2	REAR	90/100-14	49M	21	4	20	14	8	1.60X14	TT	N
047861640COS2	REAR	90/100-16	52M	23	4	20	14	8	1.85X16	TT	N
047861811CO	REAR	110/100-18	64M	26	5	20	16	13	2.15X18	TT	N
047861813CO	REAR	120/100-18	68M	27	5	20	16	14	2.50X18	TT	N
047861906CO	REAR	100/90-19	57M	27	5	20	16	12	1.85X19	TT	N
047861923CO	REAR	110/80-19	59M	27	5	20	16	12	2.15X19	TT	N
047861910CO	REAR	110/90-19	62M	27	5	20	16	13	2.15X19	TT	N
047861979CO	REAR	120/80-19	63M	27	5	20	16	12	2.15X19	TT	N
K785 MILLVILLE											
047851203B0	REAR	80/100-12	41M	18	4	20	13	5	1.60X12	TT	N
047851401B0	FRONT	60/100-14	30M	19	3	20	9	4	1.60X14	TT	N
047851404B0	REAR	90/100-14	49M	21	4	20	14	7	1.60X14	TT	N
047851604B0	REAR	90/100-16	52M	23	4	20	14	8	1.85X16	TT	N
047851702B0	FRONT	70/100-17	40M	23	3	20	10	5	1.40X17	TT	N
047851902B0	FRONT	70/100-19	42M	25	3	20	10	6	1.40X19	TT	N
047851811B0	REAR	110/100-18	64M	26	5	20	16	12	2.15X18	TT	N
047851813B0	REAR	120/100-18	68M	27	5	20	16	13	2.50X18	TT	N
047851906B0	REAR	100/90-19	57M	27	5	20	16	13	1.85X19	TT	N
047851923B0	REAR	110/80-19	59M	27	5	20	16	13	2.15X19	TT	N
047851910B0	REAR	110/90-19	62M	27	5	20	16	13	2.15X19	TT	N
047851975B0	REAR	120/80-19	63M	27	5	20	16	12	2.15X19	TT	N
047852130B0	FRONT	80/100-21	51M	28	4	20	12	9	1.60X21	TT	N
047852104B0	FRONT	90/100-21	57M	28	4	20	12	9	1.60X21	TT	N






OFF-ROAD



SOUTHWICK II K780

- Designed for loose sand and muddy conditions
- Front and rear tread patterns offer tall knob depths for deep bite
- Large radius support at knob base reduces knob roll
- Wide space between rows self-cleans tread even at slow speed
- Increased wear durability and quick warm-up
- Lightweight 4-ply rated casing structure with reinforced sidewalls



TRIPLE K781

- Developed and tested for Arenacross and Supercross applications
- Low profile sidewall for improved cornering stability and traction
- Tread pattern designed for hard packed, slippery surfaces
- Dimpled knobs allow for quick tire warm up and extra traction
- Sticky rubber compound for high traction
- Lightweight 4-ply rated casing structure with reinforced sidewalls



PARKER DT K772

- The ultimate tire for fast desert terrain
- Casing/compound designed for the toughest hard-packed terrain
- Natural rubber compound for extended tread wear and reduced knob chunking
- 6-Ply rated casing offers 30% more cut resistance



PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K780 SOUTHWICK											
047801807B0	REAR	100/100-18	59M	26	5	20	17	12	1.85X18	TT	N
047801811B0	REAR	110/100-18	64M	26	5	20	17	12	2.15X18	TT	N
047801905B0	REAR	100/90-19	57M	27	5	20	17	11	1.85X19	TT	N
047801903B0	REAR	110/90-19	62M	27	5	20	17	12	2.15X19	TT	N
047802103B0	FRONT	80/100-21	51M	28	4	20	12	9	1.60X21	TT	Y
K781 TRIPLE											
047811811B1	REAR	110/100-18	64M	26	5	20	15	12	2.15X18	TT	N
047811813B0	REAR	120/100-18	68M	27	5	20	15	14	2.50X18	TT	N
047811906B0	REAR	100/90-19	57M	27	5	20	15	14	1.85X19	TT	N
047811923B0	REAR	110/80-19	59M	27	5	20	15	12	2.15X19	TT	N
047811910B0	REAR	110/90-19	62M	27	5	20	15	14	2.15X19	TT	N
047811979B0	REAR	120/80-19	63M	27	5	20	15	12	2.15X19	TT	N
047812103B1	FRONT	80/100-21	51M	28	4	20	12	9	1.60X21	TT	Y
047812104B0	FRONT	90/100-21	57M	28	4	20	12	9	1.60X21	TT	Y
K772 PARKER DT											
047721811COP	REAR	110/100-18	64M	26	5	20	16	13	2.15X18	TT	N
047721813COP	REAR	120/100-18	68M	27	5	20	16	13	2.50X18	TT	N
047721910COP	REAR	110/90-19	62M	27	5	20	16	13	2.15X19	TT	N
047721991C1	REAR	120/90-19	66M	28	5	20	16	14	2.50X19	TT	N
04772103COP	FRONT	80/100-21	51M	28	4	20	12	9	1.60X21	TT	Y



KENDA
SAND MAD



OFF-ROAD

Mud & Sand Dry Hard Pack
Loam Longevity

SAND MAD K782

- Designed specifically for deep mud or sandy MX course conditions
- Paddle shaped knobs create a large scoop for improved acceleration traction
- Unique shoulder knob design for predictable cornering traction
- Siped knob surface for quick tire warm up on cement start pads
- Sticky rubber compound for high traction on concrete start gates
- Lightweight 4-ply rated casing structure with reinforced sidewalls

KENDA
Klassic



Mud & Sand Dry Hard Pack
Loam Longevity

KLASSIC K257D

- High quality, value tire sized for most modern and vintage MX and off-road motorcycles
- Aggressive four/five knob pattern provides traction in a variety of terrains
- Vintage style and design add period-correct look to old school off-road bikes

KENDA
EQUILIBRIUM



Mud & Sand Dry Hard Pack
Loam Longevity

EQUILIBRIUM K787

- The best qualities of a trials tire and off-road tire all in one product
- Trials inspired center tread design for the best possible traction
- Motocross-style shoulder knobs for aggressive cornering
- Super Sticky race compound for unbeatable grip in both wet and dry conditions
- Braking scoops in center area provide stopping power that a trials tire can't
- Ultra soft casing for maximum terrain adaptation

PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K782 SAND MAD											
047821905B1	REAR	100/90-19	57M	27	5	20	17	11	1.85X19	TT	N
047821910B0	REAR	110/90-19	62M	27	5	20	16	13	2.15X19	TT	N
04782181100	REAR	110/100-18	62M	26.5	4.9	20	17	12	2.15X18	TT	N
K257D KLASSIC											
042571452B0	REAR	410-14	47M	22	4	33	14	8	2.15X14	TT	N
042571636B0	FRONT	300-16	43M	23	3	33	10	6	1.85X16	TT	N
042571838B0	REAR	350-18	56P	25	4	33	14	9	2.15X18	TT	N
042571764C0	REAR	510-17	71P	26	5	40	16	14	3.00X17	TT	Y
042571852B0	REAR	410-18	58P	25	4	33	14	9	2.15X18	TT	Y
042571852C0	REAR	410-18	63M	25	4	40	14	10	2.15X18	TT	Y
042571860B0	REAR	460-18	63P	28	5	33	17	8	2.15X18	TT	Y
042571858C0	REAR	450-18	70M	27	5	40	17	14	2.15X18	TT	Y
042571864C0	REAR	510-18	74M	27	5	40	16	14	2.15X18	TT	Y
042571866C0	REAR	530-18	75M	28	5	40	16	16	2.50X18	TT	N
042571906C0	REAR	100/90-19	57M	27	5	33	16	12	2.50X19	TT	Y
042571910C0	REAR	110/90-19	68M	27	5	40	16	13	2.15X19	TT	Y
042572134C0	FRONT	300-21	57M	28	3	33	10	9	1.85X21	TT	Y
042572136B0	FRONT	300-21	51M	28	3	40	10	9	1.85X21	TT	Y
K787 EQUILIBRIUM											
047871858C0	REAR	450-18	70M	27	5	33	13	13	2.15X18	TT	Y
047871979C0	REAR	120/80-19	63M	27	5	20	13	12	2.15X19	TT	Y

OFF-ROAD





OFF-ROAD



KNARLY K777F/778

- Extreme enduro FIM-approved
- Super-soft and flexible for ultimate terrain compliance and grip
- Compound provides highest traction in both wet and dry conditions
- Reversible rear for variable terrain applications
- Available in super wide rear



GAUNTLET K776F/779F

- Hard enduro FIM-approved
- Perfect balance of sticky grip and long-lasting wear
- Open, aggressive pattern allows for excellent cleanout
- Low front profile provides the best feel and confidence when traction matters most
- Available in super wide rear



IBEX K774

- Designed for Endurocross and extreme enduro-type conditions
- Super-soft and flexible rubber compound and casing for maximum bump absorption and terrain compliance for obstacles like rock gardens and log crossings
- High wet-traction compound developed by top pro Endurocross riders
- Open, aggressive drive pattern for max grip and cleanout
- Shoulder knob pattern designed for large contact patch and support for soft compound during cornering

PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K777F/K778 KNARLY											
04778182002	REAR	120/90-18	65R	27	5	33	13	11	2.15X8	TT	N
04778184002	REAR	140/80-18	70R	27	5	33	13	12	2.50X18	TT	N
04778193002	REAR	130/80-19	67R	27	5	33	13	11	2.50X18	TT	N
04777219002	FRONT	90/90-21	54R	28	4	33	13	9	1.60X21	TT	N
K776F/K779 GAUNTLET											
04779183002	REAR	130/80-18	66R	27	5	33	13	11	2.50X18	TT	N
04779184002	REAR	140/80-18	70R	27	5	33	13	12	2.50X18	TT	N
04776219001	FRONT	90/90-21	54R	28	4	33	11	9	1.60X21	TT	N
K774 IBEX											
047741441B1CEX	REAR	90/100-14	49M	22	4	20	14	7	1.60X14	TT	N
04771641B1CEX	REAR	90/100-16	52M	24	4	20	14	8	1.85X16	TT	N
047741864CEX	REAR	110/100-18	64M	26	5	20	16	13	2.15X18	TT	N
047741813CEX	REAR	120/100-18	64M	27	5	20	16	14	2.50X18	TT	N
047741913B1CEX	REAR	120/90-19	66M	28	5	20	16	13	2.50X19	TT	N
047742131CEX	FRONT	80/100-21	51M	28	4	20	11	9	1.60X21	TT	Y
047742140CEX	FRONT	90/100-21	57M	28	4	20	11	9	1.60X21	TT	N





DUAL SPORT





BIG BLOCK K784

- Our most popular 50/50 tire provides high traction on a variety of terrain
 - Large tread blocks for improved tread wear and high speed handling
 - High impact, bias belted, casing structure providing a high level of puncture resistance
 - Rubber compound designed specifically for wet-slick & dry-hard packed terrain
 - Tubeless
 - E-mark approved
- (50% dirt/50% road)**



BIG BLOCK PAVER

K678F/K678

- Designed for adventure riders with a high-performance on-road focus
 - Front tread designed to minimize scalloping common on heavier adventure bikes while providing long wear and excellent grip in all conditions
 - Rear tread designed for high mileage while deep grooving provides traction in off-highway conditions
 - Tubeless
- (20% dirt/80% road)**



K761 DUAL SPORT K761

- One of the world's most popular dual sport tread patterns
 - Perfect for road-focused dual sport applications
 - Trusted by several major manufacturers for performance and reliability
 - Tubeless
- (30% dirt/70% road)**



PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K784 BIG BLOCK											
047841201B1	FRONT	120/70-12	51P	19	5	33	10	7	3.50X12	TL	Y
047841202B1	REAR	130/70-12	56P	19	5	33	10	9	3.50X12	TL	Y
047841601B1	REAR	140/90-16	77Q	26	6	42	11	16	3.50X16	TL	Y
047841777B0	REAR	130/80B17	65T	25	5	36	11	14	3.00X17	TL	Y
047841721B0	REAR	150/70B17	69Q	25	6	36	11	16	4.25X17	TL	Y
047841787B0	REAR	170/60B17	72Q	25	7	36	11	18	4.50X17	TL	Y
047841822B0	REAR	140/80B18	70R	27	6	36	11	15	3.50X18	TL	Y
047841821B0	REAR	150/70B18	70Q	26	6	36	11	16	4.25X18	TL	Y
047841905B0	FRONT	100/90B19	57S	26	4	36	9	11	2.50X19	TL	Y
047841923B0	FRONT	110/80B19	59Q	25	4	36	9	11	2.50X19	TL	Y
047841986B0	FRONT	120/70B19	60Q	26	5	36	9	12	3.50X19	TL	Y
047842108B0	FRONT	90/90B21	54T	27	4	36	9	11	2.15X21	TL	Y
K678 BIG BLOCK PAVER											
04678170101	REAR	130/80B17	65H	25	5	42	9	15	3.00X17	TL	Y
04678170201	REAR	150/70B17	69H	25	6	42	9	19	4.25X17	TL	Y
04678170301	REAR	170/60B17	72H	25	7	42	9	18	4.50X17	TL	Y
04678180101	REAR	140/80B18	70H	27	6	42	9	18	3.50X18	TL	Y
04678180201	REAR	150/70B18	70H	26	6	42	9	17	4.25C18	TL	Y
04678190101	FRONT	100/90B19	57H	26	4	42	5	11	2.15X19	TL	Y
04678190201	FRONT	110/80B19	59H	25	4	42	5	13	2.50X19	TL	Y
04678190301	FRONT	120/70B19	60H	26	5	42	5	12	3.50X19	TL	Y
04678210101	FRONT	90/90B21	54H	27	4	42	5	11	2.15X21	TL	Y
K761 DUAL SPORT											
047611012B1	F/R	120/90-10	57J	19	5	25	6	8	2.75X10	TL	Y
047611014B1	F/R	130/90-10	61J	19	5	25	6	9	3.00X10	TL	Y
047611222B1	F/R	110/70-12	47J	18	4	33	6	7	3.00X12	TL	Y
047611210B1	F/R	110/90-12	64J	20	4	36	6	8	2.50X12	TL	Y
047611286B1	F/R	120/70-12	51J	19	5	33	6	7	3.50X12	TL	Y
047611279B1	F/R	120/80-12	65J	20	5	36	6	9	2.75X12	TL	Y
047611209B1	F/R	130/70-12	56J	19	5	33	6	8	3.50X12	TL	Y
047611278B1	F/R	130/80-12	69J	20	5	36	6	9	3.00X12	TL	Y
047611220B1	F/R	140/70-12	60J	20	6	33	6	8	3.75X12	TL	Y
047611281B1	F/R	130/60-13	53J	19	5	33	6	7	3.50X13	TL	Y
047611287B1	F/R	140/60-13	57J	20	6	33	6	8	3.75X13	TL	Y
047611606B1	F/R	100/90-16	54P	23	4	33	6	8	2.50X16	TL	Y
047611791B1	F/R	120/90-17	64H	26	5	33	10	13	2.75X17	TL	Y
047611778B1	REAR	130/80-17	65H	25	5	33	10	13	3.00X17	TL	Y
047611823B1	F/R	110/80-18	58H	25	4	33	10	12	2.50X18	TL	Y
047611879B1	F/R	120/80-18	62H	26	5	33	10	13	2.75X18	TL	Y
047611905B1	F/R	100/90-19	57H	26	4	33	8	12	2.50X19	TL	Y
047612108B1	FRONT	90/90-21	54H	27	4	33	8	11	2.15X21	TL	Y
047611607B1	FRONT	130/90-16	73H	25	5	42	7	8	3.00X16	TL	Y
047611608B1	REAR	130/90-16	73H	25	5	42	9	9	3.00X16	TL	Y
047611609B1	REAR	150/80-16	71H	26	6	42	9	9	3.50X16	TL	Y



TRAKMASTER K760

- Perfect choice for the recreational trail rider requiring a DOT approved tire to connect the trails on short lengths of pavement
- Tall aggressive knobs designed for varying terrain
- Durable compound for extended tread life
- Classic design at an affordable price
- Tube type
- **(90% dirt/10% road)**



ICE TIRE K335

- Studdable design specifically for ice riding
- Hard rubber compound helps retain studs during extreme riding
- Best performance available at a great value
- Allows up to a 5/8" stud without a liner
- Tube type



K270 DUAL SPORT

- Proven reliability and performance in the toughest conditions on Earth including the Baja 1000 and Best in the Desert Series
- Best value in the Dual Sport category
- Tube type
- 4 and 6-ply rated casings
- **(40% dirt/60% road)**



PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K760 TRAKMASTER											
047601032CO	REAR	250-10	38M	15	3	40	6	3	1.50X10	TT	Y
047601203CO	FRONT	80/100-12	50M	18	3	33	10	4	1.85X12	TT	Y
047601401CO	FRONT	60/100-14	38M	19	2	40	8	3	1.50X14	TT	Y
047601404CO	REAR	90/100-14	49M	22	4	33	14	8	1.85X14	TT	Y
047601604CO	REAR	90/100-16	58M	23	4	40	13	8	1.85X16	TT	Y
047601702CO	FRONT	70/100-17	46M	23	3	40	10	6	1.60X17	TT	Y
047601709CO	REAR	130/90-17	68M	26	6	33	16	12	3.00X17	TT	Y
047601807CO	REAR	100/100-18	59M	26	5	33	16	11	2.50X18	TT	Y
047601811CO	REAR	110/100-18	64M	27	5	33	17	12	2.50X18	TT	Y
047601813CO	REAR	120/100-18	68M	27	5	33	17	12	2.75X18	TT	Y
047601902CO	FRONT	70/100-19	42M	25	3	40	10	7	1.60X19	TT	Y
047601906CO	REAR	100/90-19	57M	26	4	33	16	10	2.15X19	TT	Y
047601910CO	REAR	110/90-19	62M	27	5	33	17	11	2.15X19	TT	Y
047601912CO	REAR	120/90-19	66M	28	5	33	17	12	2.50X19	TT	Y
047602103CO	FRONT	80/100-21	51M	27	4	33	13	9	1.60X21	TT	Y
K335 ICE TIRE											
043351850B0	REAR	400-18	64P	27	5	32	12	14	2.15X18	TT	Y
043351850C0	REAR	400-18	69P	27	5	40	12	14	2.15X18	TT	Y
043351950B0	REAR	400-19	65P	27	5	32	12	13	2.15X19	TT	Y
043351950C0	REAR	400-19	71P	27	5	40	12	14	2.15X19	TT	Y
K270 DUAL SPORT											
042701738B0	REAR	325-17	50P	24	4	33	9	7	2.15X17	TT	Y
042701760C0	F/R	460-17	65P	25	5	40	14	11	2.15X17	TT	Y
042701764C0	REAR	510-17	71P	26	5	40	15	14	3.00X17	TT	Y
042701834B0	FRONT	275-18	42P	24	3	33	7	6	1.85X18	TT	Y
042701842B0	REAR	350-18	56P	26	4	33	9	9	2.15X18	TT	Y
042701850B0	REAR	400-18	64P	26	4	33	12	11	2.15X18	TT	Y
042701852B0	REAR	410-18	58P	25	4	33	9	9	2.15X18	TT	Y
042701858C0	REAR	450-18	73P	27	5	40	16	13	2.50X18	TT	Y
042701860B0	REAR	460-18	63P	26	4	33	14	11	2.50X18	TT	Y
042701864C0	REAR	510-18	73P	27	5	40	15	15	3.00X18	TT	Y
042701805C1	REAR	100/90-18	62P	25	4	33	13	10	2.50X18	TT	Y
042701806C1	REAR	120/80-18	68P	26	5	40	14	11	2.75X18	TT	Y
042702134B0	FRONT	275-21	43P	27	3	33	7	6	1.85X21	TT	Y
042702136B0	FRONT	300-21	51P	28	3	33	10	8	1.85X21	TT	Y
042702138B0	FRONT	325-21	57P	28	4	33	9	9	2.15X21	TT	Y





STREET





STREET



Dry Traction Heavy Bikes: N/A
 Wet Traction Mileage

KANINE KR20

- Designed for 3-wheel autocycle applications
- Increased mileage and better handling than competitors
- Performance pattern reduces rolling resistance while retaining maximum lateral traction
- Engineered with more siping to evacuate standing water and provide excellent wet weather performance
- MC-spec and E-Mark approved



Dry Traction Heavy Bikes
 Wet Traction Mileage

CATACLYSM K6702

- Dual-compound technology for improved mileage and added shoulder grip
- Efficiently disperses water while minimizing uneven wear
- Designed to roll under the largest, heaviest bikes on the market
- Tubeless construction
- H-rated



Dry Traction Heavy Bikes
 Wet Traction Mileage

KRUZ K673

- Excellent choice for heavy cruisers and tourers
- One of the best values on the market, with great all-weather grip, mileage and price
- Tubeless construction
- H-rated

PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
KR20 KANINE											
042015001A1	FRONT	165/55R15	55H	23	7	44	7	15	5.00X15	TL	Y
042015002A1	REAR	225/50R15	76H	24	9	44	8	18	7.00X15	TL	Y
K6702 CATAclySM											
046702150101	REAR	170/80B15	77H	26	7	42	7	22	4.00X15	TL	Y
046702160101	FRONT	130/90B16	67H	25	5	42	5	20	3.00X16	TL	Y
046702160201	REAR	130/90B16	73H	25	5	42	7	17	3.00X16	TL	Y
046702160301	REAR	140/90B16	77H	26	6	42	7	19	3.50X16	TL	Y
046702160401	REAR	150/80B16	77H	25	6	42	7	20	3.50X16	TL	Y
046702160501	REAR	180/65B16	81H	25	7	42	7	20	5.00X16	TL	Y
046702170101	FRONT	130/80B17	65H	25	5	42	5	16	3.00X17	TL	Y
046702170201	REAR	160/70B17	79H	26	6	42	7	21	4.50X17	TL	Y
046702180101	FRONT	130/70B18	63H	26	5	42	5	16	3.50X18	TL	Y
046702190301	FRONT	130/60B19	61H	25	5	42	5	10	3.50X19	TL	Y
046702190101	FRONT	100/90B19	57H	26	4	42	5	11	2.50X19	TL	Y
046702210101	FRONT	80/90-21	54H	27	3	42	5	9	1.85X21	TL	Y
0467022210201	FRONT	90/90-21	54H	27	4	42	5	10	2.15X21	TL	Y
0467022210301	FRONT	130/60B21	63H	27	5	42	5	11	3.50X21	TL	Y
K673 KRUZ											
046731516B1	REAR	140/90-15	70H	25	6	40	7	19	3.50X15	TL	Y
046731524B1	REAR	150/90-15	74H	26	6	40	8	21	3.50X15	TL	Y
046731526B1	REAR	170/80-15	77H	26	7	40	8	23	4.00X15	TL	Y
046731614CF	FRONT	130/90-16	72H	25	5	40	4	17	3.00X16	TL	Y
046731614C1	REAR	130/90-16	74H	25	5	40	7	18	3.00X16	TL	Y
046731616C1	REAR	140/90-16	77H	26	6	40	9	21	3.50X16	TL	Y
046731625B1F	FRONT	150/80-16	71H	25	6	40	7	17	3.50X16	TL	Y
046731625B1	REAR	150/80-16	71H	25	6	40	7	19	3.50X16	TL	Y
046731626B1	REAR	160/80-16	75H	26	6	40	9	22	4.00X16	TL	Y
046731712F1	FRONT	120/90-17	64H	26	5	40	5	15	2.75X17	TL	Y
046731782C1	FRONT	140/80-17	69H	26	6	41	5	17	3.50X17	TL	Y
046731810B1	FRONT	110/90-18	61H	26	4	40	5	11	2.50X18	TL	Y
046731812C1	FRONT	120/90-18	71H	27	5	40	5	14	2.75X18	TL	Y
046731819F1	FRONT	130/70-18	63H	25	5	40	5	15	3.50X18	TL	Y
046731905C1	FRONT	100/90-19	57H	26	4	40	5	11	2.50X19	TL	Y
046731910B1	FRONT	110/90-19	62H	27	4	40	5	12	2.50X19	TL	Y
046732176C1	FRONT	80/90-21	48H	27	3	40	3	9	1.85X21	TL	Y



KENDA
CHALLENGER III

STREET



CHALLENGER K657

- Excellent choice for middleweight sport-touring motorcycles
- Tread pattern designed for all-weather riding
- Tubeless construction
- H-rated

Dry Traction ■■■■■ Heavy Bikes ■■■■■
Wet Traction ■■■■■ Mileage ■■■■■

KENDA
RETROACTIVE



RETROACTIVE K676F/K676

- Sport bias belted tire for the classic bikes of the 70s, 80s and 90s
- Advanced rubber compound for improved durability and mileage
- Redesigned crown radius for larger footprint in corners
- Tubeless construction
- V-rated

Dry Traction ■■■■■ Heavy Bikes ■■■■■
Wet Traction ■■■■■ Mileage ■■■■■

KENDA
CRUISER



CRUISER K671

- One of the most popular choices on the market for heavy cruisers and tourers
- Deep offset tread grooves for all-weather riding
- Tubeless construction
- H-rated

Dry Traction ■■■■■ Heavy Bikes ■■■■■
Wet Traction ■■■■■ Mileage ■■■■■

PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K657 CHALLENGER											
046571514C1	REAR	130/90-15	66H	24	5	40	6	14	3.00X15	TL	Y
046571516C1	REAR	140/90-15	70H	25	6	40	7	16	3.50X15	TL	Y
046571612C1	REAR	120/90-16	63H	25	5	40	6	12	2.75X16	TL	Y
046571618C1	FRONT	130/90-16	74H	25	5	40	6	16	3.00X16	TL	Y
046571614C1	REAR	130/90-16	74H	25	5	40	6	16	3.00X16	TL	Y
046571616C1	REAR	140/90-16	77H	26	6	40	7	17	3.50X16	TL	Y
046571714C1	REAR	130/90-17	68H	26	5	40	6	15	3.00X17	TL	Y
046571805C1	FRONT	100/90-18	56H	25	4	40	4	10	2.50X18	TL	Y
046571810C1	REAR	110/90-18	61H	26	4	40	6	12	2.50X18	TL	Y
046571812C1	REAR	120/90-18	65H	27	5	40	6	14	2.75X18	TL	Y
046571814C1	REAR	130/90-18	69H	27	5	40	6	16	3.00X18	TL	Y
046571905C1	FRONT	100/90-19	57H	26	4	40	4	10	2.50X19	TL	Y
046571910C1	FRONT	110/90-19	68H	27	4	40	4	12	2.50X19	TL	Y
046572104C1	FRONT	90/100-21	57H	28	4	40	4	12	2.15X21	TL	Y
K676 RETROACTIVE											
046761679B1	FRONT	120/80B16	60V	24	5	42	4	11	2.75X16	TL	Y
046761614B1	REAR	130/90B16	67V	25	5	42	7	16	3.00X16	TL	Y
046761627B1	REAR	150/80B16	71V	25	6	42	7	16	3.50X16	TL	Y
046761722B1	FRONT	110/70B17	54V	23	4	42	4	8	3.00X17	TL	Y
046761723B1	FRONT	110/80B17	57V	24	4	42	4	9	2.50X17	TL	Y
046761719B1	REAR	130/70B17	62V	24	5	42	7	12	3.50X17	TL	Y
046761715B1	REAR	140/80B17	69V	26	6	42	7	16	3.50X17	TL	Y
046761721B1	REAR	150/70B17	69V	25	6	42	7	16	4.25X17	TL	Y
046761805B1	FRONT	100/90B18	56V	25	4	42	4	10	2.50X17	TL	Y
046761812B1	REAR	120/90B18	65V	26	5	42	7	16	2.75X18	TL	Y
046761878B1	REAR	130/80B18	66V	26	5	42	7	16	3.00X18	TL	Y
046761905B1	FRONT	100/90B19	57V	26	4	42	4	10	2.50X19	TL	Y
K671 CRUISER											
046711514C1	REAR	130/90-15	66H	24	5	40	6	14	3.00X15	TL	Y
046711526C1	REAR	170/80-15	77H	26	7	40	7	19	4.00X15	TL	Y
046711610C1	FRONT	100/90-16	54H	23	4	40	4	10	2.50X16	TL	Y
046711622C1	FRONT	110/70-16	52P	22	4	33	5	8	3.00X16	TL	Y
046711614C1	REAR	130/90-16	74H	25	5	40	6	16	3.00X16	TL	Y
046711620C1	REAR	140/70-16	65P	24	6	33	6	11	3.75X16	TL	Y
046711772C1	FRONT	110/70-17	54H	23	4	40	4	9	3.00X17	TL	Y
046711723C1	FRONT	110/80-17	57H	24	4	40	4	11	2.50X17	TL	Y
046711719C1	REAR	130/70-17	62H	24	5	40	6	12	3.50X17	TL	Y
046711720C1	REAR	140/70-17	66H	25	6	40	6	12	3.75X17	TL	Y
046711721C1	REAR	150/70-17	69H	25	6	40	7	14	4.25X17	TL	Y
046711808C1	FRONT	90/90-18	51H	24	4	40	4	9	2.15X18	TL	Y
046711819C1	REAR	130/70-18	63H	25	5	40	6	12	3.50X18	TL	Y
046711820C1	REAR	140/70-18	67H	26	6	40	6	14	3.75X18	TL	Y
046711905C1	FRONT	100/90-19	57H	26	4	40	4	10	2.50X19	TL	Y



United Oil
INSURANCE • VALUE • RELIABILITY

SCOOTER/MINI-MOTO



KENDA
BIG
BB
BLOCK



BIG BLOCK K784

- Our famous ADV tire, now for small bore bikes
- Deep lugs help take your Honda Grom, Monkey or Kawasaki Z125 to places it's never been before
- Great wear allows for daily riding on all surfaces



KENDA
SMALL
SB
BLOCK



SMALL BLOCK K262

- Classic waffle tread pattern with offset shoulder lugs for increased stability
- 50/50 street/dirt application for confidence on all surfaces
- Perfect for smaller street and trail bikes
- E-Mark compliant



PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K784 BIG BLOCK											
047841201B1	FRONT	120/70-12	51P	19	5	33	10	7	3.50X12	TL	Y
047841202B1	REAR	130/70-12	56P	19	5	33	10	9	3.50X12	TL	Y
K262 SMALL BLOCK											
042621701B0	F/R	275-17	41P	23	3	33	7	5	1.85X17	TT	Y
042621702B0	F/R	300-17	45P	24	3	33	8	7	1.85X17	TT	Y
042621703B0	F/R	325-17	50P	24	4	33	8	7	2.15X17	TT	Y
042621801B0	F/R	275-18	42P	24	3	33	7	6	1.85X18	TT	Y



SCOOTER/MINI-MOTO



KWICK II KD2

- Race-optimized super sticky compound heats up quicker for immediate track performance
- Silica base provides better wet weather performance and braking in all conditions
- Lower rolling resistance combined with natural straight-line stability for faster straightaways
- All-new carcass construction translates to vastly improved lateral response and grip in the corners



KWICK KD1

- Race-inspired super sticky compound
- Enhanced water drainage and professional-level grip
- Designed for low rolling resistance and optimal cornering traction
- Ideal for Honda Grom, Monkey, Kawasaki Z125 and similar lightweight street bikes



KOZMIK K6022

- All-weather performance tread for uncompromising grip in all conditions
- Long-wearing compound provides increased mileage without sacrificing performance

PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
KD2											
04KD21009012	FRONT	100/90-12	51L	19	4	25	4	7	2.50X12	TL	Y
04KD21208012	REAR	120/80-12	55J	19.6	4.7	25	4	9	2.75X12	TL	Y
KD1 KWICK											
04KD1120011	REAR	120/70-12	51L	19	5	33	4	7	3.50X12	TL	Y
04KD1120021	REAR	120/80-12	55J	20	5	25	4	9	2.75X12	TL	Y
04KD1120031	REAR	130/70-12	56L	19	5	33	4	8	3.50X12	TL	Y
04KD1F120011	FRONT	100/90-12	49J	19	4	25	4	8	2.50X12	TL	Y
04KD1F120021	FRONT	110/70-12	47L	18	4	33	4	7	3.00X12	TL	Y
04KD1F120031	FRONT	120/70-12	51L	19	5	33	4	8	3.50X12	TL	Y
K6022 KOZMIK											
04602210501	F/R	350-10	51J	17	4	36	5	6	3.00X12	TL	Y
04602212101	F/R	110/70-12	47L	18	4	33	6	7	3.00X12	TL	Y
04602212201	F/R	120/70-12	51L	18	5	33	6	8	3.50X12	TL	Y
04602212301	F/R	130/70-12	56L	19	5	33	6	9	3.50X12	TL	Y





WINTER TIRE K701

- Unique compound for cold weather traction
- Tread and sipes designed for improved traction in wintry conditions



K329

- Performance-style tread pattern
- Balanced design for both mileage and wet weather traction



K413

- Race-inspired tread pattern
- Designed for performance in all-weather conditions
- Engineered to evacuate water efficiently and maintain traction in fast corners



PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K701 WINTER TIRE											
047011035C1	F/R	300-10	47L	16	3	40	6	5	2.15X10	TL	Y
047011041C1	F/R	350-10	56L	17	4	40	6	6	2.50X10	TL	Y
047011286C1	F/R	120/70-12	58P	19	5	40	6	7	3.50X12	TL	Y
047011209C1	F/R	130/70-12	62P	19	5	40	6	8	3.50X12	TL	Y
047011381C1	F/R	130/60-13	60P	19	5	40	6	7	3.50X13	TL	Y
K329											
043291032B0	F/R	250-10	33J	15	3	33	4	8	1.50X10	TT	Y
043291034B0	F/R	275-10	37J	16	3	33	4	3	1.75X10	TT	Y
043291041B1	F/R	350-10	51J	17	4	36	6	5	2.50X10	TL	Y
043291008B1	F/R	90/90-10	50J	16	4	36	6	4	2.15X10	TL	Y
043291012B1	F/R	120/90-10	56J	19	5	25	5	12	2.75X10	TL	Y
043291016B1	F/R	140/90-10	70J	20	6	40	6	10	3.00X10	TL	Y
K413											
044131035B1	F/R	300-10	42J	16	3	36	5	7	2.15X10	TL	Y
044131041B1	F/R	350-10	51J	17	4	36	5	8	2.50X10	TL	Y
044131008B1	F/R	90/90-10	50J	16	4	36	5	12	2.15X10	TL	Y
044131024B1	F/R	100/80-10	52J	16	4	36	5	5	2.50X10	TL	Y
044131010B1	F/R	100/90-10	56J	17	4	36	5	6	2.50X10	TL	Y
044131029B1	F/R	110/80-10	58J	17	4	36	5	6	2.50X10	TL	Y
044131012B1	F/R	120/90-10	57J	19	5	25	5	8	2.75X10	TL	Y
044131009B1	F/R	130/70-10	52J	17	5	33	5	7	3.50X10	TL	Y
044131018B1	F/R	130/90-10	61J	19	5	25	5	12	3.00X10	TL	Y
044131222B1	F/R	110/70-12	47J	18	4	33	5	6	3.00X12	TL	Y
044131286B1	F/R	120/70-12	51J	19	5	33	5	7	3.50X12	TL	Y
044131209B1	F/R	130/70-12	56J	19	5	33	5	8	3.50X12	TL	Y
044131221B1	F/R	140/70-12	60J	20	6	33	5	8	3.75X12	TL	Y
044131386B1	F/R	120/70-13	53M	20	5	33	5	8	3.50X13	TL	Y
044131381B1	F/R	130/60-13	53J	19	5	33	5	7	3.50X13	TL	Y
044131387B1	F/R	140/60-13	57J	20	6	33	6	8	3.75X13	TL	Y





K433F/K434

- Performance-style tread pattern
- Sport-oriented riding tire
- Compound designed for long wear and mileage

Dry Traction
 Wet Traction

Dirt & Gravel
 Mileage



K764

- Designed for long wear and confident grip
- Aggressive tread pattern for optimal tracking in wet or dry weather conditions

Dry Traction
 Wet Traction

Dirt & Gravel
 Mileage



K453

- Sport tread designed with performance-based scooters in mind
- Deep grooves to evacuate standing water

Dry Traction
 Wet Traction

Dirt & Gravel
 Mileage

PART #	FRONT/ REAR	SIZE	LOAD/ SPEED	OD INCHES	SW INCHES	MAX PSI	TREAD DEPTH - MM	WEIGHT LBS	RIM SIZE	TT/TL	DOT Y/N
K433											
044331222C1	FRONT	110/70-12	47L	18	4	33	5	6	3.00X12	TL	Y
044331223C1	FRONT	110/80-12	65J	19	4	40	5	8	2.50X12	TL	Y
044331286C1	F/R	120/70-12	58M	19	5	40	5	7	3.50X12	TL	Y
044341321B1	REAR	150/70-13	64S	21	5	33	6	13	4.25X13	TL	Y
044331486B1	FRONT	120/70-14	55S	21	5	33	5	9	3.50X14	TL	Y
044331479B1	FRONT	120/80-14	58S	22	5	33	5	10	2.75X14	TL	Y
044331586B1	FRONT	120/70-15	56S	22	5	33	5	10	3.50X15	TL	Y
044341421B1	REAR	150/70-14	66S	22	4	33	6	13	4.25X14	TL	Y
K434											
044341321B1	REAR	150/70-13	64S	21	6	33	6	13	4.25X13	TL	Y
044341421B1	REAR	150/70-14	66S	22	6	33	6	13	4.25X14	TL	Y
K764											
047641012B1	REAR	120/90-10	66M	19	5	36	5	8	2.75X10	TL	Y
047641018B1	REAR	130/90-10	61M	19	5	25	5	8	3.00X10	TL	Y
047641222C1	FRONT	110/70-12	54J	19	4	40	6	8	3.00X12	TL	Y
047641223B1	REAR	110/80-12	61J	19	4	36	5	7	2.50X12	TL	Y
047641286B1	FRONT	120/70-12	51P	19	5	33	5	12	3.50X12	TL	Y
047641209B1	REAR	130/70-12	56M	19	5	33	5	8	3.50X12	TL	Y
047641220C1	REAR	140/70-12	60M	20	6	33	5	9	3.75X12	TL	Y
047641381B1	REAR	130/60-13	53P	19	5	33	5	7	3.50X13	TL	Y
047641387B1	REAR	140/60-13	57P	20	6	33	6	8	3.75X13	TL	Y
047641486B1	FRONT	120/70-14	55P	21	5	33	5	8	3.50X14	TL	Y
047641487C1	REAR	140/60-14	64P	21	6	33	6	9	3.75X14	TL	Y
047641420B1	REAR	140/70-14	62L	22	6	33	5	10	3.75X14	TL	Y
047641738B1	REAR	325-17	50P	24	4	33	6	8	2.15X17	TL	Y
047641741B1	REAR	350-17	54P	25	4	33	7	10	2.15X17	TL	Y
047641834B1	FRONT	275-18	42P	24	3	33	5	7	1.85X18	TL	Y
K453											
044531041B1	F/R	350-10	51L	17	4	36	5	6	2.50X10	TL	Y
044531008B1	F/R	90/90-10	50L	16	4	36	5	5	2.15X10	TL	Y
044531024B1	F/R	100/80-10	53L	16	4	36	5	5	2.50X10	TL	Y
044531005B1	F/R	100/90-10	56L	17	4	36	5	6	2.50X10	TL	Y
044531023B1	F/R	110/80-10	58L	17	4	36	5	6	2.50X10	TL	Y
044531222B1	F/R	110/70-12	47L	18	4	33	5	6	3.00X12	TL	Y
044531286B1	F/R	120/70-12	51L	19	5	33	5	7	3.50X12	TL	Y
044531209B1	F/R	130/70-12	56L	19	5	33	5	8	3.50X12	TL	Y