



2018

CONTENTS

Marine.....	3
Personal Watercraft.....	3
Outboard Inboard.....	4
Motorcycle.....	5
Off-Road	5
Street.....	7
V-Twin.....	8
ATV/UTV/Side x Side.....	9
4-Stroke.....	9
2-Stroke.....	10
The Klotz Tradition.....	12
Snowmobile	13
4-Stroke.....	13
2-Stroke.....	13
Automotive.....	15
RC/Model	17
Maintenance	19
Small Engine Maintenance	19
Fuel Additives	19
Gasoline Treatments.....	20
Race Gasoline	21
Fueling Your Crate Engine	22
Aerosols.....	23
Assembly and Storage.....	24
Apparel.....	25
Novelty Items	25
Decals and Patches.....	26





John C. Klotz
Founder & CEO

MARINE

PERSONAL WATERCRAFT



SKICRAFT® TECHNIPLATE®

- Recommended for Polaris, Kawasaki, Sea-Doo and Yamaha PWC
- Certified warranty compliant: NMMA RL#93101 TC-W3, JASO FD, DFI
- Improved throttle response
- Increases RPMs
- Identifiable Klotz red...Smells like Klotz
- Virtually eliminates smoke and carbon
- Prevents rust and corrosion
- Fast, easy starting
- Pre-mix or oil injection
- Blends with gasoline

PART NO.	PACKAGE
KL-306	10/1 qt. btls.
KL-307	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*



R-50® RACING TECHNIPLATE®

- Recommended for 2-stroke PWC and outboard marine applications
- Recommended for power valve engines
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with gasoline only
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-102	10/1 pt. btls.
KL-104	10/1 qt. btls.
KL-105	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*



SUPER TECHNIPLATE®

- Recommended for 2-stroke PWC and outboard marine applications
- Recommended for power valve engines
- Contains 80% Original TechniPlate synthetic lubricant and 20% BeNOL Racing Castor lubricant
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-103	10/1 pt. btls.
KL-100	10/1 qt. btls.
KL-101	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*



BeNOL® RACING CASTOR LUBRICANT

- Recommended for 2-stroke PWC and outboard marine applications
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ Technology
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only above 30°F—not intended for oil injection

PART NO.	PACKAGE
BC-175	10/1 pt. btls.
BC-172	10/1 qt. btls.
BC-171	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*

OUTBOARD INBOARD



PURE ESTORLIN® MARINE 4-STROKE PERFORMANCE

- Designed for all outboard, inboard, I/O and PWC four stroke engines
- Certified warranty compliant: 25W/40 NMMA FC-W (CAT) 10W/30 FC-W
- Provides performance advantages for leading outboard, inboard, I/O and PWC engine manufacturers including Mercruiser, Indmar, PCM, Volvo Penta, Mercury, Yamaha, Johnson, Evinrude, Honda, Suzuki, Nissan, Tohatsu, Kawasaki and Sea-Doo
- Available in lower weights upon request

WEIGHT	PART NO.	PACKAGE
10W/30	KE-330	10/1 qt. btls.
25W/40	KE-340	10/1 qt. btls. 4/1 gal. btls. 5 gal. pail 30 gal. drum* 55 gal. drum*



OUTBOARD TECHNIPLATE®

- Recommended for 2-stroke Evinrude, Honda, Mercury, Suzuki and Yamaha outboards
- Certified warranty compliant: NMMA RL#93101 TC-W3, JASO FD, DFI
- Improved throttle response
- Increases RPMs
- Identifiable Klotz red...Smells like Klotz
- Virtually eliminates smoke and carbon
- Prevents rust and corrosion
- Fast, easy starting
- Pre-mix or oil injection
- Perfect for new generation of 2-stroke direct injection and E-injection outboard motors
- Blends with gasoline

PART NO.	PACKAGE
KL-332	10/1 qt. btls.
KL-333	4/1 gal. btls. 30 gal. drum* 55 gal. drum*



PURE ESTORLIN MARINE LOWER UNIT GEAR

- Engineered to provide maximum protection for all sterndrive and outboard lower units
- Keeps moisture in suspension in cases of water intrusion
- Excellent protection against corrosion and excessive wear
- Protects gears from metal-to-metal contact
- Perfect for hi-speed and hi-horsepower applications

WEIGHT	PART NO.	PACKAGE
80W/90	KE-380	10/1 qt. btls. 5 gal. pail 30 gal. drum* 55 gal. drum*



JET PUMP LUBE

- Protects jet pump from expensive failure
- Contains TechniPlate synthetic lubricity system
- Improves performance
- Less Drag—More Power!®
- Keeps moisture in suspension
- No more burnt OEM smell

PART NO.	PACKAGE
KL-511	20/4oz. btls.

MEMBER OF

NMMA

National Marine Manufacturers Association

MOTORCYCLE

OFF-ROAD



MX4® TECHNIPLATE®

- Recommended for Aprilia, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Moto Guzzi, Suzuki and Yamaha off-road and motocross applications
- Certified warranty compliant: JASO MA2 (T903) 2011 and API SG-SM
- High load carrying capacity for the ultimate in engine and valve train protection
- Releases friction for a dramatic increase in horsepower
- Superior thermal transfer for reduced engine temperature
- Smoother clutch and quieter transmission operation
- Certified for wet clutches and integrated transmissions

WEIGHT	PART NO.	PACKAGE
10W/40	KL-860	10/1 qt. btl.
10W/30	KL-870	10/1 qt. btl.
15W/50	KL-880	10/1 qt. btl.
10W/60	KL-890	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



MOTORCYCLE TECHNIPLATE® TC-W2

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha 1992 and older off-road models
- Certified warranty compliant: JASO FC and TC-W2
- Identifiable Klotz red...Smells like Klotz
- Improves throttle response
- Virtually eliminates smoke and carbon build-up
- Excellent for power valves
- Pre-mix or oil injection
- Blends with gasoline

PART NO.	PACKAGE
KL-300	10/1 qt. btl.
KL-301	4/1 gal. btl.
	30 gal. drum*



MOTORCYCLE TECHNIPLATE® TC-W3

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha 1993 and newer off-road models
- Certified warranty compliant: NMMA RL#93101 TC-W3
- Pre-mix or oil injection
- Improves RPM and throttle response
- Identifiable Klotz red...Smells like Klotz
- Power Valve and Rave™ Valve formula
- Blends with gasoline

PART NO.	PACKAGE
KL-302	10/1 qt. btl.
	30 gal. drum*
	55 gal. drum*



R-50® RACING TECHNIPLATE®

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha pre-mix off-road applications
- Recommended for power valve engines
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with gasoline only
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-102	10/1 pt. btl.
KL-104	10/1 qt. btl.
KL-105	4/1 gal. btl.
	30 gal. drum*
	55 gal. drum*



SUPER TECHNIPLATE®

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha off-road applications
- Recommended for power valve engines
- Contains 80% Original TechniPlate synthetic lubricant and 20% BeNOL Racing Castor lubricant
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-103	10/1 pt. btls.
KL-100	10/1 qt. btls.
KL-101	4/1 gal. btls. 30 gal. drum* 55 gal. drum*



ORIGINAL TECHNIPLATE®

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha off-road applications
- Identifiable Klotz red...Smells like Klotz
- Improves performance and increases horsepower
- TechniPlate peak film strength and anti-scuff protection
- Extreme load carrying capacity reduces engine wear
- Clean Burn™ technology reduces carbon and residue build-up
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-200	10/1 qt. btls.
KL-205	4/1 gal. btls. 30 gal. drum* 55 gal. drum*



BeNOL® RACING CASTOR LUBRICANT

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha off-road applications
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ Technology
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only above 30°F—not intended for oil injection

PART NO.	PACKAGE
BC-175	10/1 pt. btls.
BC-172	10/1 qt. btls.
BC-171	4/1 gal. btls. 30 gal. drum* 55 gal. drum*



FLEX DRIVE® 30 SYNTHETIC TRANSMISSION LUBRICANT

- Recommended for 2 and 4-stroke transmissions
- Low viscosity, extreme pressure SAE 75W/80
- Certified for wet clutches and integrated transmissions
- Smoother and quieter clutch operation
- Extreme load carrying capacity reduces wear
- Quiets gear noise
- Reduces clutch temperatures and wear

PART NO.	PACKAGE
KL-506	10/1 qt. btls. 30 gal. drum* 55 gal. drum*

MOTORCYCLE



RACING SYNTHETIC FORK AND SHOCK FLUID

- Formulated for Street and MX Bike suspension technology
- Anti-foam and anti-fade additive system reduces friction and cavitation
- Anti-wear seal conditioners help prevent hardening, extend fork seals and bushing life
- Superior control with Zero-drag formula
- Stabilizes viscosity in extreme heat or cold conditions

WEIGHT	PART NO.	PACKAGE
3W	KL-503	10/1 qt. btl.
5W	KL-505	10/1 qt. btl.
10W	KL-510	10/1 qt. btl.
15W	KL-515	10/1 qt. btl.
		5 gal. pail
		30 gal. drum*
		55 gal. drum*

STREET



MOTORCYCLE TECHNIPLATE® WITH INTEGRATED TRANSMISSION

- Recommended for BMW, CanAm, Honda, Suzuki and Yamaha street motorcycles
- Certified warranty compliant: JASO MA2 (T903) 2011 and API SG-SM
- Certified for wet clutches and integrated transmissions
- High load carrying capacity reduces engine wear
- Thermally stable in high RPM applications
- Clean Burn™ technology

WEIGHT	PART NO.	PACKAGE
15W/50	KL-815	10/1 qt. btl.
10W/30	KL-830	10/1 qt. btl.
10W/40	KL-840	10/1 qt. btl.
20W/50	KL-850	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



MULTI-VISCOSITY SYNTHETIC ENGINE LUBRICANT

- Recommended for the Harley Davidson Pre-Evolution, Evolution and Twin Cam
- Certified warranty compliant: API SJ/CJ-4
- Custom formulated for the v-twin air-cooled engines
- Reduces engine temperature and detonation
- High temperature film strength improving anti-wear protection

WEIGHT	PART NO.	PACKAGE
10W/40	KH-1040	10/1 qt. btl.
20W/50	KH-2050	10/1 qt. btl.
25W/60	KH-2560	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



MULTI-VISCOSITY SYNTHETIC ENGINE LUBRICANT

- Recommended for the Victory and Indian engines
- Certified warranty compliant: API SL-SM, JASO MA2-MA, ILSAC GF-5
- Custom formulated for the v-twin air-cooled engines
- Reduces engine temperature and detonation
- High temperature film strength improves anti-wear protection

WEIGHT	PART NO.	PACKAGE
20W/40	KV-2040	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



STRAIGHT WEIGHT SYNTHETIC ENGINE LUBRICANT

- Custom formulated for the Harley-Davidson Pre-evolution engines
- Certified warranty compliant: API SH/CG-4
- Reduces friction for Less Drag—More Power®
- High temperature film strength improving anti-wear protection
- Reduces engine temperature and detonation

WEIGHT	PART NO.	PACKAGE
SAE 50	KH-50	10/1 qt. btl.
SAE 60	KH-60	10/1 qt. btl.
SAE 70	KH-70	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



TRANSMISSION HYPOID LUBRICANT

- Custom formulated for the Harley-Davidson Big Twin 5 and 6 speed transmissions
- Certified warranty compliant: API GL-5
- Smoother and quieter shifting
- Reduced driveline friction
- Provides protection from shock loading and galling
- Extended bearing and gear life
- Reduced gear and transmission temperatures

WEIGHT	PART NO.	PACKAGE
80W/90	KH-GL90	10/1 qt. btl.
75W/140	KH-GL140	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



PRIMARY CASE LUBRICANT

- Custom formulated for the Harley-Davidson Big Twin models
- Certified warranty compliant: SAE 75W/80
- Penetrates chain, rollers and extends chain sprocket life
- Protection against primary chain wear
- Reduced clutch temperature, clutch slippage and grabbing
- Provides protection from shock loading and galling

PART NO.	PACKAGE
KH-C80	10/1 qt. btl.
	30 gal. drum*
	55 gal. drum*



GEAR AND CHAIN CASE LUBRICANT

- Custom formulated for the Harley-Davidson Sportster models
- Certified warranty compliant: SAE 75W/80
- Smoother and quieter shifting
- Reduced driveline friction
- Reduced clutch temperature, clutch slippage and grabbing
- Protects gears from shock loading and galling

PART NO.	PACKAGE
KH-S80	10/1 qt. btl.
	30 gal. drum*
	55 gal. drum*

This catalog uses the item "Harley Davidson®" and various designations of Harley Davidson, Inc. solely for reference and fitment purposes. No affiliation exists between Klotz Synthetic Lubricants, Inc. and Harley Davidson, Inc., and the use of any trademarks or other proprietary designations of Harley Davidson, Inc. in this catalog should not be construed as indicating sponsorship or official approval by Harley Davidson, Inc. of Klotz Synthetic Lubricants, Inc.

ATV/UTV/SIDE

4-STROKE



ATV/UTV SYNTHETIC ENGINE LUBRICANT

- 0W/40 recommended for Polaris ATV/UTV 2011 and older models
- 5W/50 recommended for Polaris ATV/UTV 2012 and newer models
- Certified warranty compliant: JASO MA2, API SG-SM
- Designed for off-road 4-stroke high-performance ATV, Utility and Side-by-Sides
- Developed for extreme loading stresses of off-road use

WEIGHT	PART NO.	PACKAGE
0W/40	ATVUTV-040	10/1 qt. btl.
5W/50	ATVUTV-550	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



ATV/UTV SYNTHETIC ENGINE LUBRICANT WITH INTEGRATED TRANSMISSION

- Recommended for Arctic Cat, Can-Am, Honda, Kawasaki, Kymco, Suzuki, and Yamaha ATV/UTV applications
- Certified warranty compliant: JASO MA2, API SG-SM
- Designed for wet clutch integrated transmission
- Developed for extreme loading stresses of off-road use
- Provides smoother, quieter clutch and transmission operation

WEIGHT	PART NO.	PACKAGE
10W/40	ATVUTV-1040	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



ATV/UTV FRONT/REAR END DIFFERENTIAL LUBRICANT

- Recommended for Arctic Cat, Can-Am, Honda, Kawasaki, Kymco, Suzuki and Yamaha ATV/UTV applications
- Certified warranty compliant: API GL-5
- Extra gear protection in extreme shock loading conditions
- Developed for extreme loading stresses of off-road use

WEIGHT	PART NO.	PACKAGE
80W/90	ATVUTV-8090	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



SIDE X SIDE

- Recommended for Arctic Cat, Can-Am, Honda, Kawasaki, Kymco, Suzuki, Polaris and Yamaha side-by-side applications
- Certified warranty compliant: JASO MA2, API SG-SM
- Designed for wet clutch integrated transmission
- Developed for extreme loading stresses of off-road use
- Provides smoother, quieter clutch and transmission operation

WEIGHT	PART NO.	PACKAGE
5W/50	KL-802	10/1 qt. btl.
10W/30	KL-803	10/1 qt. btl.
10W/40	KL-804	10/1 qt. btl.
10W/50	KL-805	10/1 qt. btl.
15W/50	KL-806	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



2-STROKE



MOTORCYCLE TECHNIPLATE® TC-W2

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha 1992 and older off-road models
- Identifiable Klotz red...Smells like Klotz
- Improves throttle response
- Virtually eliminates smoke and carbon build-up
- Excellent for power valves
- Pre-mix or oil injection
- Blends with gasoline

PART NO.	PACKAGE
KL-300	10/1 qt. btls.
KL-301	4/1 gal. btls. 30 gal. drum*



MOTORCYCLE TECHNIPLATE® TC-W3

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha 1993 and newer off-road models
- Certified warranty compliant: NMMA RL#93101 TC-W3, JASO FD, DFI
- Pre-mix or oil injection
- Improves RPM and throttle response
- Identifiable Klotz red...Smells like Klotz
- Power Valve and Rave™ Valve formula
- Blends with gasoline

PART NO.	PACKAGE
KL-302	10/1 qt. btls. 30 gal. drum* 55 gal. drum*



R-50® RACING TECHNIPLATE®

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha off-road applications
- Recommended for power valve engines
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with gasoline only
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-102	10/1 pt. btls.
KL-104	10/1 qt. btls.
KL-105	4/1 gal. btls. 30 gal. drum* 55 gal. drum*



SUPER TECHNIPLATE®

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha off-road applications
- Recommended for power valve engines
- Contains 80% Original TechniPlate synthetic lubricant and 20% BeNOL Racing Castor lubricant
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-103	10/1 pt. btls.
KL-100	10/1 qt. btls.
KL-101	4/1 gal. btls. 30 gal. drum* 55 gal. drum*



ATV/UTV/SIDE

2-STROKE



BeNOL® RACING CASTOR LUBRICANT

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha off-road applications
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ Technology
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only above 30°F—not intended for oil injection

PART NO.	PACKAGE
BC-175	10/1 pt. btls.
BC-172	10/1 qt. btls.
BC-171	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*



ORIGINAL TECHNIPLATE®

- Recommended for 2-stroke Beta, Gas Gas, Honda, Husaberg, Husqvarna, Kawasaki, KTM, Suzuki and Yamaha off-road applications
- Identifiable Klotz red...Smells like Klotz
- Improves performance and increases horsepower
- TechniPlate peak film strength and anti-scuff protection
- Extreme load carrying capacity reduces engine wear
- Clean Burn™ technology reduces carbon and residue build-up
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-200	10/1 qt. btls.
KL-205	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*



RACING SYNTHETIC FORK AND SHOCK FLUID

- Formulated for Street and MX Bike suspension technology
- Anti-foam and anti-fade additive system reduces friction and cavitation
- Anti-wear seal conditioners help prevent hardening, extend fork seals and bushing life
- Superior control with Zero-drag formula
- Stabilizes viscosity in extreme heat or cold conditions

WEIGHT	PART NO.	PACKAGE
3W	KL-503	10/1 qt. btls.
5W	KL-505	10/1 qt. btls.
10W	KL-510	10/1 qt. btls.
15W	KL-515	10/1 qt. btls.
		5 gal. pail
		30 gal. drum*
		55 gal. drum*



FLEX DRIVE® 30 SYNTHETIC TRANSMISSION LUBRICANT

- Recommended for 2 and 4-stroke transmissions
- Low viscosity, extreme pressure 75W/80
- Certified for wet clutches and integrated transmissions
- Smoother and quieter clutch operation
- Extreme load carrying capacity reduces wear
- Quiets gear noise
- Reduces clutch temperatures

PART NO.	PACKAGE
KL-506	10/1 qt. btls.
	30 gal. drum*
	55 gal. drum*

FOR 60 YEARS, OUR TRADEMARK TECHNOLOGIES HAVE SET US APART

SYNTHETIC LUBRICANT TECHNOLOGY

***PURE ESTORLIN, TECHNIPLATE,
FREE-GEAR, BēNOL***

FUEL TECHNOLOGY

***HIGH OCTANE RACE GAS, OXYGAS,
HITRATE, CRATE, COXOC***

THE KLOTZ TRADITION

For almost 60 years, racers and performance enthusiasts around the world have relied on Klotz to grab the checkered flag. Developing products for the motorsports industry is our passion. The tradition of race-testing Klotz products continues to this day. In fact, by the time a Klotz product reaches your engine, it's spent countless hours on the dyno and proven on the race track.

Mastering the Science of Synthetic Lubrication® is our top priority. Our Pure Estorlin® Technology and TechniPlate® Lubricity Systems™ integrated bonding process makes this chemistry a complete synthetic lubricant.

We take pride in adapting to the constantly evolving needs of your sport; whether it's automotive, motorcycle, snowmobile, marine, kart and RC scale model markets—manufactured with integrity, providing the highest quality sport products to enhance your good times.

John C. Klotz Jr.



SNOWMOBILE

4-STROKE



SNOWX4® PURE ESTORLIN

- Recommended for Arctic Cat, Ski-Doo, Polaris and Yamaha snowmobiles
- Certified warranty compliant: JASO MA2 (T903) 2011, API SH-SM
- -44°F enhances flowability in cold weather starts
- Superior thermal transfer for reduced engine wear
- Increases torque and throttle response
- Reduces engine temperature

WEIGHT	PART NO.	PACKAGE
0W/30	KE-830	10/1 qt. btls.
0W/40	KE-840	10/1 qt. btls.
0W/50	KE-850	10/1 qt. btls.
		5 gal. pail
		30 gal. drum*
		55 gal. drum*



R-50® RACING TECHNIPLATE®

- Recommended for 2-stroke Arctic Cat, Ski-Doo, Polaris and Yamaha snowmobiles
- Recommended for power valve engines
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with gasoline only
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-102	10/1 pt. btls.
KL-104	10/1 qt. btls.
KL-105	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*

2-STROKE



SNOWMOBILE TECHNIPLATE®

- Recommended for 2-stroke Arctic Cat, Ski-Doo, Polaris and Yamaha snowmobiles
- Certified warranty compliant: NMMA RL#93101 TC-W3, JASO FD, DFI
- Identifiable Klotz red...Smells like Klotz
- Improves throttle response and increases RPMs
- -44°F pour point
- Power valve formula
- Environmentally friendly Clean Burn™ technology
- Smoke-free formula
- Prevents plug fouling
- Fast, easy starting
- Pre-mix or oil injection
- Blends with gasoline

PART NO.	PACKAGE
KL-215	10/1 qt. btls.
KL-216	4/1 gal. btls.
KL-215 5 PL	5 gal. pail
	30 gal. drum*
	55 gal. drum*



SUPER TECHNIPLATE®

- Recommended for 2-stroke Arctic Cat, Ski-Doo, Polaris and Yamaha snowmobiles
- Recommended for power valve engines
- Contains 80% Original TechniPlate synthetic lubricant and 20% BeNOL Racing Castor lubricant
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-103	10/1 pt. btls.
KL-100	10/1 qt. btls.
KL-101	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*



CHAIN CASE LUBE

- Black formula contains graphite
- Dramatically reduces friction
- Provides maximum power and performance in extreme conditions
- Unique formula protects chains and sprockets from wear and breakage

PART NO.	PACKAGE
KL-500	10/12 oz. btl.



PURE ESTORLIN® FREE-GEAR® HYPOID SYNTHETIC GEAR LUBRICANT

- Recommended for Arctic Cat diamond drive
- Certified warranty compliant: API GL-5
- Designed for racing and performance applications
- Extra gear protection and extreme shock loading conditions

WEIGHT	PART NO.	PACKAGE
75W/80	KE-975	10/1 qt. btl.
75W/90	KE-980	10/1 qt. btl.



PURE ESTORLIN® TECHNOLOGY AUTOMOTIVE



PURE ESTORLIN® RACING PERFORMANCE SYNTHETIC ENGINE LUBRICANT

- Designed for racing and performance applications to increase torque and horsepower
- Certified warranty compliant: API CJ-4/SN
- Improves acceleration and throttle response
- Contains extra zinc and phosphorus to protect critical engine parts
- Extends cam roller bearing and flat tappet cam life
- Reduces oil out temperature
- Enhanced flowability provides Less Drag—More Power®
- Widely used in ARCA, NASCAR, USAC and IHRA,
- Endorsed by Shane McDowell Racing

WEIGHT	PART NO.	PACKAGE
5W/20	KE-925	10/1 qt. btl.
10W/30	KE-930	10/1 qt. btl.
5W/30	KE-935	10/1 qt. btl.
10W/40	KE-940	10/1 qt. btl.
20W/50	KE-950	10/1 qt. btl.
15W/40	KE-954	10/1 qt. btl.
15W/50	KE-955	10/1 qt. btl.
15W/55	KE-915	10/1 qt. btl.
		5 gal. pail
		30 gal. drum*
		55 gal. drum*



BREAK-N™ MINERAL BASE OIL

- Mineral base oil contains generous amounts of zinc and phosphorus
- Extremely important during break in procedure seating rings and cam
- Provides continuity from Break-N to Estorlin Synthetic Engine Lubricant

ZINC AND PHOSPHORUS ADDITIVE PACKAGE AVAILABLE

WEIGHT	PART NO.	PACKAGE
40WT	KE-903	10/1 qt. btl.
		5 gal. pail
		30 gal. drum*
		55 gal. drum*



PURE ESTORLIN® FREE-GEAR® QUALIFIER SYNTHETIC TRANSMISSION LUBRICANT

- Designed for qualifying in racing and performance applications to increase torque and horsepower
- Recommend Flex Drive 30 (Part # KL506) TechniPlate SAE 75W/80 for Bert, Falcon and Brinn style transmissions
- Fast, easier shifting
- Extreme load-carrying capacity extends gear and bearing life
- Widely used in ARCA, NASCAR, USAC and IHRA
- Endorsed by Shane McDowell Racing

WEIGHT	PART NO.	PACKAGE
75W/75	KE-960	10/1 qt. btl.
75W/80	KE-970	10/1 qt. btl.
		5 gal. pail
		30 gal. drum*
		55 gal. drum*



FLEX DRIVE® 30 SYNTHETIC TRANSMISSION LUBRICANT

- Recommended for Bert, Falcon and Brinn style transmission
- Low viscosity, extreme pressure SAE 75W/80
- Certified for wet clutches and integrated transmissions
- Smoother and quieter clutch operation
- Extreme load carrying capacity reduces wear
- Quiets gear noise
- Reduces clutch temperatures

WEIGHT	PART NO.	PACKAGE
75W/80	KL-506	10/1 qt. btl.
		30 gal. drum*
		55 gal. drum*



PURE ESTORLIN® FREE-GEAR® QUALIFIER HYPOID SYNTHETIC GEAR LUBRICANT

- Designed for qualifying in racing and performance applications to increase torque and horsepower
- All weights API SAE
- Extra gear protection and extreme shock loading conditions

WEIGHT	PART NO.	PACKAGE
75W/75	KE-965	10/1 qt. btls.
75W/80	KE-975	10/1 qt. btls.
30W/60	KE-966	10/1 qt. btls. 5 gal. pail 30 gal. drum* 55 gal. drum*



UPLON® UPPER CYLINDER LUBRICANT

- Recommended for street and strip use
- Provides upper cylinder and fuel pump lubrication
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Maintains constant fuel pressure
- Extends fuel pump life
- Used for many years in Indy Car Racing
- Reduces maintenance by keeping fuel injectors clean
- Reduces maintenance and wear on valve train system
- Protects against harmful effects of ethanol and methanol fuels

PART NO.	PACKAGE
KL-106	10/1 pt. btls.
KL-107	10/1 qt. btls. 30 gal. drum* 55 gal. drum*



PURE ESTORLIN® FREE-GEAR® HYPOID SYNTHETIC GEAR LUBRICANT

- Designed for racing and performance applications to increase torque and horsepower
- Certified warranty compliant: API GL-5 and all weights API SAE
- Extra gear protection and extreme shock loading conditions
- 250WT recommended for desert racing
- Widely used in ARCA, NASCAR, USAC and IHRA
- Endorsed by Shane McDowell Racing

WEIGHT	PART NO.	PACKAGE
75W/90	KE-980	10/1 qt. btls.
80W/90	KE-990	10/1 qt. btls.
75W/140	KE-994	10/1 qt. btls.
75W/110	KE-995	10/1 qt. btls.
250WT	KE-996	10/1 qt. btls. 5 gal. pail 30 gal. drum* 55 gal. drum*

ENDORSED BY JUSTIN LOFTON DESERT CHAMPION



Justin Lofton Racing

RC/MODEL



R/C MODELUBE® GASBURNER®

- Recommended for 2 and 4-stroke glow engines
- TC-W3 certified warranty compliant
- Designed for 2 and 4-stroke Pre-mix gas powered high-performance R/C engines
- Fast easier starts
- Improves throttle response
- Identifiable Klotz red...Smells like Klotz
- Clean Burn™ low smoke helps prevent plug fouling
- Tested at fuel ratios up to 150:1
- Excellent after-run lubricant for glow fuel engines

PART NO.	PACKAGE
KL-310	10/1 pt. btl. 30 gal. drum* 55 gal. drum*



KL-198® LITE TECHNIPLATE®

- Recommended for 2 and 4-stroke glow engines
- Advanced flowability
- Improves throttle response and enhanced flowability, easier needle adjustment, smoother transition from low to high speed
- Lowers viscosity for improved fuel flow
- Extreme film strength protecting all engine parts
- Increased swept volume fuel charge for stronger performance
- Clean Burn™ technology
- Increases fuel economy for Less Drag—More Power®
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only

PART NO.	PACKAGE
KL-198	10/1 qt. btl. 30 gal. drum* 55 gal. drum*

HELIGLO®

- Recommended for 2 and 4-stroke glow engines
- Lightweight viscosity synthetic lubricant designed for modern R/C helicopter glow engines
- Provides enhanced flowability, improved lubrication with increased swept volume fuel charge for stronger performance
- Easier starting, smoother transition from low to high speed and reduced engine temperature on climb-outs
- TechniPlate lubricity system for superior film strength and anti-scuff protection
- Reduced friction for Less Drag—More Power®
- Contains anti-foaming agents and rust inhibitors
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only

PART NO.	PACKAGE
KL-189	4/1 gal. btl. 30 gal. drum* 55 gal. drum*



ORIGINAL TECHNIPLATE®

- Recommended for 2 and 4-stroke glow engines
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Identifiable Klotz red...Smells like Klotz
- Improves performance and increases horsepower
- TechniPlate peak film strength and anti-scuff protection
- Extreme load carrying capacity reduces engine wear
- Clean Burn™ technology reduces carbon and residue build-up
- Pre-mix only

PART NO.	PACKAGE
KL-200	10/1 qt. btl.
KL-205	4/1 gal. btl. 30 gal. drum* 55 gal. drum*



SUPER TECHNIPLATE®

- Recommended for 2 and 4-stroke glow engines
- Recommended for power valve engines
- Contains 80% Original TechniPlate synthetic lubricant and 20% BeNOL Racing Castor lubricant
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- High temperature stability reduces power valve deposits
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only

PART NO.	PACKAGE
KL-103	10/1 pt. btl.
KL-100	10/1 qt. btl.
KL-101	4/1 gal. btl.
	30 gal. drum*
	55 gal. drum*



Pictured are John and his daughters left to right Michelle, Patsy and Sherri

HOW KLOTZ BEGAN

John Klotz started his racing career with one of the first Go-Karts manufactured in Southern California by Go-Kart Manufacturing Company in 1958. As a competitive racer, he had a passion to go faster. "In racing, you get the bug and you just try to win everything; that's where it all began," said John Klotz.

"The need for a good lubrication is how the Special Formula [original product name] full synthetic was created in 1959. The Special Formula name was later changed and trademarked as TechniPlate. I recall testing the TechniPlate formula in a local insurance company's parking lot. While I was there, city police officers pulled in to watch me. I stopped to check the engine by disassembling it to see how the parts looked. I was checking it for wear, heat spots and fuel lubrication efficiency. As I was working on the engine, the officers walked over to me and we started to shoot the breeze. It was quite comical because I thought they were sent there to have me removed!

"After testing, I tweaked the formula to create the still-standing Original TechniPlate formula. I used my formula on Sunday afternoons at the go-kart track and would win every race! I started beating everyone and they all wanted to know my speed secret. I decided to start selling to a few fellow racers and they ended up coming back for more, week after week, so I thought to myself, this can pay for my racing."

That's how Klotz Synthetic Lubricants began, from a desire to win. John Klotz continued to sell his special formula and became a local Indiana champion; he then went on to race semi-pro in the USAC Series. He has raced alongside many legends such as Mario Andretti, Tiny Lund, AJ Foyt, Jim Hurtubise, Parnelli Jones, Richard Petty and David Pearson.



BeNOL® RACING CASTOR LUBRICANT

- Recommended for 2 and 4-stroke glow engines
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ Technology
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only above 30°F

PART NO.	PACKAGE
BC-175	10/1 pt. btl.
BC-172	10/1 qt. btl.
BC-171	4/1 gal. btl.
	30 gal. drum*
	55 gal. drum*



MAINTENANCE

SMALL ENGINE MAINTENANCE



50:1 TECHNIPLATE® TC-W3

- Recommended for small 2-stroke engines, chainsaws, weed eaters, snow blowers, generators and other small maintenance engines
- Certified warranty compliant: NMMA RL #93101 TC-W3
- TechniPlate protection
- Identifiable Klotz red...Smells like Klotz
- Excellent year-round lubricant
- Blends with gasoline
- Pre-mix or oil injected

PART NO.	PACKAGE
KL-305	10/1 pt. btls.
KL-304	10/1 qt. btls.
	30 gal. drum*
	55 gal. drum*



SUPER TECHNIPLATE®

- Recommended for small 2-stroke engines, chainsaws, weed eaters, snow blowers, generators and other small maintenance engines
- Recommended for power valve engines
- Contains 80% Original TechniPlate synthetic lubricant and 20% BeNOL Racing Castor lubricant
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ for low smoke and prevents plug fouling
- Recommended for power valve engines
- High temperature stability reduces power valve deposits
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only—not intended for oil injection

PART NO.	PACKAGE
KL-103	10/1 pt. btls.
KL-100	10/1 qt. btls.
KL-101	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*



BeNOL® RACING CASTOR LUBRICANT

- Recommended for small 2-stroke engines, chainsaws, weed eaters, snow blowers, generators and other small maintenance engines
- Identifiable Klotz red and racy scent
- Improves throttle response
- Extreme film strength protects engine parts from metal-to-metal contact
- Clean Burn™ Technology
- Blends with methanol alcohol, ethanol, nitromethane, gasoline and E-85
- Pre-mix only above 30°F—not intended for oil injection

PART NO.	PACKAGE
BC-175	10/1 pt. btls.
BC-172	10/1 qt. btls.
BC-171	4/1 gal. btls.
	30 gal. drum*
	55 gal. drum*

POWER TO GO® FUEL ADDITIVES



NITRO POWER ADDITIVE WITH KOOLINAL

- Developed for gasoline, E85, methanol and diesel fuels
- Oxygenating power additive
- 50% Nitropropane, 50% Koolinal
- Koolinal is a blending agent that resists detonation and pre-ignition
- Extracts maximum HP from stock and modified engines
- Increases low-end torque

PART NO.	PACKAGE
KL-600	10/1 pt. btls.
KL-640	1 gal. can
	30 gal. drum*
	55 gal. drum*



OCTANE BOOSTER™

- Recommended for gasoline or ethanol enriched fuels
- Increases pump gasoline octane up to 10 numbers
- Tetraethyl lead substitute for added lubricity
- Stabilizes flame front and controls burn speed
- Cleans injectors, carburetors and catalytic converters
- O₂ and converter safe
- No MTBE
- Absorbs moisture

PART NO.	PACKAGE
KL-602	10/1 pt. btl.
KL-628	1 gal. can
	30 gal. drum*
	55 gal. drum*



COXOC®

- Oxygenator for pump or race gasoline
- Carries an additional 37% oxygen into the fuel mixture
- Improves throttle response
- Increases torque and horsepower across power band
- Best and safest oxygenator formulated for gasoline only

*Hazardous Material

PART NO.	PACKAGE
KL-614*	1 gal. can
KL-615*	5 gal. can
	30 gal. drum*
	55 gal. drum*



HITRATE® RACING GASOLINE CONCENTRATE – KL-451

- Converts 92 octane pump gasoline to 103-105 octane racing gas
- Unleaded formula
- Provides smoother torque curves for more usable power
- Cost-effective alternative to race gas
- Blends with gasoline and ethanol enriched fuels
- Available in travel pack size

PART NO.	PACKAGE
KL-452	10/1 pt. btl.
KL-451	1 gal. can
KL-450	5 gal. can

GASOLINE TREATMENTS*



ETHANOL GASOLINE FAZSEPARATION® TREATMENT

- Recommended for pre-mix or ethanol/ gasoline blends
- Helps avoid phase separation
- Promotes easier starting
- Helps burn off free water, moisture and condensation
- Provides three to six month protection
- Contains lubricity to prevent dry-outs
- For everyday use

PART NO.	PACKAGE
KL-603	10/1 pt. btl.
KL-623	1 gal. can



STORBILIZER®

- Recommended for pre-mix or ethanol/ gasoline blends
- Stabilizes ethanol and gasoline mixtures
- Helps prevent oxidation and corrosion
- Provides six to eight months protection
- Allows quick and easy start-ups following extended storage
- Perfect for marine winter storage

PART NO.	PACKAGE
KL-613	10/1 pt. btl.
KL-633	1 gal. can

*Drums available upon request.



RACE GASOLINE



100 OCTANE UNLEADED LEGAL/STOCK GASOLINE – KL-444

Ethanol free
Motor Octane: 94
Research Octane: 104
Pump Octane: 100
Color: Light Green
Specific Gravity @ 60°F: .765
Tetraethyl Lead: .0 gram/gal
Anti Foam: Yes
Contains UpLon Fuel Lube

108 OCTANE LEADED RACING GASOLINE – KL-440

Ethanol free
Motor Octane: 106
Research Octane: 110
Pump Octane: 108
Color: Purple
Specific Gravity @ 60°F: .729
Tetraethyl Lead: .0 gram/gal
Anti Foam: Yes
Contains no lubricant

113 OCTANE LEADED RACING GASOLINE – KL-408

Ethanol free
Motor Octane: 108
Research Octane: 118
Pump Octane: 113
Color: Red
Specific Gravity @ 60°F: .731
Tetraethyl Lead: 4.5 gram/gal
Anti Foam: Yes
Contains no lubricant

110 OCTANE LEADED RACING GASOLINE – KL-410

Ethanol free
Motor Octane: 110
Research Octane: 118
Pump Octane: 114
Color: Purple
Specific Gravity @ 60°F: .740
Tetraethyl Lead: 4.7 gram/gal
Anti Foam: Yes
Contains UpLon Fuel Lube

118 OCTANE LEADED RACING GASOLINE – KL-428

Ethanol free
Motor Octane: 116
Research Octane: 120
Pump Octane: 118
Color: Dark Red
Specific Gravity @ 60°F: .728
Tetraethyl Lead: 4.7 gram/gal
Anti Foam: Yes
Contains UpLon Fuel Lube

OXYGAS® 100 OCTANE RACING GASOLINE – KL-491

Ethanol free
Motor Octane: 97
Research Octane: 103
Pump Octane: 100
Color: Red
Oxygen: 6.5%
Specific Gravity @ 60°F: .775
Tetraethyl Lead: <1 gram/gal
Anti Foam: Yes
Contains no lubricant

OXYGAS® 113 OCTANE RACING GASOLINE – KL-492

Ethanol free
Motor Octane: 108
Research Octane: 118
Pump Octane: 113
Color: Red
Oxygen: 2.4%
Specific Gravity @ 60°F: .745
Tetraethyl Lead: 4.5 gram/gal
Anti Foam: Yes
Contains no lubricant



Crate[®]

**CRATE[®] 108 OCTANE RACING
GASOLINE – CR-604**

Ethanol free
Motor Octane: 105
Research Octane: 111
Pump Octane: 108
Color: Purple
Oxygen: 12%
Specific Gravity @ 60°F: .740
Tetraethyl Lead: 3.9 gram/gal
Anti Foam: Yes
Contains UpLon Fuel Lube
Recommended for 525, 602, 603 and
604 crate engines
Available in 55-gallon drums only

FUELING YOUR CRATE ENGINE

It's time to fuel your crate engine the right way. Until now, little has been done to address the perfect fuel to power these engines. Klotz Synthetic Lubricants has teamed with GM Engine builder Hendren Racing Engines to develop OxyCrate. OxyCrate is specifically designed for the 525, 602, 603 and 604 crate engines. The idea is "more power with less." OxyCrate not only gives you more for less, but it exceeds the idea by pulling more power sooner and longer by almost 8 hp at 6,050 rpm.

Klotz OxyCrate has several advantages other than power. It has zero corrosive properties contained in other fuels, which can cause damage to the exhaust valve guides or cause fuel lines to crack. It has also been found to lower engine temperature simply by using a pure fuel and additive package. OxyCrate focuses on Klotz's fuel additive line to give it the perfect combination.

There are three major Klotz-manufactured products utilized in OxyCrate in the right combination to give the fuel several properties. A newly developed oxygen power additive is one of the safest and most effective means of increasing horsepower in two- or four-stroke engines. The agent can

provide OxyCrate 12 percent oxygen to the fuel mixture. The added oxygen improves combustion efficiency and allows more gasoline to burn completely.

Also added to the mixture is UpLon Fuel Lube, which provides upper cylinder and fuel pump lubrication. This protects the induction and fuel delivery systems from dry, abrasive properties. UpLon increases horsepower by reducing friction. Seal conditioners also maintain constant fuel pressure and help prevent lean-out conditions. UpLon can also blend with gasoline, E-85, methanol, alcohol and nitro-methane.

Finally, OxyCrate is based off Klotz's race fuel, which uses the concept of specially formulated high-octane racing gasoline. This product is designed to meet the demands of today's highly developed sophisticated racing engines. Extensive dyno and field tests indicate substantial increases in performance with improved throttle response. Klotz High Octane Racing Gasoline is designed to generate maximum horsepower using regular jetting.

The properties of OxyCrate fuel are what gives it the unique ability to serve all sealed engines. The motor octane is 105 rated with the research octane of 111, giving pump octane of 108. The initial boiling point is 102°F, to 90 percent at 226°F gives it the ability to atomize quickly, allowing for a better and faster flame rate.

Featured in Circle Track Magazine Quick Tech article. Reprint available upon request.

LEGAL TECH DISCLAIMER

Due to variations in fuel testing by many different racing associations, Klotz cannot be liable or responsible for testing. Klotz recommends having all fuel tested before each event.

**Hazardous Material*

One gallon samples available; please contact your sales rep for information.



AEROSOLS



CHAIN LUBE, AEROSOL

- Klotz EXTRATAC™ anti-wear system extends chain life and reduces friction power loss
- EXTRATAC penetrates to loosen stiff links
- Specially formulated for conventional and "O" ring-type roller chains
- Provides maximum lubrication and rust protection

PART NO. PACKAGE
KL-605 10/15.5oz. cans



FABRIC AIR FILTER OIL

- Works great in all K&N® type filters
- Will quickly penetrate and saturate fabric
- Straightens turbulent air, improving engine performance

PART NO. PACKAGE
KL-607 10/15.25 oz. cans



CLEAR CHAIN LUBE

- Sprays smoothly and dries quickly to create protective stable barrier
- Repels moisture and dirt to keep chain clean and free from corrosion
- Formulated for conventional and "O" ring type chains
- Provides maximum lubrication and rust protection

PART NO. PACKAGE
KL-611 10/16 oz. cans



FILTER CLEANER

- Removes dirt and oil from filters
- Provides increased airflow and performance
- Environmentally friendly
- Can be used without water
- Perfect for use at track or off-road

PART NO. PACKAGE
KL-608 10/15.25 oz. cans



FOAM AIR FILTER OIL

- Blocks out moisture, dirt and water
- For waterproof protection
- Improves air flow
- Filters out micron-sized particles

PART NO. PACKAGE
KL-606 10/15.25 oz. cans



PLUG & CONTACT CLEANER™

- Cleans metal surfaces, fouled spark plugs and other small parts
- Non-conductive formula
- Residue free formula quickly cuts through grease, oil, carbon, tar, adhesives and other contaminants
- Excellent for drying out parts in damp humid conditions

PART NO. PACKAGE
KL-609 10/12.5 oz. cans

ASSEMBLY AND STORAGE



ASSEMBLY LUBE

- Provides required lubrication during the extremely important first start-up
- Coats engine components with protective film to prevent metal-on-metal contact
- Burns off clean and quickly after first start up
- Use as a rust inhibitor to protect machined engine parts
- Protects rebuilt engines during storage

PART NO.	PACKAGE
KL-311	10/12 oz. btl.



FOGON® STORAGE AND AFTERRUN® LUBRICANT

- Provides protective shield of lubrication for all types of engines
- Guards against harsh environmental elements including rust and corrosion for extended periods of storage or non-use
- Reduces maintenance and operation cost
- Fast, clean start up after storage
- Perfect for after run lubricant
- Great for marine winter storage lubricant

PART NO.	PACKAGE
KL-610	10/16 oz. cans
KL-6105 PL	5 gal. pail



STORBILIZER®

- Stabilizes ethanol and gasoline mixtures
- Helps prevent oxidation and corrosion
- Recommended for pre-mix or ethanol/gasoline blends
- Provides six to eight months protection
- Allows quick and easy start-ups following extended storage
- Perfect for marine winter storage







PART NO.	PACKAGE
KL-613	10/1 pt. btl.
KL-633	1 gal. can



Tim Buckalew
Driver Track Support



APPAREL

PRODUCT DESCRIPTION	SIZE	PART NO.	PACKAGE
 T-Shirt – Charcoal, Long Sleeve with Logo	S, M, L, XL	KL-712	each:
T-Shirt – Black, Short Sleeve with Logo	S, M, L, XL	KL-713	each:
T-Shirt – Black, Short Sleeve with Logo	2XL, 3XL	KL-713	each:
 T-Shirt – White, Smell My Klotz	S, M, L, XL, 2XL, 3XL	KL-717W	each:
 T-Shirt – Black, Smell My Klotz	S, M, L, XL, 2XL, 3XL	KL-717B	each:
T-Shirt – White, Protect Your Crank	S, M, L, XL, 2XL, 3XL	KL-718	each:
Pit/Crew Shirt – Black and Grey, Collared and Button-up	S, M, L, XL, 2XL, 3XL	KL-714	each:
Camo Baseball Cap – Neon Orange Logo		KL-723	each:
Baseball Cap – Puff Embroidery Logo (Black)		KL-724B	each:
Baseball Cap – Puff Embroidery Logo (White)		KL-724W	each:
Baseball Cap – Black and White with Logo	S-M, M-L, L-XL	KL-726B	each:
Baseball Cap – Grey and Red with Logo	S-M, M-L, L-XL	KL-726G	each:
 Men's Calvin Klein Jacket with Klotz Logo	S, M, L, XL, 2XL	KL-728	each:
"Beanie" – Knit Hat with Logo, Black		KL-741	each:
Men's V-Twin T-Shirt – Black with Klotz Logo, "American V-Twin" Back	S, M, L, XL	KL-750	each:
Men's V-Twin T-Shirt – Black with Klotz Logo, "American V-Twin" Back	2XL, 3XL	KL-750	each:
Sweatshirt – Black Hooded with Logo	S, M, L, XL, 2XL	KL-790	each:
Men's White Klotz Logo Polo	M, L, XL	KL-780	each:
 Men's V-Twin – Black, Polyester Pull-over	S, M, L, XL, 2XL	KL-798	each:
 Women's V-Twin – Black, Polyester Pull-over	S, M, L, XL, 2XL	KL-799	each:



KL-780



KL-724B





KL-798



KL-728

NOVELTY ITEMS

PRODUCT DESCRIPTION	PART NO.	PACKAGE
 Smell the Klotz 8-Ounce Candle	KL-755	each:
 BeNol 8-Ounce Candle	KL-756	each:
Banner – 3' x 6' Tyvek	KL-710	each:
Chapstick – with Klotz Logo	KL-711	each:
Display – P.O.P. Lube Center	KL-725	each:
Klotz Catalog	KL-730	each:

DECALS AND PATCHES

PRODUCT DESCRIPTION	PART NO.
Decal – 3 3/8" x 9" (Red) IRL/NASCAR/IJSBA Size	KL-700
Decal – 3" x 10" Die-Cut (Silver Outline)	KL-700DC
Decal – 12" x 32" (Red) Transporter Size	KL-702
Decal – 2 1/4" x 6" (Red)	KL-703
Decal – 2 1/4" x 6" (Red) High Quality 20 mil Vinyl	KL-703H
Decal – 1 1/2" x 1/2" Mini, 3 per Sheet (Red)	KL-704
Decal – 6 7/8" x 15" (Red)	KL-705
Decal Sheet – 14 Different Decals, All Sizes	KL-706
Decal – Motorcycle Fender (Red)	KL-708
Decal – Motorcycle Fender (Red) High Quality 20 mil Vinyl	KL-708H
Patch – Small 1 3/4" x 4"	KL-716
Patch – Large 2 1/4" x 5 3/4"	KL-719