



# DOT 5 BRAKE FLUID

Released: 2017-12-22

Version: 1.0  
Revision Date: 2017-12-22

## 1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

**Supplier:** Maxima Racing Oils      **Product Name:** DOT 5 Brake Fluid

**Article Number:** 80-81916

**Applications:** Brake Fluid

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Carcinogenicity: Category 2

### GHS Pictogram



### Signal Word

**Warning!**

### Hazard Statements

H351 Suspected of causing cancer.

### Precautionary Statements

- Prevention** P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and  
P280 Wear protective gloves.
- Response** P308 + P313 IF exposed or concerned: Get medical attention.
- Storage** P405 Store locked up.
- Disposal** P501 Dispose of contents and container in accordance with local and national regulations.

### Other Hazards

None

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	Content %	CAS Number
Polydimethylsiloxane	90-100	63148-62-9
Tributylphosphate	>0.1-<1	126-73-8

The specific identity and/or exact percentage has been withheld as a trade secret.



# DOT 5 BRAKE FLUID

Released: 2017-12-22

Version: 1.0  
Revision Date: 2017-12-22

## 4. FIRST-AID MEASURES

<b>Inhalation</b>	If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.
<b>Skin Contact</b>	Wash skin with soap and water. Remove clothing and shoes if contaminated. Launder clothing before reuse. If irritation or rash develops, get medical attention.
<b>Eye Contact</b>	Flush eyes with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists, get medical attention.
<b>Ingestion</b>	If conscious, rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.
<b>Most Important Symptoms</b>	May cause mild eye irritation. Causes mild skin irritation. Inhalation of vapors or mist may cause respiratory irritation. Swallowing may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Indication of Immediate Medical Attention Needed</b>	Immediate medical attention is not required.
<b>Notes to Physician</b>	Treat appropriately

## 5. FIRE FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use water fog, alcohol foam, dry chemical or carbon dioxide (CO <sub>2</sub> ) to extinguish flames. A solid stream of water or foam can cause frothing.
<b>Specific Hazards Arising From The Chemical</b>	This product is not flammable but may form explosive mixtures in air. Combustion will produce carbon oxides, aldehydes and ethers.
<b>Special Protective Equipment And Precautions For Fire-Fighters</b>	Firefighters should wear full emergency equipment and approved positive pressure self-contained breathing apparatus. Cool exposed intact containers with water.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Wear appropriate protective equipment. Wash thoroughly after handling. See also: "Personal Protection "section 8.
<b>Environmental Hazards</b>	Avoid release into the environment. Report spill as required by local and federal regulations.



## DOT 5 BRAKE FLUID

Released: 2017-12-22

Version: 1.0  
Revision Date: 2017-12-22

**Methods/Materials for Cleaning up** Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13 "Disposal Considerations".

### 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** Avoid contact with eyes, skin and clothing. Avoid breathing vapors and mists. Wash thoroughly with soap and water after handling. Remove soaked clothing and launder before re-use.

**Conditions for Safe Storage** Store in a cool area away from oxidizing agents. Protect containers from physical damage. Brake fluids absorb water from the atmosphere – always keep containers tightly closed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Limits**

Polydimethylsiloxane	None Established
Tributylphosphate	OSHA PEL: 5 mg/m <sup>3</sup> ACGIH TLV: 5 mg/m <sup>3</sup> (IFV)

**Appropriate Engineering Controls** Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.

#### Personal Protection

**Respiratory Protection:** None needed under normal use conditions with adequate ventilation. If exposure limits are exceeded, use a NIOSH approved respirator with organic vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene practice.

**Eye Protection:** Safety glasses or goggles recommended if splashing is possible.

**Skin/Body Protection:** Appropriate protective clothing as needed to minimize skin contact. Suitable eye flushing facilities should be available in the work area. Contaminated clothing should be removed and laundered before re-use.

**Hand Protection:** Use neoprene or PVC gloves for prolonged or repeated skin contact.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear liquid
<b>Color</b>	Usually dyed purple
<b>Odor</b>	Bland
<b>Odor Threshold</b>	N/A – very low odor



## DOT 5 BRAKE FLUID

Released: 2017-12-22

Version: 1.0  
Revision Date: 2017-12-22

<b>pH</b>	7.0 to 11.5
<b>Freezing Point</b>	<-58°F (-50°C)
<b>Boiling Point</b>	>500°F (260°C)
<b>Flash Point</b>	>302°F (150°C)
<b>Evaporation Rate</b>	Negligible
<b>Flammability (solid, gas)</b>	Not established (non-volatile)
<b>Upper Explosion Limit</b>	No data available
<b>Lower Explosion Limit</b>	No data available
<b>Vapor Pressure</b>	< 2 mbar
<b>Vapor Density (Air=1)</b>	Not established (non-volatile)
<b>Relative Density</b>	0.945-0.965 g/ml @68°F
<b>Solubility</b>	In ethanol: partly soluble; In water: immiscible
<b>Partition Coefficient: n-octanol/water</b>	Not established
<b>Auto Ignition Temperature</b>	> 752°F (400°C)
<b>Decomposition Temperature</b>	> 752°F (400°C)
<b>Volatile Organic Compounds (VOC)</b>	No data available
<b>Viscosity</b>	Approx. 35-50 cSt @68°F

### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Not expected to be reactive.
<b>Chemical Stability</b>	Stable.
<b>Possibility of Hazardous Reactions</b>	None known.
<b>Conditions to Avoid</b>	Avoid contact with moisture as product is hygroscopic.
<b>Incompatible Materials</b>	Avoid contact with strong oxidizing agents. For user safety, brake fluid should never be contaminated with any other substance.
<b>Hazardous Decomposition Product</b>	Thermal decomposition may produce carbon oxides and unidentified organic compounds.

### 11. TOXICOLOGICAL INFORMATION

#### Potential Health Hazards

**Eye Contact:** May cause mild irritation.

**Skin Contact:** Prolonged skin contact may cause irritation.

**Inhalation:** Excessive inhalation of vapors or mists may cause upper respiratory tract irritation.

**Ingestion:** Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Tributylphosphate has been shown to cause cancer in animal feeding studies.



# DOT 5 BRAKE FLUID

Released: 2017-12-22

Version: 1.0  
Revision Date: 2017-12-22**Chronic Effects of Overexposure:** None known.**Sensitization:** None of the components have been found to cause sensitization in animals or humans.**Mutagenicity:** This product is not expected to cause mutagenic activity.**Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.**Carcinogenicity:** Product is classified as a carcinogen. Tributylphosphate has been shown to cause cancer in the urinary bladder in rats in feeding studies.**Acute Toxicity:**

Product	Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 NA, Dermal rat LD50 >3000 mg/kg
Tributylphosphate	Oral rat LD50 300-2000 mg/kg, Inhalation rat LC50 >4.0 mg/L/4 hr, Dermal rabbit LD50 >2000 mg/kg

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Tributylphosphate	96 hr LC50 Goldfish >170 mg/L, 48 hr EC50 water flea >70 mg/L, 72 hr EC50 green algae >20 mg/L
-------------------	--

**Biodegradation**

Tributylphosphate is readily biodegradable.

**Bioaccumulation**

Tributylphosphate has a BCF of 21-35 which suggests a low potential for bioaccumulation.

**Mobility in soil**

The product is not water soluble (floats on water). Limited mobility in soil.

**Other adverse effects:**

None known.

**13. DISPOSAL CONSIDERATIONS****Disposal**

Dispose in accordance with all local, state and federal regulations.

**14. TRANSPORT INFORMATION**

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT		Not Regulated			
TDG		Not Regulated			
IMDG		Not Regulated			
IATA		Not Regulated			

**Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not applicable – product is transported only in packaged form**Special precautions:** None known.



## DOT 5 BRAKE FLUID

Released: 2017-12-22

Version: 1.0  
Revision Date: 2017-12-22

### 15. REGULATORY INFORMATION

**CERCLA:** This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**EPA SARA 302:** This product does not contain chemicals regulated under SARA Section 302.

**EPA SARA 311 Hazard Classification:** Chronic health

**EPA SARA 313:** This product contains the following chemicals that are regulated under SARA Title III, section 313: None.

**California Proposition 65:** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Chemical Inventories

**Toxic Substances Control Act:** All of the components of this product are listed on the TSCA inventory

### 16. OTHER INFORMATION

NFPA Rating (NFPA 704):	Health: 2	Fire: 1	Instability: 0
HMIS Rating:	Health: 2*	Fire: 1	Physical Hazard: 0
Chronic health hazard			

Date of Revision: December 22, 2017

Date of Previous Revision: N/A

Revision History:

12/22/17: New document

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.