

# RACING FORK OIL

## 10W

### FORK OIL

#### Description

MOTOREX RACING FORK OIL with the new "3D RESPONSE TECHNOLOGY" has been developed in collaboration with chassis specialists, leading racing teams and professional sportspeople. The MOTOREX 3D RESPONSE TECHNOLOGY is the culmination of extensive tests and research and development work, creating a perfect balance of the many special properties that a modern fork oil must have. which boasts a special molecular structure that facilitates innovative damping behaviour. This means that tractive and impact forces are no longer diverted along a zig-zag path like an accordion, but are instead directed through a multi-level grid structure. The three-dimensional structure of the new molecular composition forms the basis of the 3D RESPONSE TECHNOLOGY. The fine graduation of viscosity classes ensures full compliance with the manufacturer's specifications.

#### Advantages

- Improved breakaway torque (stick-slip)
- Fork oil specially developed for modern fork systems
- Significantly improved thermal stability
- Adaptation of the viscosity index in the maximum range
- Improved shear stability
- Optimum air release
- Reduced formation of foam

#### Field of application

MOTOREX RACING FORK OIL has been specially developed for modern fork systems with the highest demands. This enables the fork settings and the right oil to work in perfect harmony, giving the driver optimum feedback from the chassis – both on and off the roads.

#### Technical data

Properties	Unit	Test according to	Values
Colour			red
Density at 20 °C		ASTM D4052	0.890
Viscosity at 40 °C	mm <sup>2</sup> /s	DIN 51562-1	49.5
Viscosity at 100 °C	mm <sup>2</sup> /s	DIN 51562-1	12.1
Viscosity index		DIN ISO 2909	>250
Pourpoint	°C	ASTM D5950	<-40
Flash point C.O.C.	°C	DIN EN ISO 2592	>200

European waste catalogue: 13 01 10 / Water hazard class: 1

The above information corresponds to the current state of our knowledge. We reserve the right to make changes. The performance characteristics indicated are based on testing and production tolerances standard in this industry. A safety data sheet is available.



**BUCHER AG LANGENTHAL**  
 MOTOREX-Schmiertechnik  
 Postfach, CH-4901 Langenthal, Schweiz  
 Tel. +41 (0)62 919 75 75, Fax +41 (0)62 919 75 95  
 info@motorex.com, www.motorex.com

**MOTOREX AG LANGENTHAL**  
 Industrie-Schmiertechnik  
 Postfach, CH-4901 Langenthal, Schweiz  
 Tel. +41 (0)62 919 74 74, Fax +41 (0)62 919 76 96  
 info@motorex.com, www.motorex.com

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **RACING FORK OIL 10W**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

### Application of the substance / the mixture

Only for proper handling.

Fork oil

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

MOTOREX AG  
Bern-Zürich-Strasse 31, Postfach  
CH-4901 Langenthal  
Tel. +41 (0)62 919 75 75  
www.motorex.com

Further information obtainable from: [msds@motorex.com](mailto:msds@motorex.com)

### 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

#### Additional information:

Contains n-butyl methacrylate. May produce an allergic reaction.

### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 64742-53-6 EINECS: 265-156-6 Index number: 649-466-00-2 Reg.nr.: 01-2119480375-34	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	50-70%
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	≥5-≤10%
CAS: 64742-46-7 EINECS: 265-148-2 Reg.nr.: 01-2119489867-12	Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics Asp. Tox. 1, H304	≥1-≤7.5%

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 16.01.2024

Version number 3.2 (replaces version 3.1)

Revision: 16.01.2024

**Trade name: RACING FORK OIL 10W**

(Contd. of page 1)

CAS: 97-88-1

EINECS: 202-615-1

Index number: 607-033-00-5

n-butyl methacrylate

Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H335

≥0.1-≤0.25%

**Additional information:**

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.  
For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Remove residues with soap and water.  
Remove contaminated clothing immediately.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
Consult a physician if irritation develops.
- **After swallowing:**  
Do not induce vomiting. Do not take in resorption stimulating agents.  
Consult a physician who will decide on need and method of emptying the stomach.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**5.3 Advice for firefighters**

- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**6.4 Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.

- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 3)

**Trade name: RACING FORK OIL 10W**

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
The recommended storage temperature is (deg.C): ≤50°C
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

**64742-53-6 Distillates (petroleum), hydrotreated light naphthenic**

Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m <sup>3</sup> (worker)
------------	--	--------------------------------

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m <sup>3</sup> /8h (worker)
------------	--	------------------------------------

	DNEL/general population/Local effects/Long-term	1.2 mg/m <sup>3</sup> /24h (consumer)
--	---	---------------------------------------

**64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics**

Dermal	DNEL / Workers / Systemic effects / Long-term	2.9 mg/kg/24h (worker)
--------	---	------------------------

Inhalative	DNEL / Workers / Systemic effects / Long-term	16 mg/m <sup>3</sup> (worker)
------------	---	-------------------------------

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- **Respiratory protection:**

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

- **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection** Goggles recommended during refilling

- **Body protection:** Protective work clothing

GB

(Contd. on page 4)

Trade name: RACING FORK OIL 10W

(Contd. of page 3)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

· <b>General Information</b>	
· <b>Physical state</b>	Fluid
· <b>Colour:</b>	Red
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	>200 °C
· <b>Auto-ignition temperature:</b>	>270 °C (DIN 51794)
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	49.5 mm <sup>2</sup> /s @ 40 °C
· <b>Consistency</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Heat Capacity</b>	
· <b>Vapour pressure at 20 °C:</b>	1.6 hPa
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	0.89 g/cm <sup>3</sup> (ASTM D 4052)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

### 9.2 Other information

· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent separation test:</b>	
· <b>VOC (EC)</b>	0.05 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.

### Information with regard to physical hazard classes

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 16.01.2024

Version number 3.2 (replaces version 3.1)

Revision: 16.01.2024

Trade name: RACING FORK OIL 10W

(Contd. of page 4)

· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

### LD/LC50 values relevant for classification:

#### 64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOEL	30-2,000 mg/kg/24h (rat)
	NOAEL	150 mg/kg/24h (mouse)
		1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)

#### 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOAEC	980 mg/m3 (rat)
	NOEC	220 mg/m3 (rat)

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 16.01.2024

Version number 3.2 (replaces version 3.1)

Revision: 16.01.2024

**Trade name: RACING FORK OIL 10W**

(Contd. of page 5)

**64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics**

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
	NOAEL	25-125 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	30 mg/kg/24h (rat)
	LC50 / 4h	1.72-4.6 mg/l (rat)
	NOAEC	880-1,710 mg/m <sup>3</sup> (rat)
	LOEL	23-24 mg/m <sup>3</sup> (rat)

**97-88-1 n-butyl methacrylate**

Oral	LD50	22,600 mg/kg (rat)
Dermal	LD50	11,300 mg/kg (rabbit)
Inhalative	LC50 / 4h	4,910 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

556-67-2	octamethylcyclotetrasiloxane	List II; III
----------	------------------------------	--------------

**SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****64742-53-6 Distillates (petroleum), hydrotreated light naphthenic**

LL50	10,000 mg/l/96h (aquatic invertebrates) 100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

LL50	10,000 mg/l/96h (aquatic invertebrates) 100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)

**64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics**

LL50	1.13-65 mg/l/96h (fish)
LL50	21-150 mg/l/72h (fish)
LL50	28-180 mg/l/48h (fish)

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 16.01.2024

Version number 3.2 (replaces version 3.1)

Revision: 16.01.2024

Trade name: RACING FORK OIL 10W

(Contd. of page 6)

LL50	100-1,000 mg/l/24h (fish)
EL50	7.385-210 mg/l/48h (aquatic invertebrates)
EL50	180-1,000 mg/l/24h (aquatic invertebrates)
EL50	1.714-22 mg/l/72h (algae / cyanobacteria)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential**

**64742-53-6 Distillates (petroleum), hydrotreated light naphthenic**

Partition coefficient 2-6 [---] (log Kow) (Bioaccumulation)

**64742-46-7 Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics**

Biodegradability 74 % (28d) (Biodegradability) (OECD 306)

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR/RID/ADN, ADN, IMDG, IATA**

Not classified as hazardous for transport

· **14.2 UN proper shipping name**

· **ADR/RID/ADN, ADN, IMDG, IATA**

Not classified as hazardous for transport

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN, ADN, IMDG, IATA**

· **Class**

Not classified as hazardous for transport

· **14.4 Packing group**

· **ADR/RID/ADN, IMDG, IATA**

Not classified as hazardous for transport

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 16.01.2024

Version number 3.2 (replaces version 3.1)

Revision: 16.01.2024

Trade name: RACING FORK OIL 10W

(Contd. of page 7)

- |   |   |
|---|---|
| <b>· 14.6 Special precautions for user</b>                            | Not applicable.                           |
| <b>· 14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable.                           |
| <b>· UN "Model Regulation":</b>                                       | Not classified as hazardous for transport |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

<b>· Regulated explosives precursors</b>	None of the ingredients is listed.
--	------------------------------------

<b>· Regulated poisons</b>	None of the ingredients is listed.
----------------------------	------------------------------------

<b>· Reportable explosives precursors</b>	None of the ingredients is listed.
---	------------------------------------

<b>· Reportable poisons</b>	None of the ingredients is listed.
-----------------------------	------------------------------------

  - **Directive 2012/18/EU**
  - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
  - **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008. No special training instructions to ensure protection of human health and environment are required.

- **purity requirement**
- **Relevant phrases**

  - H226 Flammable liquid and vapour.
  - H304 May be fatal if swallowed and enters airways.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H319 Causes serious eye irritation.
  - H335 May cause respiratory irritation.

- **Department issuing SDS:** Abteilung Produktsicherheit
- **Abbreviations and acronyms:**

  - Flam. Liq. 3: Flammable liquids – Category 3
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
  - Skin Sens. 1B: Skin sensitisation – Category 1B
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
  - Asp. Tox. 1: Aspiration hazard – Category 1

- **\* Data compared to the previous version altered.**

GB

(Contd. on page 9)

**Trade name: RACING FORK OIL 10W**

(Contd. of page 8)

### Annex: Exposure scenario 1

- **Short title of the exposure scenario**  
*Industrial use of lubricants and greases in vehicles or machinery*
- **Sector of Use**  
*SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites*
- **Product category**  
*PC16 Heat transfer fluids*  
*PC17 Hydraulic fluids*  
*PC24 Lubricants, greases, release products*
- **Process category**  
*PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.*  
*PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions*  
*PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities*  
*PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)*
- **Environmental release category**  
*ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)*  
*ERC7 Use of functional fluid at industrial site*
- **Description of the activities / processes covered in the Exposure Scenario**  
*See section 1 of the annex to the Safety Data Sheet.*
- **Conditions of use**
- **Duration and frequency** *5 workdays/week.*
- **Physical parameters**
- **Physical state** *Fluid*
- **Concentration of the substance in the mixture** *The substance is main component.*
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** *No special measures required.*
- **Other operational conditions affecting consumer exposure** *Not required.*
- **Other operational conditions affecting consumer exposure during the use of the product**  
*Not applicable.*
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** *No special measures required.*
- **Technical protective measures** *No special measures required.*
- **Personal protective measures** *No special measures required.*
- **Measures for consumer protection** *No special measures required.*
- **Environmental protection measures**
- **Air** *No special measures required.*
- **Water** *No special measures required.*
- **Disposal measures**  
*Disposal must be made according to official regulations.*  
*Ensure that waste is collected and contained.*
- **Disposal procedures** *Dispose of product residues with household waste.*
- **Waste type** *Partially emptied and uncleaned packaging*
- **Exposure estimation**
- **Consumer** *Not relevant for this Exposure Scenario.*
- **Guidance for downstream users** *No further relevant information available.*

### Annex: Exposure scenario 2

- **Short title of the exposure scenario**  
*Professional use of lubricants and greases in vehicles or machines*

(Contd. on page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 16.01.2024

Version number 3.2 (replaces version 3.1)

Revision: 16.01.2024

**Trade name: RACING FORK OIL 10W**

(Contd. of page 9)

- **Sector of Use**  
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category**  
PC16 Heat transfer fluids  
PC17 Hydraulic fluids  
PC24 Lubricants, greases, release products
- **Process category**  
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.  
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions  
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities  
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities  
PROC20 Use of functional fluids in small devices
- **Environmental release category**  
ERC9a Widespread use of functional fluid (indoor)  
ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures**  
Disposal must be made according to official regulations.  
Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

### Annex: Exposure scenario 3

- **Short title of the exposure scenario** Private use of lubricants and greases in vehicles or machines
- **Sector of Use** SU21 Consumer uses: Private households / general public / consumers
- **Product category** PC24 Lubricants, greases, release products
- **Environmental release category**  
ERC9a Widespread use of functional fluid (indoor)  
ERC9b Widespread use of functional fluid (outdoor)

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 16.01.2024

Version number 3.2 (replaces version 3.1)

Revision: 16.01.2024

**Trade name: RACING FORK OIL 10W**

(Contd. of page 10)

- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures**  
Disposal must be made according to official regulations.  
Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

GB