



**Perfect**<sup>®</sup>  
EQUIPMENT

A close-up photograph of a male technician wearing safety glasses and a blue short-sleeved button-down shirt. He is focused on working on a vehicle's wheel hub. He is using a hammer with a yellow handle and a wrench. A black work glove with the Perfect Equipment logo is visible on his left hand. The background is dark, highlighting the technician and his work.

**WHEEL WEIGHTS**  
2015 PRODUCT CATALOG

## TABLE OF CONTENTS

---

About Us		2-3
Explaining Imbalance		4-5
Non-Lead Transition		6
Clip-On Wheel Weights	Zinc	8-9
	Steel	10-11
	Lead	12-15
Clip-On & Adhesive Installation Instructions		16
Adhesive Wheel Weights	Steel	18-19
	Lead	20-21
Clip-On Assortment Kits	Zinc	23
	Steel	24
	Lead	25
Accessories & Tools		27-29
Complete Part Number Reference		31-36

---



Factory photo from 1950's

## Serving our customers for 75 years and counting


The Perfect Equipment brand has been delivering wheel weights to customers since 1939 - longer than any other brand in the business. Founded by William P. Smissen only a few short years after the original patent for the clip-on wheel weight was issued in 1932, Perfect Equipment has been on the forefront of technology ever since. As we move forward into the next generation, we will continue our tradition of innovation and quality, and just as our tagline states, we are 'balancing the future.'




Advertisement from Automotive Digest, 1951



Engineers hard at work in the early 1960's



Original patent drawing for pre-segmented adhesive weight



Catalog page from mid-1950's already calling Perfect the World's Largest Selling Wheel Weight company

## A brand with global reach

Perfect Equipment is a brand of the WEGMANN automotive family of brands. WEGMANN automotive has a long history of success and features companies and brands all over the world. With fully owned and operated manufacturing, distribution and sales facilities strategically located worldwide, WEGMANN automotive is able to provide a supply chain advantage that no other wheel balance weight manufacturer can match.



## Committed to excellence

We are proud to manufacturer our products in certified facilities, utilizing our overall expertise to deliver high quality products to OEMs and the aftermarket.

### Some of our achievements

- ISO/TS-16949 Quality Systems Certified
- ISO-14001 Environmental Systems Certified
- Ford Q1 Certified Facility

ISO/TS **16949**

ISO **14001**



## Highest capacity available

Perfect Equipment is a global brand and with the WEGMANN automotive network of manufacturing and distribution facilities strategically located all over the globe, we feature unmatched capacity in the wheel balance industry.

ZINC TYPE	STEEL TYPE	LEAD TYPE
PZ	PST	P
AWZ	AWST	AWN
MCZ	MCST	MCN
LHZ	LHST	LH
IAWZ	IAWST	IAW
ENZ	ENST	EN
FNZ	FNST	FN
TZ	TST	TN
ADHESIVE	ADHESIVE	ADHESIVE


## Providing full lines in three different raw materials

We have been in the wheel balance weight industry for over 75 years and we constantly strive to deliver the options you need to be successful. Regardless of your material preference, we've got you covered.

# EXPLAINING IMBALANCE


## What is wheel assembly imbalance?

Nearly every wheel and every tire has some type of imbalance. When made, wheels and tires inherently feature a heavy spot, or an imbalance, which must be corrected if the wheel assembly is to roll true while driving at highway speeds. There are two types of imbalance: static imbalance and dynamic imbalance. Static imbalance is caused by a heavy-spot located on the circumference of an assembly and can cause wheel tramp, or a severe bouncing of the assembly when in motion. Dynamic imbalance is caused by a heavy-spot outside of the side-centerline of an assembly and can cause wheel shimmy, or a severe side-to-side staggering of the assembly when in motion.



## How do you correct an imbalance?

To correct, or offset, a wheel assembly imbalance a weight of some type must be applied to the opposite side of the weight imbalance area. This is true for correcting a static imbalance and a dynamic imbalance. By placing a clip-on or an adhesive wheel balance weight opposite the assemblies' heavy spot(s), the wheel assembly can now roll true.



## Smooth, comfortable ride? Only with balanced tires!


### Balanced Tires

- Improve a vehicle's ride
- Help save money on tires
- Help save money on fuel
- Recommended by most car companies
- Improve handling and braking
- Improve comfort


## Where do you install wheel weights?

There are multiple ways to dynamically balance a wheel assembly. The most common method is to attach a clip-on wheel weight to the inside and outside of the rim. You can also use adhesive wheel weights if preferred or required due to a flangeless wheel. The 6 different methods for balancing a passenger car wheel assembly are shown below.


### 6 different methods of balancing passenger car rims




1. Balancing using clip-on weights for both planes. This method requires the least mass for balancing.




2. Balancing using adhesive weights for both planes. The weights are applied to the interior and exterior rim spacer areas.




3. Both adhesive weights are applied to the interior rim spacer area.



4. On wheels without an outside rim flange, which is most common on modern style wheels, it is best to add a clip-on weight to the inner rim flange and an adhesive weight to the inner rim spacer area.



5. An adhesive weight is used on the outer rim spacer area. A clip-on weight is applied to the inner rim flange.



6. A clip-on weight is applied to the outer rim flange. An adhesive weight is used on the inner rim spacer area.

**NOTE:** Always check inside rim weights for brake caliper clearance to the weight with a minimum of 1/8"



### Employee Training

- Increases productivity
- Increases efficiency
- Increases customer satisfaction
- Decreases customer returns
- Decreases overall costs
- Shows a commitment to education

# NON-LEAD TRANSITION



## Eliminate the complexity by staying informed

Perfect Equipment continues to remain active with legislative and environmental experts to stay up-to-date on the most current lead wheel weight information available. We are dedicated to keeping you informed of changes that affect your business and providing you assistance with your non-lead transition from start to finish. With a complete wheel weight program in both zinc and steel, we offer customers a choice when switching to a non-lead alternative.

## Understand the non-lead options available

Since the beginning of the global non-lead transition, there have been two main alternatives: zinc and steel. Zinc wheel weights were one of the first alternatives and were originally developed in Europe. Steel was soon to follow as the search for available options broadened. Today, zinc is considered the industry standard material in Europe for OEMs and the aftermarket, and is increasing in popularity in other parts of the world, while steel is mostly popular among some aftermarket and OEM companies in North America and Asia. Both options offer an environmentally friendly alternative.

Perfect Equipment is proud to offer its customers the highest quality, OEM approved wheel balance weights in zinc and steel. We pride ourselves on providing our customers with the options they need to be successful.

### ZINC



- Easy to install - function and fit much like lead
- Superior corrosion resistance - will never rust!
- Softer material reduces scratching
- The most used material on a global scale
- Environmentally friendly

### STEEL



- Best steel retention in the industry
- Patented clip-to-body engagement
- Zinc-based coating helps prevent corrosion
- Used by some OEMs in North America & Asia
- Environmentally friendly



# ZINC

Zinc wheel balance weights are used by more OEMs worldwide than any other material available.

**FEATURES & BENEFITS**

- Zinc design helps to reduce rim scratches
- OEM approved clip & body designs
- More contoured appearance to improve looks & fit
- Premium powder coating provides corrosion protection
- Made in the USA
- Clear markings for easy identification

1.0 MC-ZN 28



## PROVEN PERFORMANCE

When given the choice between non-lead options, most technicians prefer zinc wheel weights because they are simply easier to work with. We tend to agree.

### PZ-Series

The most common weight for steel wheels. Will fit standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size. Also available uncoated (PZU-Series).

**Fits** Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

**Available Sizes** 0.25 oz. - 3 oz.



- For Steel Wheels
- Coated & Uncoated
- Ounces & Grams
- OEM Approved

### AWZ-Series

Used on domestic vehicles equipped with alloy rims that were manufactured prior to 1995.

**Fits** Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

**Available Sizes** 0.25 oz. - 3 oz.



- For Alloy Wheels
- Coated Only
- Ounces & Grams
- OEM Approved

### MCZ-Series

Used on most domestic vehicles equipped with alloy rims. The MCZ-Series is the most sold & installed zinc series wheel weight for alloy rims.

**Fits** Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

**Available Sizes** 0.25 oz. - 3 oz.



- For Alloy Wheels
- Coated Only
- Ounces & Grams
- OEM Approved

### LHZ-Series

Used on Chrysler vehicles and is designed to fit their unique alloy rim flange.

**Fits** All 2009 or earlier Chrysler models and some Dodge & Ram models

**Available Sizes** 0.25 oz. - 3 oz.



- For Alloy Wheels
- Coated Only
- Ounces Only
- OEM Approved

### IAWZ-Series

Used on many new Ford models, on most European vehicles and certain Asian vehicles equipped with alloy wheels.

**Fits** Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

**Available Sizes** 5g - 60g



- For Alloy Wheels
- Coated Only
- Grams Only
- OEM Approved

### ENZ-Series

Used on Audi, Mercedes-Benz, Volkswagen and very early-model Japanese vehicles equipped with alloy wheels.

**Fits** Many brands like Acura, Audi, Ford, Honda, Mercedes-Benz & Volkswagen

**Available Sizes** 10g - 60g



- For Alloy Wheels
- Coated Only
- Grams Only
- OEM Approved

### FNZ-Series

Used on most Japanese vehicles equipped with alloy wheels.

**Fits** Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

**Available Sizes** 10g - 60g



- For Alloy Wheels
- Coated Only
- Grams Only
- OEM Approved

### TZ-Series

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels.

**Fits** Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

**Available Sizes** 0.25 oz. - 3 oz.



- For Steel/Alloy Wheels
- Coated Only
- Ounces & Grams
- OEM Approved

**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.

# STEEL

Our high-quality steel clip-on design is OEM approved and time-tested.

**FEATURES & BENEFITS**

Superior look as compared to other steel products


OEM approved clip & body designs

1.0 Fe 28

Premium powder coating provides corrosion protection

Made in the USA

Clear markings for easy identification



## PST-Series

The most common weight for steel wheels. Will fit standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

**Fits** Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

**Available Sizes** 0.25 oz. - 3 oz.

**PROFILE**

For Steel Wheels

Coated Only

Ounces & Grams

OEM Approved

## AWST-Series

Used on domestic vehicles equipped with alloy rims that were manufactured prior to 1995.

**Fits** Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

**Available Sizes** 0.25 oz. - 3 oz.

**PROFILE**

For Alloy Wheels

Coated Only

Ounces & Grams

OEM Approved

## MCST-Series

Used on most domestic vehicles equipped with alloy rims. The MCST-Series is the most sold & installed steel series wheel weight for alloy rims.

**Fits** Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

**Available Sizes** 0.25 oz. - 3 oz.

**PROFILE**

For Alloy Wheels

Coated Only

Ounces & Grams

OEM Approved

## LHST-Series

Used on Chrysler vehicles and is designed to fit their unique alloy rim flange.

**Fits** All 2009 or earlier Chrysler models and some Dodge & Ram models

**Available Sizes** 0.25 oz. - 3 oz.

**PROFILE**

For Alloy Wheels

Coated Only

Ounces Only

OEM Approved

## IAWST-Series

Used on many new Ford models, on most European vehicles and certain Asian vehicles equipped with alloy wheels.

**Fits** Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

**Available Sizes** 5g - 60g

**PROFILE**

For Alloy Wheels

Coated Only

Grams Only

OEM Approved

## ENST-Series

Used on Audi, Mercedes-Benz, Volkswagen and very early-model Japanese vehicles equipped with alloy wheels.

**Fits** Many brands like Acura, Audi, Ford, Honda, Mercedes-Benz & Volkswagen

**Available Sizes** 10g - 60g

**PROFILE**

For Alloy Wheels

Coated Only

Grams Only

OEM Approved

## FNST-Series

Used on most Japanese vehicles equipped with alloy wheels.

**Fits** Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

**Available Sizes** 10g - 60g

**PROFILE**

For Alloy Wheels

Coated Only

Grams Only

OEM Approved

## TST-Series

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels.

**Fits** Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

**Available Sizes** 0.25 oz. - 3 oz.

**PROFILE**

For Steel/Alloy Wheels

Coated Only

Ounces & Grams

OEM Approved

**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.

# LEAD

Perfect Equipment has been delivering industry leading wheel weights for 75 years.

**FEATURES & BENEFITS**

Well proven design that has become the industry standard

OEM approved clip designs

Made in the USA for 75 years

1.0 P 28

Uncoated or with our premium powder coating for corrosion protection

Clear markings for easy identification



## THE INDUSTRY STANDARD

Since the very beginning we have been the leader in wheel weight technology. From the dove-tail clip to the pre-segmented adhesive weight, we helped start it all.

### PS-Series

The most common weight for steel wheels. Will fit standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size. Also available uncoated (P-Series).

**Fits** Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

**Available Sizes** 0.25 oz. - 6 oz.

**PROFILE**

For Steel Wheels

Coated & Uncoated

Ounces & Grams

### AWN-Series

Used on domestic vehicles equipped with alloy rims that were manufactured prior to 1995. Also available uncoated (AW-Series).

**Fits** Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

**Available Sizes** 0.25 oz. - 3 oz.

**PROFILE**

For Alloy Wheels

Coated & Uncoated

Ounces & Grams

### MCN-Series

Used on most domestic vehicles equipped with alloy rims. The MCN-Series is the most sold & installed lead series wheel weight for alloy rims. Also available uncoated (MC-Series).

**Fits** Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

**Available Sizes** 0.25 oz. - 4 oz.

**PROFILE**

For Alloy Wheels

Coated & Uncoated

Ounces & Grams

### LH-Series

Used on Chrysler vehicles and is designed to fit their unique alloy rim flange.

**Fits** All 2009 and earlier Chrysler models and some Dodge & Ram models

**Available Sizes** 0.25 oz. - 3 oz.

**PROFILE**

For Alloy Wheels

Coated Only

Ounces Only

### IAW-Series

Used on many new Ford models, on most European vehicles and certain Asian vehicles equipped with alloy wheels.

**Fits** Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

**Available Sizes** 5g - 60g

**PROFILE**

For Alloy Wheels

Coated Only

Grams Only

### EN-Series

Used on Audi, Mercedes-Benz, Volkswagen and very early-model Japanese vehicles equipped with alloy wheels.

**Fits** Many brands like Acura, Audi, Ford, Honda, Mercedes-Benz & Volkswagen

**Available Sizes** 10g - 60g

**PROFILE**

For Alloy Wheels

Coated Only

Grams Only

### FN-Series

Used on most Japanese vehicles equipped with alloy wheels.

**Fits** Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

**Available Sizes** 5g - 80g

**PROFILE**

For Alloy Wheels

Coated Only

Grams Only

### TN-Series

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels.

**Fits** Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

**Available Sizes** 0.25 oz. - 5 oz.

**PROFILE**

For Steel/Alloy Wheels

Coated Only

Ounces & Grams

**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.



# HEAVY-DUTY LEAD

Perfect balance your medium & heavy-duty vehicles with our heavy-duty lead wheel weights.

**FEATURES & BENEFITS**

- Available in larger sizes up to 16 oz.
- Wide body design
- Thicker clip material to help with retention
- Uncoated or with our premium powder coating for corrosion protection
- Clear markings for easy identification



## BUILT FOR THE EXTREME

When you have extra-large equipment that requires balance, you need wheel balance weights that can hold up under the pressure. We've got you covered.

### LT1-Series

The most commonly used weight on medium-duty trucks (14,000-26,000 lbs GVWR) with either tube or tubeless steel rims. Also used on mostly older light-duty trucks with thinner rim flanges that are too thick for passenger car wheel weights.

**Fits** Medium-duty steel wheels and older light-duty trucks with thicker than standard rim flanges

**Available Sizes** 0.5 oz. - 6 oz.

**PROFILE**

- For Steel Wheels
- Uncoated only
- Ounces & Grams

### I7-Series

The most commonly used weight on heavy-duty trucks (larger than 26,000 lbs GVWR) with steel rims. Also used on some older medium-duty trucks.

**Fits** Most heavy-duty & some older medium-duty trucks with steel wheels

**Available Sizes** 1 oz. - 16 oz.

**PROFILE**

- For Steel Wheels
- Uncoated only
- Ounces & Grams

### I9-Series

Specialty low-profile weight for heavy-duty trucks (larger than 26,000 lbs GVWR) with steel rims where there may be interference with steering parts. Also for use on rims that are too thick for I7-Series weights.

**Fits** Most heavy-duty & some older medium-duty trucks with steel wheels where a low profile weight is needed

**Available Sizes** 2 oz. - 12 oz.

**PROFILE**

- For Steel Wheels
- Uncoated only
- Ounces & Grams

### TAL-Series

The most common weight on light to heavy-duty trucks with alloy rims, primarily Alcoa and Accuride aluminum, tubeless truck wheels manufactured after 1983. Weight is designed to fit the disc and open side rim flanges. Also available uncoated (TALU-Series).

**Fits** Most heavy-duty & some older medium-duty trucks with alloy wheels

**Available Sizes** 2 oz. - 8 oz.

**PROFILE**

- Disc Side
- Open Side
- For Alloy Wheels
- Coated & Uncoated
- Ounces Only

### CT-Series

Specialty weight used on heavy-duty trucks with Firestone, Accuride, Budd or Goodyear tubeless alloy rims with straight flanges. Primarily used on rim widths of 6.75", 7.50" and 8.25".

**Fits** HD tubeless alloy rims from Firestone, Accuride, Budd or Goodyear

**Available Sizes** 2 oz. - 16 oz.

**PROFILE**

- For Alloy Wheels
- Uncoated Only
- Ounces & Grams

### RC-Series

Specialty weight used on heavy-duty trucks with Firestone, Accuride or Radial Commander alloy rims. It can also be used with strip-steel rims with curved flanges, such as Budd, Firestone, Goodyear and Redco.

**Fits** HD alloy rims from Firestone, Accuride or Radial Commander

**Available Sizes** 2 oz. - 12 oz.

**PROFILE**

- For Alloy Wheels
- Uncoated Only
- Ounces & Grams

**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.

# INSTALLATION INSTRUCTIONS

## Clip-on wheel weights



1. Select the correct application

Using a wheel weight application guide, select the correct application for the vehicle you are servicing. Check that the weight application is correct by testing the placement on the wheel flange.



2. Placing the weight on the rim

Place the wheel weight in the correct location of the imbalance. Prior to striking with the hammer, make sure that the top and the bottom of the clip are touching the rim flange. The body of the weight should not be touching the rim!



3. Installing the weight using a hammer

Once the wheel weight is properly aligned, strike the clip with a proper wheel weight installation hammer. Please note: striking the weight body could result in clip retention failure or weight movement.



4. Checking the weight fitment

After installing the weight, check to make sure that it is secured properly.

## Adhesive wheel weights



1. Cleaning and pre-treating the rim

Apply a suitable cleaning agent on the area where weight is to be applied. Wipe area clean and dry. Please note: Be sure to test the cleaning agent on a small area to ensure it will not damage the wheel's finish.



2. Select the correct adhesive weight size

Cut the adhesive weights or break them apart, depending on weight type, to obtain the correct amount of weight needed.



3. Applying the adhesive weight

Remove the tape backing and press the center of the weight exactly at the imbalance point. Please note: Do not touch the tape surface after peeling off the tape backing.



4. Securing the adhesive weight

Once the center of the weight is located at the imbalance point, press down on the full weight length working from the center to the left and right. Using firm hand pressure should be enough to secure the weight.


**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.

# ADHESIVE



# STEEL QUIKSTIK®

The Steel QuikStik® is used by more OEMs in North America than any other steel adhesive.



## DESIGNED FOR PROFESSIONALS

Our Steel QuikStik® adhesives feature patented innovations like the QuikTab® that make it easier to use. Simply snap, peel and stick. It's that easy.

### 200624ST QuikStik®

A low profile adhesive weight in a 3 oz. strip that features an aftermarket optimized coating for corrosion protection.

**Product Details** .25 oz. segments, 3 oz. per strip, 52 strips per box, 624 segments per box

**Product Size** Low profile, 0.1875" height, 1" width



.25 oz. Segments Aftermarket Coating

### 300360ST QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that features an aftermarket optimized coating for corrosion protection.

**Product Details** .50 oz. segments, 6 oz. per strip, 30 strips per box, 360 segments per box

**Product Size** Standard profile, 0.3125" height, 1" width



.50 oz. Segments Aftermarket Coating

### SSM600N QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that features our premium powder coating for corrosion protection.

**Product Details** .25 oz segments, 6 oz. per strip, 30 strips per box, 720 segments per box

**Product Size** Standard profile, 0.25" height, 1.125" width



.25 oz. Segments Premium Powder Coating

### 200624STR QuikStik® Roll

A low profile adhesive weight on a roll that features an aftermarket optimized coating for corrosion protection.

**Product Details** .25 oz. segments, 1,280 segments per box, 20 lb total box weight

**Product Size** Low profile, 0.1875" height, 1" width



.25 oz. Segments Aftermarket Coating

### 300360STR QuikStik® Roll

A standard profile heavy-duty adhesive weight on a roll that features an aftermarket optimized coating for corrosion protection.

**Product Details** .50 oz. segments, 640 segments per box, 20 lb total box weight

**Product Size** Standard profile, 0.3125" height, 1" width



.50 oz. Segments Aftermarket Coating

### QuikStik® Roll Stands

These rugged floor stands are made of steel and can withstand nearly any environment. The base is wide enough to prevent easy tipping and the head places the wheel weight box(es) at the perfect angle for quick and easy segment removal.

**Part Numbers**

QS2000 - Single head stand  
QS3000 - Dual head stand




### NEW Roll Box Hanger

Perfect Equipment is proud to introduce an entry-level roll box hanger that allows you to hang two rolls of any size Perfect Equipment roll box. It can hang over the edge of the balancer or most table tops. Made of durable, powder coated steel, it features detachable and moveable hanging hooks to allow it to fit just about anywhere.

**Part Numbers**

QS0500 - Roll Box Hanger




**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.

# LEAD QUIKSTIK®

Patented more than 40 years ago, our lead adhesives were the first pre-segmented adhesive available.



## CL6 QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that is made for medium & heavy-duty truck applications.

**Product Details** 1 oz. segments, 6 oz. per strip, 30 strips per box, 180 segments per box

**Product Size** Standard profile, 0.2813 height, 0.75" width



1 oz. Segments Uncoated Only

## CL12 QuikStik®

A standard profile heavy-duty adhesive weight in a 12 oz. strip that is made for medium & heavy-duty truck applications.

**Product details** 2 oz. segments, 12 oz. per strip, 8 strips per box, 48 segments per box

**Product Size** Standard profile, 0.3438" height, 1.25" width



2 oz. Segments Uncoated Only

## 100360 QuikStik®

A standard profile adhesive weight in a 3 oz. strip for use on most wheels. Also available with our premium coating (100360S). Also available with 60 strips per box, 720 segments per box (100720).

**Product Details** .25 oz. segments, 3 oz. per strip, 30 strips per box, 360 segments per box

**Product Size** Standard profile, 0.2188" height, 0.50" width



.25 oz. Segments Coated & Uncoated

## 200624 QuikStik®

A low profile adhesive weight in a 3 oz. strip for use on most wheels. Also available with our premium coating (200624N) and an uncoated short box (200624S - 48 strips per box/576 segments per box).

**Product Details** .25 oz. segments, 3 oz. per strip, 52 strips per box, 624 segments per box

**Product Size** Low profile, 0.1563" height, 0.75" width



.25 oz. Segments Coated & Uncoated

## 300360 QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that is made for medium & heavy-duty truck applications.

**Product Details** .50 oz. segments, 6 oz. per strip, 30 strips per box, 360 segments per box

**Product Size** Standard profile, 0.2813" height, 0.75" width



.50 oz. Segments Uncoated Only

**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.



# ASSORTMENTS



## CWW075Z Zinc Full-Size Assortment

The CWW075Z zinc wheel weight assortment is a comprehensive floor-standing clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

**Total Weights Included** 2,325 zinc clip-on wheel weights

**Dimensions** 36" W x 14.5" D x 67" H

### Kit Includes

- Zinc wheel weights (inclusion list on page 34)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGP1 - Two (2) passenger car rim gauges
- 18000 - 2015 Wheel Weight Catalog



## CWW155Z Zinc Table-Top Assortment

The CWW155Z zinc wheel weight assortment is a comprehensive table-top clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

**Total Weights Included** 1,525 zinc clip-on wheel weights

**Dimensions** 35.75" W x 8.25" D x 39" H

### Kit Includes

- Zinc wheel weights (inclusion list on page 34)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGP1 - Two (2) passenger car rim gauges
- 18000 - 2015 Wheel Weight Catalog

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.



### CWW075ST Steel Full-Size Assortment

The CWW075ST steel wheel weight assortment is a comprehensive floor-standing clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

**Total Weights Included** 2,325 steel clip-on wheel weights

**Dimensions** 36" W x 14.5" D x 67" H

**Kit Includes**

- Steel wheel weights (inclusion list on page 35)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGPI - Two (2) passenger car rim gauges
- 18000 - 2015 Wheel Weight Catalog



### CWW155ST Steel Table-Top Assortment

The CWW155ST steel wheel weight assortment is a comprehensive table-top clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

**Total Weights Included** 1,525 steel clip-on wheel weights

**Dimensions** 35.75" W x 8.25" D x 39" H

**Kit Includes**

- Steel wheel weights (inclusion list on page 35)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGPI - Two (2) passenger car rim gauges
- 18000 - 2015 Wheel Weight Catalog

**NOTE:** Please refer to application guide or use a rim gauge to verify all specific applications.



### CWW075 Lead Floor-Standing Assortment

The CWW075 lead wheel weight assortment is a comprehensive floor-standing clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

**Total Weights Included** 2,625 lead clip-on wheel weights

**Dimensions** 36" W x 14.5" D x 67" H

**Kit Includes**

- Lead wheel weights (inclusion list on page 36)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGPI - Two (2) passenger car rim gauges
- 18000 - 2015 Wheel Weight Catalog



### CWW155 Lead Table-Top Assortment

The CWW155 lead wheel weight master assortment is a comprehensive table-top clip-on wheel weight kit that includes seven of the standard clip types needed for nearly all of today's passenger car market (P-Series excluded).

**Total Weights Included** 1,325 lead clip-on wheel weights

**Dimensions** 35.75" W x 8.25" D x 39" H

**Kit Includes**

- Lead wheel weights (inclusion list on page 36)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGPI - Two (2) passenger car rim gauges
- 18000 - 2015 Wheel Weight Catalog

### Empty Rack Kits


Empty rack kits include everything as shown with the full kits except for the soft-head hammer and the wheel weights.

**Part Numbers**

- CWW075E - Lead & non-lead full-size assortment empty kit
- CWW155NLE - Non-lead table-top assortment empty kit
- CWW155E - Lead table-top assortment empty kit

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.

# ACCESSORIES & TOOLS



## 2015 Wheel Weight Catalog

Additional copies of this full-line catalog are available.

Part Number 18000



## OEM Alloy Clip-On Application Wall Chart

This wall chart provides clip type application data for OE alloy rims for passenger cars and light trucks. Chart comes pre-folded.

Part Number 18027

Dimensions 34" W x 22" H



## OEM Alloy Clip-On Application Guide

This guide provides clip type application data for OE alloy rims for passenger cars and light trucks.

Part Number 18082



## Rim Gauges

Rim gauges should be used when proper applications can not be found in the application guide.

Part Numbers

RGP1 - Passenger car & light truck

RG2 - Medium & heavy-duty truck

**NOTE:** Find individual part numbers for each product shown in this catalog in the part number reference.



### 25K Pliers

This light-duty wheel weight installation and removal tool is the industry standard for uncoated lead clip-on style wheel weights. Plastic-coated handles provide a better grip.

Part Number 25K



### 50K & 50KE Pliers

This European designed clip-on wheel weight installation and removal tool features a "Clip Claw" crowbar, punch-designed handles, and a heavier hammer head. Made from forged vanadium steel for exceptional durability. The 50KE is an economical version of the 50K, where forged strength and durability are not of critical concern.

Part Number 50K & 50KE



### 71K Pliers

Known as "The Protector," this wheel weight installation and removal tool is to be used on coated clip-on wheel weights. This tool comes with a unique replaceable "soft head" face design that facilitates the installation and removal of wheel weights without damaging the wheel or the weight.

Part Number 71K  
(5 qty replacement faces - 71P)



### PT7 Pliers

Primarily used for large truck steel clip-on wheel weights. Designed by mechanics for mechanics. The "Clip Claw" design is ideal for removing weights that have minimum tire/wheel flange clearance. Extra-heavy hammer weight simplifies the installation of larger weights. Plastic-coated handles provide a better grip and a comfortable feel.

Part Number PT7



### TR10 Removal Tool

This heavy-duty, hardened steel removal tool even makes taking off the toughest weights easy.

Part Number TR10



### 75K Alloy Hammer

Used for the installation of coated clip-on wheel weights. This hammer features a replaceable soft acetate hammer face. The wooden handle has a natural lacquer finish. The cast steel head has an enamel finish and the rear mounted & replaceable, hardened steel "Clip Claw" horn quickly removes old weights.

Part Number 75K  
(75H - 5 qty replacement horns)  
(75P - 5 qty replacement faces)



### 95K Alloy Hammer

Specifically designed to install TAL clip-on wheel weights. The extra-heavy hammer weight provides the additional striking force needed to install TAL weights. The small diameter, soft-tip hammer face allows for concentration of the force precisely on the clip. The dual head increases longevity and efficiency.

Part Number 95K



### 105K Alloy Hammer

The 105K is the preferred non-lead clip-on installation and removal tool. This hammer features a replaceable soft acetate hammer face. The cast steel head has an enamel finish and the rear mounted & removable, hardened steel "Clip Claw" horn quickly removes old weights.

Part Number 105K  
(105HSD - 1 qty standard replacement horn)  
(105HST - 1 qty short replacement horn)



### QSS1 QuikStik® Adhesive Scraper

This adhesive wheel weight removal tool is the industry standard.

Part Number QSS1



# PART NUMBER REFERENCE

## Zinc Clip-On AS SEEN ON PAGES 8-9

Part No.	Size	Pcs/box
■ P025Z	0.25 oz.	25
P050Z	0.50 oz.	25
P075Z	0.75 oz.	25
P100Z	1.00 oz.	25
P125Z	1.25 oz.	25
P150Z	1.50 oz.	25
P175Z	1.75 oz.	25
P200Z	2.00 oz.	25
P225Z	2.25 oz.	25
P250Z	2.5 oz.	25
P275Z	2.75 oz.	25
P300Z	3.00 oz.	25
■ P025ZU	0.25 oz.	25
P050ZU	0.50 oz.	25
P075ZU	0.75 oz.	25
P100ZU	1.00 oz.	25
P125ZU	1.25 oz.	25
P150ZU	1.50 oz.	25
P175ZU	1.75 oz.	25
P200ZU	2.00 oz.	25
P225ZU	2.25 oz.	25
P250ZU	2.50 oz.	25
P275ZU	2.75 oz.	25
P300ZU	3.00 oz.	25
■ AW025S*	0.25 oz.	25
AW050Z	0.50 oz.	25
AW075Z	0.75 oz.	25

Part No.	Size	Pcs/box
■ AW100Z	1.00 oz.	25
AW125Z	1.25 oz.	25
AW150Z	1.50 oz.	25
AW175Z	1.75 oz.	25
AW200Z	2.00 oz.	25
AW225Z	2.25 oz.	25
AW250Z	2.50 oz.	25
AW275Z	2.75 oz.	25
AW300Z	3.00 oz.	25
■ MC025S*	0.25 oz.	25
MC050Z	0.50 oz.	25
MC075Z	0.75 oz.	25
MC100Z	1.00 oz.	25
MC125Z	1.25 oz.	25
MC150Z	1.50 oz.	25
MC175Z	1.75 oz.	25
MC200Z	2.00 oz.	25
MC225Z	2.25 oz.	25
MC250Z	2.50 oz.	25
MC275Z	2.75 oz.	25
MC300Z	3.00 oz.	25
■ LHO25Z	0.25 oz.	25
LHO50Z	0.50 oz.	25
LHO75Z	0.75 oz.	25
LH100Z	1.00 oz.	25
LH125Z	1.25 oz.	25
LH150Z	1.50 oz.	25

Part No.	Size	Pcs/box
■ LH175Z	1.75 oz.	25
LH200Z	2.00 oz.	25
LH225Z	2.25 oz.	25
LH250Z	2.50 oz.	25
LH275Z	2.75 oz.	25
LH300Z	3.00 oz.	25
■ IAW005S*	5 g	25
IAW010Z	10 g	25
IAW015Z	15 g	25
IAW020Z	20 g	25
IAW025Z	25 g	25
IAW030Z	30 g	25
IAW035Z	35 g	25
IAW040Z	40 g	25
IAW045Z	45 g	25
IAW050Z	50 g	25
IAW055Z	55 g	25
IAW060Z	60 g	25
■ ENO10Z	10 g	25
ENO15Z	15 g	25
ENO20Z	20 g	25
ENO25Z	25 g	25
ENO30Z	30 g	25
ENO35Z	35 g	25
ENO40Z	40 g	25
ENO45Z	45 g	25
ENO50Z	50 g	25

Part No.	Size	Pcs/box
■ ENO55Z	55 g	25
ENO60Z	60 g	25
■ FN010Z	10 g	25
FN015Z	15 g	25
FN020Z	20 g	25
FN025Z	25 g	25
FN030Z	30 g	25
FN035Z	35 g	25
FN040Z	40 g	25
FN045Z	45 g	25
FN050Z	50 g	25
FN055Z	55 g	25
FN060Z	60 g	25
■ TO25S*	0.25 oz.	25
TO50Z	0.50 oz.	25
TO75Z	0.75 oz.	25
T100Z	1.00 oz.	25
T125Z	1.25 oz.	25
T150Z	1.50 oz.	25
T175Z	1.75 oz.	25
T200Z	2.00 oz.	25
T225Z	2.25 oz.	25
T250Z	2.50 oz.	25
T275Z	2.75 oz.	25
T300Z	3.00 oz.	25

\* Some Zinc series use the 0.25 oz./5 g weight from the Steel series

## Steel Clip-On AS SEEN ON PAGES 10-11

Part No.	Size	Pcs/box
■ P025ST	0.25 oz.	25
P050ST	0.50 oz.	25
P075ST	0.75 oz.	25
P100ST	1.00 oz.	25
P125ST	1.25 oz.	25
P150ST	1.50 oz.	25
P175ST	1.75 oz.	25
P200ST	2.00 oz.	25
P225ST	2.25 oz.	25
P250ST	2.50 oz.	25
P275ST	2.75 oz.	25
P300ST	3.00 oz.	25
■ AW025S	0.25 oz.	25
AW050ST	0.50 oz.	25
AW075ST	0.75 oz.	25
AW100ST	1.00 oz.	25
AW125ST	1.25 oz.	25
AW150ST	1.50 oz.	25
AW175ST	1.75 oz.	25
AW200ST	2.00 oz.	25
AW225ST	2.25 oz.	25
AW250ST	2.50 oz.	25
AW275ST	2.75 oz.	25
AW300ST	3.00 oz.	25

Part No.	Size	Pcs/box
■ MC025S	0.25 oz.	25
MC050ST	0.50 oz.	25
MC075ST	0.75 oz.	25
MC100ST	1.00 oz.	25
MC125ST	1.25 oz.	25
MC150ST	1.50 oz.	25
MC175ST	1.75 oz.	25
MC200ST	2.00 oz.	25
MC225ST	2.25 oz.	25
MC250ST	2.50 oz.	25
MC275ST	2.75 oz.	25
MC300ST	3.00 oz.	25
■ LHO25ST	0.25 oz.	25
LHO50ST	0.50 oz.	25
LHO75ST	0.75 oz.	25
LH100ST	1.00 oz.	25
LH125ST	1.25 oz.	25
LH150ST	1.50 oz.	25
LH175ST	1.75 oz.	25
LH200ST	2.00 oz.	25
LH225ST	2.25 oz.	25
LH250ST	2.50 oz.	25
LH275ST	2.75 oz.	25
LH300ST	3.00 oz.	25

Part No.	Size	Pcs/box
■ IAW005S	5 g	25
IAW010ST	10 g	25
IAW015ST	15 g	25
IAW020ST	20 g	25
IAW025ST	25 g	25
IAW030ST	30 g	25
IAW035ST	35 g	25
IAW040ST	40 g	25
IAW045ST	45 g	25
IAW050ST	50 g	25
IAW055ST	55 g	25
IAW060ST	60 g	25
■ ENO10ST	10 g	25
ENO15ST	15 g	25
ENO20ST	20 g	25
ENO25ST	25 g	25
ENO30ST	30 g	25
ENO35ST	35 g	25
ENO40ST	40 g	25
ENO45ST	45 g	25
ENO50ST	50 g	25
ENO55ST	55 g	25
ENO60ST	60 g	25

Part No.	Size	Pcs/box
■ FN010ST	10 g	25
FN015ST	15 g	25
FN020ST	20 g	25
FN025ST	25 g	25
FN030ST	30 g	25
FN035ST	35 g	25
FN040ST	40 g	25
FN045ST	45 g	25
FN050ST	50 g	25
FN055ST	55 g	25
FN060ST	60 g	25
■ TO25S	0.25 oz.	25
TO50ST	0.50 oz.	25
TO75ST	0.75 oz.	25
T100ST	1.00 oz.	25
T125ST	1.25 oz.	25
T150ST	1.50 oz.	25
T175ST	1.75 oz.	25
T200ST	2.00 oz.	25
T225ST	2.25 oz.	25
T250ST	2.50 oz.	25
T275ST	2.75 oz.	25
T300ST	3.00 oz.	25

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

**Lead Clip-On** AS SEEN ON PAGES 12-13

**Uncoated**

Part No.	Size	Pcs/box
PO25	0.25 oz.	50
PO50	0.50 oz.	50
PO75	0.75 oz.	50
P100	1.00 oz.	50
P125	1.25 oz.	50
P150	1.50 oz.	50
P175	1.75 oz.	50
P200	2.00 oz.	50
P225	2.25 oz.	50
P250	2.50 oz.	50
P275	2.75 oz.	50
P300	3.00 oz.	50
P325	3.25 oz.	25
P350	3.50 oz.	25
P375	3.75 oz.	25
P400	4.00 oz.	25
P450	4.50 oz.	25
P500	5.00 oz.	25
P550	5.50 oz.	25
P600	6.00 oz.	25
AWO25	0.25 oz.	50
AWO50	0.50 oz.	50
AWO75	0.75 oz.	50
AW100	1.00 oz.	50
AW125	1.25 oz.	50
AW150	1.50 oz.	50
AW175	1.75 oz.	50
AW200	2.00 oz.	50
AW225	2.25 oz.	50
AW250	2.50 oz.	50
AW275	2.75 oz.	50
AW300	3.00 oz.	50
MCO25	0.25 oz.	50
MCO50	0.50 oz.	50
MCO75	0.75 oz.	50
MC100	1.00 oz.	50
MC125	1.25 oz.	50
MC150	1.50 oz.	50
MC175	1.75 oz.	50
MC200	2.00 oz.	50
MC225	2.25 oz.	50
MC250	2.50 oz.	50
MC275	2.75 oz.	50
MC300	3.00 oz.	50

**Coated**

Part No.	Size	Pcs/box
PO25S	0.25 oz.	25
PO50S	0.50 oz.	25
PO75S	0.75 oz.	25
P100S	1.00 oz.	25
P125S	1.25 oz.	25
P150S	1.50 oz.	25
P175S	1.75 oz.	25
P200S	2.00 oz.	25
P225S	2.25 oz.	25
P250S	2.50 oz.	25
P275S	2.75 oz.	25
P300S	3.00 oz.	25
P325S	3.25 oz.	25
P350S	3.50 oz.	25
P375S	3.75 oz.	25
P400S	4.00 oz.	25
P450S	4.50 oz.	25
P500S	5.00 oz.	25
P550S	5.50 oz.	25
P600S	6.00 oz.	25
AWO25N	0.25 oz.	25
AWO50N	0.50 oz.	25
AWO75N	0.75 oz.	25
AW100N	1.00 oz.	25
AW125N	1.25 oz.	25
AW150N	1.50 oz.	25
AW175N	1.75 oz.	25
AW200N	2.00 oz.	25
AW225N	2.25 oz.	25
AW250N	2.50 oz.	25
AW275N	2.75 oz.	25
AW300N	3.00 oz.	25
MCO25N	0.25 oz.	25
MCO50N	0.50 oz.	25
MCO75N	0.75 oz.	25
MC100N	1.00 oz.	25
MC125N	1.25 oz.	25
MC150N	1.50 oz.	25
MC175N	1.75 oz.	25
MC200N	2.00 oz.	25
MC225N	2.25 oz.	25
MC250N	2.50 oz.	25
MC275N	2.75 oz.	25
MC300N	3.00 oz.	25
MC325N	3.25 oz.	25
MC350N	3.50 oz.	25
MC375N	3.75 oz.	25
MC400N	4.00 oz.	25

Part No.	Size	Pcs/box
LHO25	0.25 oz.	25
LHO50	0.50 oz.	25
LHO75	0.75 oz.	25
LH100	1.00 oz.	25
LH125	1.25 oz.	25
LH150	1.50 oz.	25
LH175	1.75 oz.	25
LH200	2.00 oz.	25
LH225	2.25 oz.	25
LH250	2.50 oz.	25
LH275	2.75 oz.	25
LH300	3.00 oz.	25
IAWO05	5 g	25
IAWO10	10 g	25
IAWO15	15 g	25
IAWO20	20 g	25
IAWO25	25 g	25
IAWO30	30 g	25
IAWO35	35 g	25
IAWO40	40 g	25
IAWO45	45 g	25
IAWO50	50 g	25
IAWO55	55 g	25
IAWO60	60 g	25
ENO10	10 g	25
ENO15	15 g	25
ENO20	20 g	25
ENO25	25 g	25
ENO30	30 g	25
ENO35	35 g	25
ENO40	40 g	25
ENO45	45 g	25
ENO50	50 g	25
ENO55	55 g	25
ENO60	60 g	25
FNO05	5 g	25
FNO05S*	5 g	25
FNO75	7.5 g	25
FNO10	10 g	25
FNO125	12.5 g	25
FNO15	15 g	25
FNO175	17.5 g	25
FNO20	20 g	25
FNO225	22.5 g	25
FNO25	25 g	25
FNO275	27.5 g	25
FNO30	30 g	25
FNO325	32.5 g	25
FNO35	35 g	25
FNO375	37.5 g	25
FNO40	40 g	25
FNO45	45 g	25
FNO50	50 g	25
FNO55	55 g	25
FNO60	60 g	25
FNO65	65 g	25
FNO70	70 g	25
FNO75	75 g	25
FNO80	80 g	25

Part No.	Size	Pcs/box
TO25N	0.25 oz.	25
TO50N	0.50 oz.	25
TO75N	0.75 oz.	25
T100N	1.00 oz.	25
T125N	1.25 oz.	25
T150N	1.50 oz.	25
T175N	1.75 oz.	25
T200N	2.00 oz.	25
T225N	2.25 oz.	25
T250N	2.50 oz.	25
T275N	2.75 oz.	25
T300N	3.00 oz.	25
T325N	3.25 oz.	25
T350N	3.50 oz.	25
T375N	3.75 oz.	25
T400N	4.00 oz.	25
T450N	4.50 oz.	25
T500N	5.00 oz.	25

**Heavy-Duty Lead** AS SEEN ON PAGES 14-15

Part No.	Size	Pcs/box
RCO20	2.00 oz.	25
RCO30	3.00 oz.	25
RCO40	4.00 oz.	25
RCO60	6.00 oz.	25
RCO80	8.00 oz.	25
RC100	10.00 oz.	20
RC120	12.00 oz.	20
CTO20	2.00 oz.	25
CTO30	3.00 oz.	25
CTO40	4.00 oz.	25
CTO60	6.00 oz.	25
CTO80	8.00 oz.	25
CT100	10.00 oz.	20
CT120	12.00 oz.	20
CT140	14.00 oz.	10
CT160	16.00 oz.	10
TALO20	2.00 oz.	25
TALO30	3.00 oz.	25
TALO40	4.00 oz.	25
TALO60	6.00 oz.	25
TALO80	8.00 oz.	25
TALO30U	3.00 oz.	25
TALO40U	4.00 oz.	25
TALO60U	6.00 oz.	25
TALO80U	8.00 oz.	25

Part No.	Size	Pcs/box
LT1005	0.50 oz.	25
LT1010	1.00 oz.	25
LT1015	1.50 oz.	25
LT1020	2.00 oz.	25
LT1025	2.50 oz.	25
LT1030	3.00 oz.	25
LT1035	3.50 oz.	25
LT1040	4.00 oz.	25
LT1045	4.50 oz.	25
LT1050	5.00 oz.	25
LT1060	6.00 oz.	25
I7010	1.00 oz.	25
I7015	1.50 oz.	25
I7020	2.00 oz.	25
I7025	2.50 oz.	25
I7030	3.00 oz.	25
I7035	3.50 oz.	25
I7040	4.00 oz.	25
I7050	5.00 oz.	25
I7060	6.00 oz.	25
I7080	8.00 oz.	25
I7100	10.00 oz.	20
I7120	12.00 oz.	20
I7140	14.00 oz.	10
I7160	16.00 oz.	10

Part No.	Size	Pcs/box
I9020	2.00 oz.	25
I9030	3.00 oz.	25
I9040	4.00 oz.	25
I9060	6.00 oz.	25
I9080	8.00 oz.	25
I9100	10.00 oz.	20
I9120	12.00 oz.	20

**All Adhesives** AS SEEN ON PAGES 18-21

Part No.	Material	Segment Size	Strip Size	Pcs/box
200624ST	Steel	0.25 oz.	3.00 oz.	52
300360ST	Steel	0.50 oz.	6.00 oz.	30
SSM600N	Steel	0.25 oz.	6.00 oz.	30
200624STR	Steel	0.25 oz.	1,280 segments	20lb Roll
300360STR	Steel	0.50 oz.	640 segments	20lb Roll
100360	Lead	0.25 oz.	3.00 oz.	30
100360S (coated)	Lead	0.25 oz.	3.00 oz.	30

Part No.	Material	Segment Size	Strip Size	Pcs/box
100720	Lead	0.25 oz.	3.00 oz.	60
300360	Lead	0.50 oz.	6.00 oz.	30
200624	Lead	0.25 oz.	3.00 oz.	52
200624N (coated)	Lead	0.25 oz.	3.00 oz.	52
200624S	Lead	0.25 oz.	3.00 oz.	48
CL6	Lead	1.00 oz.	6.00 oz.	30
CL12	Lead	2.00 oz.	12.00 oz.	8

**Accessories & Tools** AS SEEN ON PAGES 27-29

Part No.	Description
25K	Wheel Weight Pliers
50K	Wheel Weight Pliers
50KE	Wheel Weight Pliers - Economy
71K	Wheel Weight Pliers w/ "Soft Head"
71P	Replacement "Soft Heads" (5) For 71K
75K	Wheel Weight Hammer w/ "Soft Head"
75P	Replacement "Soft Heads" (5) For 75K
75H	Replacement Removal Horns (5) for 75K & 105K
95K	TAL Dual Wheel Weight Hammer
PT7	Wheel Weight Pliers - Truck
105K	Non-Lead Wheel Weight Hammer
105HSD	Standard to Long Replacement Hook
105HST	Short Replacement Hook

Part No.	Description
QSS1	QuikStik® Adhesive Scraper
QS2000	Steel Weight Roll Stand - Single Head
QS3000	Steel Weight Roll Stand - Dual Head
TR-10	Wheel Weight Removal Tool
RG2	Heavy-Duty Truck Rim Flange Gauge
RGP1	Passenger Car Rim Flange Gauge
18027	OE Alloy Application Wall Chart
18082	OE Alloy Application Guide
18000	2015 Perfect Equipment Catalog

\* Also available as 5g clip only steel clip weight

**CWW075Z - Zinc Full-Size Assortment** AS SEEN ON PAGE 23

The CWW075Z zinc wheel weight assortment is a comprehensive floor-standing clip-on wheel weight kit. Kit includes a total of 2,325 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
PO25ZU	0.25 oz.	25	MCO25S	0.25 oz.	25	IAW010Z	10 g	25	FNO10Z	10 g	25
PO50ZU	0.50 oz.	25	MC050Z	0.50 oz.	25	IAW015Z	15 g	25	FNO15Z	15 g	25
PO75ZU	0.75 oz.	25	MC075Z	0.75 oz.	25	IAW020Z	20 g	25	FNO20Z	20 g	25
P100ZU	1.00 oz.	25	MC100Z	1.00 oz.	25	IAW025Z	25 g	25	FNO25Z	25 g	25
P125ZU	1.25 oz.	25	MC125Z	1.25 oz.	25	IAW030Z	30 g	25	FNO30Z	30 g	25
P150ZU	1.50 oz.	25	MC150Z	1.50 oz.	25	IAW035Z	35 g	25	FNO35Z	35 g	25
P175ZU	1.75 oz.	25	MC175Z	1.75 oz.	25	IAW040Z	40 g	25	FNO40Z	40 g	25
P200ZU	2.00 oz.	25	MC200Z	2.00 oz.	25	IAW045Z	45 g	25	FNO45Z	45 g	25
P225ZU	2.25 oz.	25	MC225Z	2.25 oz.	25	IAW050Z	50 g	25	FNO50Z	50 g	25
P250ZU	2.50 oz.	25	MC250Z	2.50 oz.	25	IAW055Z	55 g	25	FNO55Z	55 g	25
P275ZU	2.75 oz.	25	MC275Z	2.75 oz.	25	IAW060Z	60 g	25	FNO60Z	60 g	25
P300ZU	3.00 oz.	25	MC300Z	3.00 oz.	25	ENO10Z	10 g	25	TO25S	0.25 oz.	25
AWO25S	0.25 oz.	25	LHO25Z	0.25 oz.	25	ENO15Z	15 g	25	TO50Z	0.50 oz.	25
AWO50Z	0.50 oz.	25	LHO50Z	0.50 oz.	25	ENO20Z	20 g	25	TO75Z	0.75 oz.	25
AWO75Z	0.75 oz.	25	LHO75Z	0.75 oz.	25	ENO25Z	25 g	25	T100Z	1.00 oz.	25
AW100Z	1.00 oz.	25	LH100Z	1.00 oz.	25	ENO30Z	30 g	25	T125Z	1.25 oz.	25
AW125Z	1.25 oz.	25	LH125Z	1.25 oz.	25	ENO35Z	35 g	25	T150Z	1.50 oz.	25
AW150Z	1.50 oz.	25	LH150Z	1.50 oz.	25	ENO40Z	40 g	25	T175Z	1.75 oz.	25
AW175Z	1.75 oz.	25	LH175Z	1.75 oz.	25	ENO45Z	45 g	25	T200Z	2.00 oz.	25
AW200Z	2.00 oz.	25	LH200Z	2.00 oz.	25	ENO50Z	50 g	25	T225Z	2.25 oz.	25
AW225Z	2.25 oz.	25	LH225Z	2.25 oz.	25	ENO55Z	55 g	25	T250Z	2.50 oz.	25
AW250Z	2.50 oz.	25	LH250Z	2.50 oz.	25	ENO60Z	60 g	25	T275Z	2.75 oz.	25
AW275Z	2.75 oz.	25	LH275Z	2.75 oz.	25				T300Z	3.00 oz.	25
AW300Z	3.00 oz.	25	LH300Z	3.00 oz.	25						

**CWW155Z - Zinc Table-Top Assortment** AS SEEN ON PAGE 23

The CWW155Z zinc wheel weight assortment is a comprehensive table-top clip-on wheel weight kit. Kit includes a total of 1,525 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
PO25ZU	0.25 oz.	25	MCO25S	0.25 oz.	25	IAW010Z	10 g	25	FNO10Z	10 g	25
PO50ZU	0.50 oz.	25	MC050Z	0.50 oz.	25	IAW015Z	15 g	25	FNO15Z	15 g	25
PO75ZU	0.75 oz.	25	MC075Z	0.75 oz.	25	IAW020Z	20 g	25	FNO20Z	20 g	25
P100ZU	1.00 oz.	25	MC100Z	1.00 oz.	25	IAW025Z	25 g	25	FNO25Z	25 g	25
P125ZU	1.25 oz.	25	MC125Z	1.25 oz.	25	IAW030Z	30 g	25	FNO30Z	30 g	25
P150ZU	1.50 oz.	25	MC150Z	1.50 oz.	25	IAW035Z	35 g	25	FNO35Z	35 g	25
P175ZU	1.75 oz.	25	MC175Z	1.75 oz.	25	IAW040Z	40 g	25	FNO40Z	40 g	25
P200ZU	2.00 oz.	25	MC200Z	2.00 oz.	25	ENO10Z	10 g	25	TO25S	0.25 oz.	25
AWO25S	0.25 oz.	25	LHO25Z	0.25 oz.	25	ENO15Z	15 g	25	TO50Z	0.50 oz.	25
AWO50Z	0.50 oz.	25	LHO50Z	0.50 oz.	25	ENO20Z	20 g	25	TO75Z	0.75 oz.	25
AWO75Z	0.75 oz.	25	LHO75Z	0.75 oz.	25	ENO25Z	25 g	25	T100Z	1.00 oz.	25
AW100Z	1.00 oz.	25	LH100Z	1.00 oz.	25	ENO30Z	30 g	25	T125Z	1.25 oz.	25
AW125Z	1.25 oz.	25	LH125Z	1.25 oz.	25	ENO35Z	35 g	25	T150Z	1.50 oz.	25
AW150Z	1.50 oz.	25	LH150Z	1.50 oz.	25	ENO40Z	40 g	25	T175Z	1.75 oz.	25
AW175Z	1.75 oz.	25	LH175Z	1.75 oz.	25				T200Z	2.00 oz.	25
AW200Z	2.00 oz.	25	LH200Z	2.00 oz.	25						

**CWW075ST - Steel Full-Size Assortment** AS SEEN ON PAGE 24

The CWW075ST steel wheel weight assortment is a comprehensive full-size clip-on wheel weight kit. Kit includes a total of 2,325 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
PO25ST	0.25 oz.	25	MCO25S	0.25 oz.	25	IAW010ST	10 g	25	FNO10ST	10 g	25
PO50ST	0.50 oz.	25	MC050ST	0.50 oz.	25	IAW015ST	15 g	25	FNO15ST	15 g	25
PO75ST	0.75 oz.	25	MC075ST	0.75 oz.	25	IAW020ST	20 g	25	FNO20ST	20 g	25
P100ST	1.00 oz.	25	MC100ST	1.00 oz.	25	IAW025ST	25 g	25	FNO25ST	25 g	25
P125ST	1.25 oz.	25	MC125ST	1.25 oz.	25	IAW030ST	30 g	25	FNO30ST	30 g	25
P150ST	1.50 oz.	25	MC150ST	1.50 oz.	25	IAW035ST	35 g	25	FNO35ST	35 g	25
P175ST	1.75 oz.	25	MC175ST	1.75 oz.	25	IAW040ST	40 g	25	FNO40ST	40 g	25
P200ST	2.00 oz.	25	MC200ST	2.00 oz.	25	IAW045ST	45 g	25	FNO45ST	45 g	25
P225ST	2.25 oz.	25	MC225ST	2.25 oz.	25	IAW050ST	50 g	25	FNO50ST	50 g	25
P250ST	2.50 oz.	25	MC250ST	2.50 oz.	25	IAW055ST	55 g	25	FNO55ST	55 g	25
P275ST	2.75 oz.	25	MC275ST	2.75 oz.	25	IAW060ST	60 g	25	FNO60ST	60 g	25
P300ST	3.00 oz.	25	MC300ST	3.00 oz.	25	ENO10ST	10 g	25	TO25S	0.25 oz.	25
AWO25S	0.25 oz.	25	LHO25ST	0.25 oz.	25	ENO15ST	15 g	25	TO50ST	0.50 oz.	25
AWO50ST	0.50 oz.	25	LHO50ST	0.50 oz.	25	ENO20ST	20 g	25	TO75ST	0.75 oz.	25
AWO75ST	0.75 oz.	25	LHO75ST	0.75 oz.	25	ENO25ST	25 g	25	T100ST	1.00 oz.	25
AW100ST	1.00 oz.	25	LH100ST	1.00 oz.	25	ENO30ST	30 g	25	T125ST	1.25 oz.	25
AW125ST	1.25 oz.	25	LH125ST	1.25 oz.	25	ENO35ST	35 g	25	T150ST	1.50 oz.	25
AW150ST	1.50 oz.	25	LH150ST	1.50 oz.	25	ENO40ST	40 g	25	T175ST	1.75 oz.	25
AW175ST	1.75 oz.	25	LH175ST	1.75 oz.	25	ENO45ST	45 g	25	T200ST	2.00 oz.	25
AW200ST	2.00 oz.	25	LH200ST	2.00 oz.	25	ENO50ST	50 g	25	T225ST	2.25 oz.	25
AW225ST	2.25 oz.	25	LH225ST	2.25 oz.	25	ENO55ST	55 g	25	T250ST	2.50 oz.	25
AW250ST	2.50 oz.	25	LH250ST	2.50 oz.	25	ENO60ST	60 g	25	T275ST	2.75 oz.	25
AW275ST	2.75 oz.	25	LH275ST	2.75 oz.	25				T300ST	3.00 oz.	25
AW300ST	3.00 oz.	25	LH300ST	3.00 oz.	25						

**CWW155ST - Steel Table-Top Assortment** AS SEEN ON PAGE 24

The CWW155ST steel wheel weight assortment is a comprehensive table-top clip-on wheel weight kit. Kit includes a total of 1,525 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
PO25ST	0.25 oz.	25	MCO25S	0.25 oz.	25	IAW010ST	10 g	25	FNO10ST	10 g	25
PO50ST	0.50 oz.	25	MC050ST	0.50 oz.	25	IAW015ST	15 g	25	FNO15ST	15 g	25
PO75ST	0.75 oz.	25	MC075ST	0.75 oz.	25	IAW020ST	20 g	25	FNO20ST	20 g	25
P100ST	1.00 oz.	25	MC100ST	1.00 oz.	25	IAW025ST	25 g	25	FNO25ST	25 g	25
P125ST	1.25 oz.	25	MC125ST	1.25 oz.	25	IAW030ST	30 g	25	FNO30ST	30 g	25
P150ST	1.50 oz.	25	MC150ST	1.50 oz.	25	IAW035ST	35 g	25	FNO35ST	35 g	25
P175ST	1.75 oz.	25	MC175ST	1.75 oz.	25	IAW040ST	40 g	25	FNO40ST	40 g	25
P200ST	2.00 oz.	25	MC200ST	2.00 oz.	25	ENO10ST	10 g	25	TO25S	0.25 oz.	25
AWO25S	0.25 oz.	25	LHO25ST	0.25 oz.	25	ENO15ST	15 g	25	TO50ST	0.50 oz.	25
AWO50ST	0.50 oz.	25	LHO50ST	0.50 oz.	25	ENO20ST	20 g	25	TO75ST	0.75 oz.	25
AWO75ST	0.75 oz.	25	LHO75ST	0.75 oz.	25	ENO25ST	25 g	25	T100ST	1.00 oz.	25
AW100ST	1.00 oz.	25	LH100ST	1.00 oz.	25	ENO30ST	30 g	25	T125ST	1.25 oz.	25
AW125ST	1.25 oz.	25	LH125ST	1.25 oz.	25	ENO35ST	35 g	25	T150ST	1.50 oz.	25
AW150ST	1.50 oz.	25	LH150ST	1.50 oz.	25	ENO40ST	40 g	25	T175ST	1.75 oz.	25
AW175ST	1.75 oz.	25	LH175ST	1.75 oz.	25				T200ST	2.00 oz.	25
AW200ST	2.00 oz.	25	LH200ST	2.00 oz.	25						

## CWW075 - Lead Full-Size Assortment AS SEEN ON PAGE 25

The CWW075 lead wheel weight assortment is a comprehensive floor-standing clip-on wheel weight kit. Kit includes a total of 2,625 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	O75	Part No.	Size	O75	Part No.	Size	O75
■ P025	0.25 oz.	50	■ MCO25N	0.25 oz.	25	■ IAW010	10 g	25	■ FNO10	10 g	25
P050	0.50 oz.	50	MC050N	0.50 oz.	25	IAW015	15 g	25	FN015	15 g	25
P075	0.75 oz.	50	MC075N	0.75 oz.	25	IAW020	20 g	25	FN020	20 g	25
P100	1.00 oz.	50	MC100N	1.00 oz.	25	IAW025	25 g	25	FN025	25 g	25
P125	1.25 oz.	50	MC125N	1.25 oz.	25	IAW030	30 g	25	FN030	30 g	25
P150	1.50 oz.	50	MC150N	1.50 oz.	25	IAW035	35 g	25	FN035	35 g	25
P175	1.75 oz.	50	MC175N	1.75 oz.	25	IAW040	40 g	25	FN040	40 g	25
P200	2.00 oz.	50	MC200N	2.00 oz.	25	IAW045	45 g	25	FN045	45 g	25
P225	2.25 oz.	50	MC225N	2.25 oz.	25	IAW050	50 g	25	FN050	50 g	25
P250	2.50 oz.	50	MC250N	2.50 oz.	25	IAW055	55 g	25	FN055	55 g	25
P275	2.75 oz.	50	MC275N	2.75 oz.	25	IAW060	60 g	25	FN060	60 g	25
P300	3.00 oz.	50	MC300N	3.00 oz.	25	■ ENO10	10 g	25	■ TO25N	0.25 oz.	25
■ AW025N	0.25 oz.	25	■ LHO25	0.25 oz.	25	ENO15	15 g	25	TO50N	0.50 oz.	25
AW050N	0.50 oz.	25	LHO50	0.50 oz.	25	ENO20	20 g	25	TO75N	0.75 oz.	25
AW075N	0.75 oz.	25	LHO75	0.75 oz.	25	ENO25	25 g	25	T100N	1.00 oz.	25
AW100N	1.00 oz.	25	LH100	1.00 oz.	25	ENO30	30 g	25	T125N	1.25 oz.	25
AW125N	1.25 oz.	25	LH125	1.25 oz.	25	ENO35	35 g	25	T150N	1.50 oz.	25
AW150N	1.50 oz.	25	LH150	1.50 oz.	25	ENO40	40 g	25	T175N	1.75 oz.	25
AW175N	1.75 oz.	25	LH175	1.75 oz.	25	ENO45	45 g	25	T200N	2.00 oz.	25
AW200N	2.00 oz.	25	LH200	2.00 oz.	25	ENO50	50 g	25	T225N	2.25 oz.	25
AW225N	2.25 oz.	25	LH225	2.25 oz.	25	ENO55	55 g	25	T250N	2.50 oz.	25
AW250N	2.50 oz.	25	LH250	2.50 oz.	25	ENO60	60 g	25	T275N	2.75 oz.	25
AW275N	2.75 oz.	25	LH275	2.75 oz.	25				T300N	3.00 oz.	25
AW300N	3.00 oz.	25	LH300	3.00 oz.	25						

## CWW155 - Lead Table-Top Assortment AS SEEN ON PAGE 25

The CWW155 lead wheel weight assortment is a comprehensive table-top clip-on wheel weight kit. Kit includes a total of 1,325 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
■ AW025N	0.25 oz.	25	■ LHO25	0.25 oz.	25	■ ENO10	10 g	25	■ TO25N	0.25 oz.	25
AW050N	0.50 oz.	25	LHO50	0.50 oz.	25	ENO15	15 g	25	TO50N	0.50 oz.	25
AW075N	0.75 oz.	25	LHO75	0.75 oz.	25	ENO20	20 g	25	TO75N	0.75 oz.	25
AW100N	1.00 oz.	25	LH100	1.00 oz.	25	ENO25	25 g	25	T100N	1.00 oz.	25
AW125N	1.25 oz.	25	LH125	1.25 oz.	25	ENO30	30 g	25	T125N	1.25 oz.	25
AW150N	1.50 oz.	25	LH150	1.50 oz.	25	ENO35	35 g	25	T150N	1.50 oz.	25
AW175N	1.75 oz.	25	LH175	1.75 oz.	25	ENO40	40 g	25	T175N	1.75 oz.	25
AW200N	2.00 oz.	25	LH200	2.00 oz.	25	■ FNO10	10 g	25	T200N	2.00 oz.	25
■ MCO25N	0.25 oz.	25	■ IAW010	10 g	25	FN015	15 g	25			
MC050N	0.50 oz.	25	IAW015	15 g	25	FN020	20 g	25			
MC075N	0.75 oz.	25	IAW020	20 g	25	FN025	25 g	25			
MC100N	1.00 oz.	25	IAW025	25 g	25	FN030	30 g	25			
MC125N	1.25 oz.	25	IAW030	30 g	25	FN035	35 g	25			
MC150N	1.50 oz.	25	IAW035	35 g	25	FN040	40 g	25			
MC175N	1.75 oz.	25	IAW040	40 g	25						
MC200N	2.00 oz.	25									

## Empty Rack Kits AS SEEN ON PAGE 25

Part No.	Size
CWW075E	Lead & non-lead full-size assortment empty kit (includes rack stand, application guide, wall chart and two rim gauges)
CWW155NLE	Non-lead table-top assortment empty kit (includes rack stand, application guide, wall chart and two rim gauges)
CWW155E	Lead table-top assortment empty kit (includes rack stand, application guide, wall chart and two rim gauges)