

DUCATI HYPERMOTARD 950 / SP '19 -

M O U N T I N G I N S T R U C T I O N S

REF 3634

WINDSHIELD NEW GENERATION SPORT



1 Person



25 min



EASY



ALLEN



N° 6
N° 3

| ID. | PART | DESCRIPTION | QTY. | REF.: |
|-----|------|--------------------------------|------|-----------------|
| 1 | | Screen | 1 | 3634F/H/N/WM3 |
| 2 | | Right metal support (R) | 1 | SOPOR2P2-R-3634 |
| 3 | | Left metal support (L) | 1 | SOPOR2P2-L-3634 |
| 4 | | Ø8,5x Ø13x 15 bush | 4 | CASQUI-M----614 |
| 5 | | DIN912 M8x45 screw | 4 | TORNI-AD912-508 |
| 6 | | M5 silentblock | 4 | SILENBTM5-046/1 |
| 7 | | M5x16 Ø11 ISO 7380 allen screw | 4 | TORNI-I7380-493 |
| 8 | | M5x1 nylon washer | 4 | ARNV0000000245 |
| 9 | | M5 ISO 7380 allen screw cap | 4 | TAPON-----85 |


DUCATI HYPERMOTARD 950 / SP '19 -

MOUNTING INSTRUCTIONS

1


DISASSEMBLY

A Original screw



2


ASSEMBLY



3


DISASSEMBLY

A Original screw



4

ASSEMBLY




DUCATI HYPERMOTARD 950 / SP '19 -

MOUNTING INSTRUCTIONS

5

ASSEMBLY



6

ASSEMBLY

