


## UNIVERSAL WINDSHIELD BAT MODEL

Ref.: 8088

ID.	DESCRIPTION	REF.	QTY.
1	Windshield	8088H1°FASE/W1°FASE/F1°FASE	1
2	M5 DIN982 Inox nut	TUERCA-D982-746	4
3	M5x13 phillips screw	TORNIP510---233	4
4	M5x20 DIN912 Inox screw	TORNI-AD912-464	4
5	Semi-clamp ball-joint nut	BRIROT01-I-PR16	2
5	Semi-clamp ball-joint screw	BRIROT02-I-PR16	2
6	Medium-spacer Ø22mm	CAS29-22-0-PR16	4
7	Medium-spacer Ø26mm	CAS29-26-0-PR16	4
8	M8x55 DIN912 Inox screw	TORNI-D912--631	2
9	M8 DIN985 nut	TUEA-D985.8-M8-	2
10	Rod guide	FIXVARLL-0-PR16	2
11	Front clamp handlebar	BRIDAANT-0-PR16	2
11	Rear clamp handlebar	BRIDAPOS-0-PR16	2
12	Rod Dim. 4x20mm Inox	VARILI4X20--576	2
13	Ball bearing set	CJROTULA-0-P200	2
13	Rod with ball bearing Dim. 9x200mm	VARILF9X200-591	2
14	Support set	CONJU-S3PCC-003	2
15	Rubber outer stop	TOPEE-VPGT--8/4	2
16	M8 DIN912 screw cap	TAPA--CHC11450E	2



# KAWASAKI

## ER-6N '12-'16 / Z650 '17-'19 / Z900 '17-'19 / Z1000 '14-'19

### M O U N T I N G I N S T R U C T I O N S

REF 10566

KIT FOR RAFALE / TREND / SHARK



1 Person



15 min




EASY

ALLEN

Nº 3  
Nº 5



PHILLIPS  
SCREWDRIVER



It would be convenient to re-tight the windshield screws, specially the ones that are fixed to the motorcycle, whenever you maintain the vehicle.  
Thanks for your attention.

ID	PART	DESCRIPTION	QTY	REF
1		Left support ( L )	1	SOPORT62-4L0062
2		Right support ( R )	1	SOPORT62-4R0062
3		Ø10 xØ6.5 x16mm Arrowhead	4	CASQU205-0-1505
4		M6x40 DIN912 Allen Screw	6	TORNIAD912-0058
5		M6 DIN9021 Washer	6	ARANDPD9021-037
6		M6 DIN6923 nut	2	TUERCAEM6G-0213
7		Coupling angle	2	FIXSOPOR-0-PR16
8		Nut cap	2	CAPERUTUM6-21/1

**KAWASAKI**  
**ER-6N '12-'16 / Z650 '17-'19 / Z900 '17-'19 / Z1000 '14-'19**

**MOUNTING INSTRUCTIONS**

**1**

**ASSEMBLY**

