





*RYAN DUNGEY
RED BULL KTM*



#1 HANDLEBAR IN RACING

184
USA TITLES

181
WORLD TITLES



Twinwall® Handlebars **6**

Fatbar® Handlebars **10**

7/8" Handlebars **14**

Handlebar Pads **18**

MX Rear Chainwheels **20**

MX Front Chainwheels **23**

Twinring™ Off-Road Rear
Chainwheels **24**

MX Chain **26**

MX Grips **28**

Gen2 Intellilever™ **32**

Moto Handguards **34**

RC-1 Brake Pads **35**

Sportbike Handlebars **38**

Sportbike Chainwheels **40**

Chainwheel Carriers **41**

Sportbike Grips **42**

Sportbike Clip-Ons **43**

Sportbike Chain **44**

ATV Handlebars **48**

ATV Chainwheels **49**

ATV Grips **50**

ATV Chain **51**

Race Teams **52**



**MOTOCROSS
OFF-ROAD**



CHAD REED JOSH GRANT
DISCOUNT TIRE RACING
TWO TWO MOTORSPORTS



BLACK



TANIUM



RED



BLUE



ORANGE



GREEN

JUSTIN BARCIA
TOYOTA YAMAHA JGRMX

TWIN WALL



TWINWALL[®]

Renthal's revolutionary Twinwall[®] handlebar is the world's strongest motocross handlebar produced. An oversized diameter, 1 1/8" (28.6mm) handlebar which utilizes two tubes, one within the other, borrows principles from aircraft design and gives the Twinwall[®] the best combination of strength, lightweight and safety. By utilizing two tubes throughout the handlebar, we are effectively increasing the wall thickness in the most highly stressed areas of the handlebar which increases its fatigue life.



*DAVI MILLSAPS
MONSTER ENERGY
KAWASAKI*



*TREY CANARD
TEAM HONDA*



*TYLER BOWERS
MONSTER ENERGY
PRO CIRCUIT KAWASAKI*



*1 1/8" HANDLEBAR
MOUNTS*

*JAMES STEWART
YOSHIMURA SUZUKI*

CNC Machined from 6082 T6 billet aluminum and black anodized with laser etched Renthal logo. The mounting bolts are special CNC machined hardened Nickel Chromoly steel with a machined relief to allow for bending of the bolt in the event of a hard fall. 1 1/8" mounts are meant to be a replacement for the stock 7/8" handlebar mounts and replicate the OEM bar position and height. Made to utilize the OEM rubber cones, replacement bolts available separately. Sold in pairs.



FATBAR®

The Renthal Fatbar® features a tapered outer wall resulting in a 1 1/8" (28.6mm) clamping diameter and 7/8" diameter at control ends. This profiled wall and brace-less design combines excellent strength with race proven flexibility. KTM and Suzuki have chosen the Renthal Fatbar® as the ultimate brace-less handlebar and have fit them as original equipment where this design is preferred within their range of motocross models.

*RYAN DUNGEY
RED BULL KTM*



FATBAR

A close-up photograph of a motorcycle's handlebars and fuel tank. The handlebars are black with a silver grip on the left side. A silver brake master cylinder is mounted on the handlebars. The fuel tank is black with a red and white graphic design. A red and white "VP Racing Fuels" logo is visible on the tank. The background is dark blue.

*COLE SEELY
TEAM HONDA*



MARVIN MUSQUIN
RED BULL KTM




JUSTIN HILL
RED BULL KTM



COLE SEELY
TEAM HONDA




DEAN WILSON
RED BULL KTM





7/8" HANDLEBARS

First introduced in 1969 as an upgrade to the stock steel handlebars which came on the off-road motorcycles of that era, the Renthal 7/8" (22.2mm) aluminum handlebar revolutionized the industry with far superior materials and innovative design. Our alloy handlebars offered more strength, more flex, more vibration dampening and improved rider comfort. Renthal aluminum handlebars quickly became the industry standard for decades to come. The highest quality materials, engineering and craftsmanship have allowed Renthal 7/8" handlebars to win more championships than any other handlebar in the world. At our UK manufacturing facility, we are constantly seeking more advanced materials and manufacturing methods which has resulted in a handlebar that is 20% stronger than any other 7/8" handlebar made. Renthal 7/8" handlebars have come as standard equipment on Honda's CR and CRF motocross bikes since 2004 and on Kawasaki's KX and KX-F motocross bikes since 2006.



BLACK

GOLD

BLUE

SILVER

TANIUM

GREY

RED

GREEN

SILVER/GOLD

SILVER/BLUE

SILVER/GREY

SILVER/RED

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

RENTHAL
RENTHAL

7/8" MINI HANDLEBARS



MINI 85cc
SILVER



8MINI 85cc
TANIUM



MINI 85cc
BLACK



MINI 85cc
ORANGE



MINI 85cc
GREEN



MINI 50cc
SILVER



MINI 50cc
BLACK



MINI 50cc
ORANGE

1 1/8" MINI HANDLEBARS



MINI 85cc
TWINWALL® BLACK



MINI 85cc
FATBAR® BLACK





SX PADS



RED



BLUE



BLACK



BLACK/RED



GREEN



ORANGE



YELLOW



WHITE/BLUE



WHITE/GREEN



WHITE/RED

TEAM ISSUE SX PADS



BLACK/WHITE/
GREEN



BLACK/GREEN/
RED



BLACK/WHITE/
YELLOW

BAR PADS



Renthal handlebar pads feature injection molded foam which offers better impact protection and increases the life span of the pad. Improved fit on the cross-brace helps decrease movement during use and offers better rider protection in the event of an impact.

FATBAR® PADS

MINI SX PADS

TEAM ISSUE FATBAR® PADS



RED



BLUE



BLACK



BLACK/RED



GREEN



ORANGE



YELLOW



RED



BLUE



BLACK



ORANGE



RED



BLUE



BLACK



BLACK/RED



ORANGE



WHITE/GREEN



BLACK/WHITE/
GREEN

TRIALS FATBAR® PAD



BLACK/RED

BLACK

RED

BLUE

ORANGE

SILVER

GREEN

CHAD REED
DISCOUNT TIRE RACING
TWO TWO MOTORSPORTS



REAR CHAINWHEELS

Renthal Ultralight™ Chainwheels are chosen by more Factory Motocross and Supercross teams than any other brand on the market. Our rear chainwheels are CNC machined to offer the greatest concentricity and optimum tooth profile for increased life and durability. Through the CNC machining process, we are able to create an extremely lightweight rear chainwheel which reduces revolving unsprung weight and increases the power transfer to the rear wheel.

FRONT CHAINWHEELS




ULTRALIGHT™ GROOVED



STANDARD GROOVED

Renthal front chainwheels are chosen by more Factory Motocross and Supercross teams than any other on the market. Case hardened and core refined 655M13 Nickel Chromium steel and precision CNC machined to extremely tight tolerances for maximum longevity. Our front chainwheels have mud grooves at each tooth and on both sides to help prevent dirt buildup. Certain models available in a computer aided Ultralight™ design to minimize weight and allow maximum power transfer to the real wheel.


JAKE WEIMER
TEAM TEDDY
MONSTER ENERGY
KAWASAKI




RYAN DUNGEY
RED BULL KTM



ARNOUD TONUS
MONSTER ENERGY PRO
CIRCUIT KAWASAKI



JESSY NELSON
TLD LUCAS OIL
RED BULL KTM





TREY CANARD
TEAM HONDA



TWINRING™ OFF-ROAD REAR CHAINWHEEL

Renthal's Twinring™ chainwheel is a long lasting and durable off-road chainwheel—developed over five years of extensive testing. The Renthal Twinring™ combines a specially enhanced 7075 T6 aluminum alloy center and an ultra high strength electroless nickel coated steel outer ring. By combining these two materials we have created a chainwheel that is lighter than steel but more durable than the traditional all aluminum chainwheel. Twinring™ chainwheels outlast standard aluminum chainwheels by at least three times. The unique flat face design keeps weight to a minimum and prevents fouling on the chain guide.

BLACK

RED

BLUE

ORANGE

SILVER

GREEN

TWINRING™



R1 WORKS CHAIN

A premium high strength 520 chain with excellent impact load resistance, designed specifically to withstand the stress found in off road applications. This chain is the choice where a combination of high strength, lightweight and maximum power transfer are important considerations.



R3-2 O-RING CHAIN

A premium high strength sealed ring chain with excellent impact load resistance designed specifically to withstand the stress found in off-road applications where an o-ring chain is desired. This chain is the choice where a combination of high strength, lightweight and maximum power transfer are important considerations. The nitrile o-rings help extend chain life by retaining the special vacuum injected grease near the critical pin area.





MX/OFF-ROAD CHAIN

Renthal chain is only available in the highest grade possible. The best materials and manufacturing processes are used to offer the ultimate chain in each category, perfectly matched with Renthal chainwheels for maximum efficiency and longevity.

CHAIN LUBE

Renthal chain lube is 100% lubricant, zero propellant. The all-new formula is specially designed to penetrate all parts of the chain. The high film strength and stable viscosity, across a range of temperatures, gives superb adhesion and anti-fling properties. The all-condition lube is compatible with all o-ring and non o-ring chains.



MX GRIPS

KEVLAR® GRIPS—THE MOST ADVANCED GRIP AVAILABLE

Renthal is the first and only manufacturer to offer a motocross grip with the added benefits of Kevlar® moulded in. This specially reinforced grip with Kevlar® resin particles offers a very soft feeling grip, but also a very long wearing grip. It lasts more than 3 times longer than our standard soft grip. The base material contains millions of randomly aligned Kevlar® resin particles, which, as the grip wears through use, more and more of are exposed at the grip surface.



DUAL COMPOUND
KEVLAR®



TAPERED DUAL
COMPOUND KEVLAR®

*BLAKE BAGGETT
YOSHIMURA SUZUKI*



DUAL COMPOUND—SOFT AND DURABLE

Renthal dual compound grips combine the durability of Renthal firm compound grips with the feel and vibration absorption qualities of Renthal soft grips. A firm compound is used for the flange, inner sleeve and outer end of the grip for maximum durability. A soft compound is used for the outer layer of the grip which is in direct contact with the palm, fingers and thumb for improved feel.

HALF WAFFLE



BLACK



RED



BLUE



ORANGE


FULL WAFFLE




BLACK




BLACK



RED



BLUE



ORANGE

TAPERED DUAL COMPOUND GRIPS

In addition to all the benefits of our standard dual compound grip, the tapered grip features an oversized thumb diameter which tapers down to our regular size at the ends. This tapered fit more closely mirrors the contours of a closed fist to offer maximum comfort and reduced rider fatigue. Because of its slightly larger diameter, this grip is also good for those with larger hands.

MX GRIPS

SINGLE COMPOUND GRIPS

Renthal single compound grips have been used by more motocross and off-road champions throughout the world than any other grip for over 20 years. Available in 3 different patterns and 3 different advanced rubber compounds from soft, medium to firm, there is a grip to suit every need. Each grip offers a different level of strength, tackiness and shock absorption to suit a variety of riding conditions and individual style.



SINGLE COMPOUND
HALF WAFFLE

KAILUB RUSSELL
FMF KTM

GRIP GLUE

A highly developed grip glue specially formulated to provide a secure bond without damaging the grip. It's a must when mounting Renthal soft grips. 25ml per tube.



QUICK BOND GRIP GLUE

A specially formulated, rapid cure, liquid glue that securely bonds Renthal grips to all handlebars. Suitable for all push-on style handlebar grips.





RED



BLUE



GREY



GRIP DONUTZ

Place on the flange of the grip to help prevent blistering. Made of soft 4mm neoprene. Sold in pairs.

CLEAN GRIP

Keeps grips clean while the bike is being worked on. Made from Nylon and utilizes a Velcro® closure. Sold in pairs.

SINGLE COMPOUND GRIPS

FULL DIAMOND

HALF WAFFLE

FULL WAFFLE



SOFT



SOFT



SOFT



MEDIUM



MEDIUM



MEDIUM



FIRM



FIRM



FIRM

GRIP GUIDE	TACKINESS	STRENGTH	ABSORPTION	DURABILITY
SOFT	★★★★★	★	★★★★★	★
MEDIUM	★★★★	★★★	★★★★	★★★
FIRM	★★★	★★★★★	★★★	★★★★★
KEVLAR® DUAL COMPOUND	★★★★★	★★★★★	★★★★★	★★★★★



GEN2 INTELLILEVER™

GEN2 INTELLILEVER™ CLUTCH LEVER ASSEMBLY AND FRONT BRAKE LEVER

In 2007, Renthal launched the first truly unbreakable lever with its ground breaking Intellilever.™ The Intellilever is a revolutionary lever design which incorporates a joint which can allow the lever to dislocate during a crash, then easily pop back in place. The design of the lever joint allows it to dislocate in a full 270 degrees of motion in any direction, not just up and down like many others on the market.





UNBREAKABLE FRONT BRAKE LEVER

Manufactured using the same principles as our clutch lever, the Intellilever™ brake lever is able to pivot 90° both up and down as well as 90° forward and all angles in between in the event of a crash preventing the lever blade from breaking. The brake lever is used with the OE master cylinder and offers similar reach adjustment to the stock lever.

GEN2 INTELLILEVER

Light overall weight – Through judicious use of our CNC machines, we are able to achieve a lightweight and sleeker design, making the Intellilever the lightest lever of its kind on the market.

Slim, ergonomic lever blade – The forged lever blade increases strength and reducing weight over non-forged levers.

CNC machined clutch perch – The clutch perch is fully CNC machined from billet to increase strength while reducing overall weight. The perch is black anodized and includes laser etched torque specs for ease of maintenance along with OE style hardware.

Oversized CNC machined cable adjuster – The on-the-fly cable adjuster has an easy to use shape while riding and large detents in the adjustment increments for a positive feel during adjustment.

Lever reach adjustment – Lever reach can be easily adjusted while mounted on the bike via a small allen bolt in the perch. This allows for a more personalized fit.

Optional Hot Start available separately

RL1 WORKS CLUTCH PERCH

The RL1 Works Perch is a lightweight lever assembly engineered for extreme durability and smooth operating action. Designed and created from a passion for providing championship winning riders the tools required to succeed. Bringing together the work of Renthal's world class engineering team along with feedback from the come of the worlds best motocross teams, the RL1 Works Perch is the ultimate in rider control.



DIRECTFIT™ INTELLILEVER™ CLUTCH LEVERS

These clutch levers are designed to mount directly into the OEM clutch perch, saving the consumer a considerable amount of money over the complete clutch perch assembly. Another benefit is that the leverage ratio for each model will be matched exactly to the OEM lever. This means there will be no adverse affects to the clutch life or actuation. The release of the DirectFit Intellilever allows us to provide fitments for the hydraulic clutch equipped KTM models.

Fits OEM clutch perch

Lever utilizes OEM leverage ratio

Light overall weight

Slim ergonomic lever blade

Updated lever pivot joint

Includes new lever shroud





Renthal's moto handguards are designed to protect your hands against roost in a sleek and simple design. Ultra lightweight, these guards won't interfere with your controls and provide excellent protection against rocks and roost. Multiple mounting positions for both the bracket and shield offer greater adjustability during fitment. Each set of moto handguards comes standard with black graphics and additional red and blue sticker graphics.

MOTO HANDGUARDS



REPLACEMENT STICKER KITS

Personalize your Moto Handguards with these optional sticker kits. Printed on ultra-thick 16 mil vinyl.



RED

BLUE

GREEN

ORANGE

YELLOW



RC-1 BRAKE PADS

SINTERED BRAKING TECHNOLOGY.

Renthal RC-1 Works Brake Pads are a premium high performance sintered metal brake pad with excellent wet and dry braking power. Designed specifically for motocross and off-road racing applications, they are the first choice where maximum stopping power, progressive feel, no brake fade and quick bed in time are important considerations.



JAKE GAGNE
ROADRACE FACTORY
YAMAHA





*SPORTBIKE
ROADRACE*

SPORTBIKE HANDLEBARS

7/8" ROAD AND STREETFIGHTER HANDLEBAR

Renthal road handlebars are a 7/8" (22.2mm) diameter handlebar which utilizes the same materials and manufacturing process as our championship winning motocross handlebars. For road use only, these bars come without a crossbrace and are available in 5 non-model specific bends to suit a wide range of motorcycles and riders. The Streetfighter bend (789-02) is the only model which comes with a crossbrace and bar pad already installed.

ROAD HANDLEBARS

GOLD

SILVER

BLUE

TANIUM

RED

STREETFIGHTER HANDLEBARS

GOLD

BLACK

SILVER

BLUE

RED



ALLOY SPORTBIKE BAR ENDS

Machined from 2011 T3 aluminum and anodized in a variety of colors, each bar end set comes with an extra sleeve for mounting in either aluminum (14mm ID) or steel (18mm ID) handlebars. Sold in pairs and easily mounted internally with an expanding slip fit. Lightweight design (not intended as a bar end weight for vibration dampening)

ROAD HANDLEBAR BRACE SET

Designed to be used exclusively with Renthal 7/8" road handlebars, these crossbrace sets are machined from 2013 T3 aluminum alloy and anodized in a variety of colours. Not for off-road use.



SPORTBIKE CHAINWHEELS

HARD ANODIZED ALUMINUM FOR INCREASED LONGEVITY

Renthal Ultralight™ sportbike and road race rear chainwheels are manufactured from a specially enhanced high strength 7075 T6 aluminum alloy to give a good combination of strength and weight reduction. The chainwheels are CNC machined which ensures a perfect fit and concentricity and hard anodized for increased wear resistance. Hard anodizing is an integral surface coating which significantly increases the hardness and wear resistance of the chainwheel surface.

FRONT CHAINWHEELS

ULTRALIGHT™

THE FINEST FRONT CHAINWHEELS

Renthal sportbike chainwheels are case hardened and core refined 655M13 Nickel Chromium steel and precision CNC machined to extremely tight tolerances for maximum longevity. Most models available in a computer aided Ultralight™ design to minimize weight and allow maximum power transfer to the real wheel.

STANDARD





SHANE BYRNE
RAPID SOLICITORS
KAWASAKI



FIVE HOLE
DESIGN

DUCATI CARRIER

DUCATI CHAINWHEEL CARRIER

The Renthall Ducati chainwheel carrier is a direct bolt on replacement for the one piece OEM carrier/sprocket and allows for easy rear sprocket changes without removal of the rear wheel. Additionally it is CNC machined from 6082 T6 aluminum which is 66% lighter than steel which reduces revolving un-sprung weight. When used in conjunction with the Renthall hard anodized chainwheel the weight saving is just over one pound, which will provide greater transfer of power to the rear wheel.



SIX HOLE
DESIGN

SPORTBIKE GRIPS



KEVLAR® DUAL COMPOUND

SPORTBIKE GRIPS WITH KEVLAR® BRAND RESIN

Renthal is the first and only manufacturer to offer a road grip with the added benefits of Kevlar® moulded in. This specially reinforced grip with Kevlar® resin particles offers a very soft feeling grip, but also a very long wearing grip. This grip will last more than 3 times longer than our standard soft grip. The base material contains millions of randomly aligned Kevlar® resin particles, which, as the grip wears through use, more and more of are exposed at the grip surface.



DUAL COMPOUND

DUAL COMPOUND SPORTBIKE GRIPS

Renthal dual compound road grips combine the durability of Renthal firm compound grips with the feel and vibration absorption qualities of Renthal soft grips. A firm compound is used for the flange, inner sleeve and outer end of the grip for maximum durability. A soft compound is used for the outer layer of the grip which is in direct contact with the palm, fingers and thumb for improved feel.

GRIP GLUE

A highly developed grip glue specially formulated to provide a secure bond without damaging the grip. It's a must when mounting Renthal soft grips. 25ml per tube.



QUICK BOND GRIP GLUE

A specially formulated, rapid cure, liquid glue that securely bonds Renthal grips to all handlebars. Suitable for all push-on style handlebar grips.



BENNY SOLIS



SPORTBIKE CLIP-ONS

SPORTBIKE CLIP-ONS

Renthal sportbike clip-ons are a premium race spec part that was developed with the help of the Kawasaki World Superbike Racing Team. Machined from billet aluminum, each set comes complete with bar tubes made from the same 7010 aluminum as Renthal's legendary motocross handlebars. The bar tubes and the clamp are laseretched with a positioning grid for precise handlebar set up.

SINGLE COMPOUND SPORTBIKE GRIPS

Available in 3 different advanced rubber compounds from soft, medium to firm. Each grip offers a different level of tackiness to suit a variety of riding conditions and individual style.



SINGLE COMPOUND



SOFT

MEDIUM

FIRM



SPORTBIKE CHAIN

SPORTBIKE AND ROAD RACE CHAIN

Renthal's R4 SRS™ sportbike and RR4 SRS™ Road Race chains are specially developed sealed ring chains utilizing Renthal's Self Regulating Seal (SRS) technology to increase the service life of the chain in road and road racing applications. The special SRS ring is pre-loaded during assembly creating a spring effect. As the chain wears, conventional o-rings and x-rings lose their seal, however the SRS ring has the ability to unload itself during use keeping a tighter seal against the side plates. This offers increased longevity as the specially formulated grease remains trapped around the critical pin and bushing area longer, while also keeping dirt, water and other contaminants out.



R4 SRS™ ROAD CHAIN

A premium high strength sportbike chain, with excellent durability designed to replace your OE chain. The R4 chain is available in 520, 525 and 530 chain pitch.



RR4 SRS™ ROAD RACE CHAIN

A highly specialized lightweight 520 sealed ring chain developed exclusively for superbike racing applications where a combination of lightweight and durability are a must. This chain utilizes Renthal's Self Regulating Seal (SRS™) technology to increase service life in racing applications.



CHAIN LUBE

Renthal chain lube is 100% lubricant, zero propellant.

The all-new formula is specially designed to penetrate all parts of the chain. The high film strength and stable viscosity, across a range of temperatures, gives superb adhesion and anti-fling properties. The all-condition lube is compatible with all o-ring and non o-ring chains.





*SPORT
ATV*





*CHAD WIENER
WIENER MOTORSPORTS
YAMAHA*

ATV HANDLEBARS

7/8" ATV HANDLEBAR

The highest quality materials, engineering and craftsmanship have allowed Renthal 7/8" handlebars to win more championships than any other handlebar in the world. At our UK manufacturing facility we are constantly seeking more advanced materials and manufacturing methods which has resulted in a handlebar that is 20% stronger than any other 7/8" handlebar made.



FATBAR



FATBAR® 1 1-8" ATV HANDLEBAR

The Renthal Fatbar® features a tapered outer wall resulting in a 1 1/8" (28.6mm) clamping diameter and 7/8" diameter at control ends. This profiled wall and brace-less design combines excellent strength with race proven flexibility. Kawasaki has chosen to equip all its new KFX450Rs with Renthal Fatbars®

KAWASAKI KFX450R



ULTRALIGHT™ GROOVED



FRONT ATV CHAINWHEELS

Case hardened and core refined 655M13 Nickel Chromium steel and precision CNC machined to extremely tight tolerances for maximum longevity. Our front chainwheels have mud grooves at each tooth and on both sides to help prevent dirt buildup. Certain models available in a computer aided Ultralight™ design to minimize weight and allow maximum power transfer to the real wheels.



STANDARD GROOVED

ATV CHAINWHEELS

REAR ULTRALIGHT ATV CHAINWHEELS

Our rear chainwheels are CNC machined to offer the greatest concentricity and optimum tooth profile for increased life and durability. Through the CNC machining process, we are able to create an extremely lightweight rear chainwheel which reduces revolving unsprung weight and increases the power transfer to the rear wheels.



ATV GRIPS

KEVLAR® ATV GRIPS

Renthal is the first and only manufacturer to offer a ATV grip with the added benefits of Kevlar® molded in. This specially reinforced grip with Kevlar® resin particles offers a very soft feeling grip, but also a very long wearing grip. This grip will last more than 3 times longer than our standard soft grip. The base material contains millions of randomly aligned Kevlar® resin particles, which, as the grip wears through use, more and more of are exposed at the grip surface.




CHAD WIENEN
WIENEN MOTORSPORTS
YAMAHA

DUAL COMPOUND

DUAL COMPOUND ATV GRIPS

Renthal dual compound grips combine the durability of Renthal firm compound grips with the feel and vibration absorption qualities of Renthal soft grips. A firm compound is used for the flange, inner sleeve and outer end of the grip for maximum durability. A soft compound is used for the outer layer of the grip which is in direct contact with the palm, fingers and thumb for improved feel.



SINGLE COMPOUND ATV GRIPS

Available in 2 different patterns and 3 different advanced rubber compounds from soft, medium to firm, there is a grip to suit every need. Each grip offers a different level of strength, tackiness and shock absorption to suit a variety of riding conditions and individual style.

FULL DIAMOND



HALF WAFFLE



GRIP GLUE

A highly developed grip glue specially formulated to provide a secure bond without damaging the grip. It's a must when mounting Renthal soft grips. 25ml per tube.



ATV CHAIN



RENTHAL
CHAIN



R4 ATV Z-RING CHAIN

A premium high strength z-ring chain with excellent impact load resistance, designed specifically to withstand the stress found in ATV applications. The R4 chain features a heavier-duty construction process and materials than our standard R3-2 o-ring chain which increases its service life and tensile strength. The patented "spring effect" z-rings guarantee constant lubrication for longer life and pins manufactured from a special alloy steel help contribute to better resistance from wear. Thicker side plates and a quad riveting process round out the upgrades to this chain.

QUICK BOND GRIP GLUE

A specially formulated, rapid cure, liquid glue that securely bonds Renthal grips to all handlebars. Suitable for all push-on style handlebar grips.



CHAIN LUBE

Renthal chain lube is 100% lubricant, zero propellant. The all-new formula is specially designed to penetrate all parts of the chain. The high film strength and stable viscosity, across a range of temperatures, gives superb adhesion and anti-fling properties. The all-condition lube is compatible with all o-ring and non o-ring chains.



