

MATERIAL SAFETY DATA SHEET



Section 1: Product & Company Identification

Product Name: Super White™ Multi-Purpose Grease
Product Number (s): SL3150-SL3159, SL3360-SL3361

Section 2: Composition/Information on Ingredients

Component	CAS NUMBER	ACGIH TLV	OSHA PEL	OTHER LIMITS	%
Naphthenic Oil	64742-52-5	NE	NE	NE	70-100
Zinc Oxide	1314-13-2	2 mg/m ³	5 mg/m ³	5 mg/m ³	<5
Titanium Dioxide	13463-67-7	10 mg/m ³	10 mg/m ³	NE	<5
Lithium Soap	7620-77-1	NE	NE	NE	<5

Section 3: Hazards Identification

Emergency Overview

Appearance & Odor: White, semi-solid to solid grease with a faint petroleum odor.

Potential Health Effects:

- Inhalation: Exposure to oil mists or fumes, which may be generated when heated or burned, may irritate the nose, throat and upper respiratory tract.
- Eyes: Irritation
- Skin: Irritation and drying
- Ingestion: Stomach ache and vomiting; aspiration hazard

Carcinogenicity: OSHA: No IARC: No NTP: No
Chronic Overexposure: Unknown
Medical Conditions Aggravated by Exposure: Pre-existing skin and pre-respiratory conditions.

Section 4: First Aid Measures

- Inhalation: Remove to fresh air. Give artificial respiration if necessary.
- Eyes: Flush with large amounts of water for 15 minutes.
- Skin: Remove contaminated clothing and wash area with soap and water.
- Ingestion: Call a physician. Do not induce vomiting.

Product Name: Super White™ Multi-Purpose Grease
Product Number (s): SL3150-SL3360, SL9320-SL9329

Section 5: Fire-Fighting Measures

Flashpoint: >300°F Method: COC LEL: ND UEL: ND
Extinguishing Media: Carbon dioxide, dry chemical, sand and foam
Hazardous Combustion Products: CO₂ and carbon monoxide
Fire-fighting Instructions: Remove containers from fire area if possible. Use self-contained breathing apparatus for fire fighting.

NFPA: Health: 1 Flammability: 1 Reactivity: 0
HMIS: Health: 1 Flammability: 1 Reactivity: 0 PPE: B

Section 6: Accidental Release Measures

Spill/Leak Procedures: Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

Section 7: Handling and Storage

Handling Procedures: Avoid breathing vapors; use proper ventilation. Keep lid closed when not in use. Wash hands after use.

Storage Procedures: Store in a cool, dry area. Store away from strong acids and oxidizers. Keep out of reach of children.

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

Section 9: Physical & Chemical Properties

Physical State:	Semi-solid to solid	Appearance & Odor:	White grease with a faint petroleum odor.
Specific Gravity:	0.90 @ 60 °F	Boiling Point:	ND
Freezing Point:	ND	Vapor Pressure:	<0.01 mmHg @ 68 °F
Evaporation Rate:	<0.01	Vapor Density (air = 1)	> 5
pH:	NA	Solubility:	Insoluble in water
Volatile Organic Compounds:%:	ND	g/L: ND	lbs./gal: ND

Product Name: Super White™ Multi-Purpose Grease
Product Number (s): SL3150-SL3360, SL9320-SL9329

Section 10: Stability and Reactivity

Stability: Stable Hazardous Polymerization: No
Chemical Incompatibilities: Strong oxidizers, acids
Conditions to Avoid: None known
Hazardous Decomposition Products: None

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

Section 12: Ecological Information

Ecotoxicity: No data available.
Environmental Fate: No data available for biodegradation.

Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

Section 14: Transportation Information

Shipping Name: Not Regulated
Hazard Class: NA UN Number: NA Packing Group: NA
Label: NA Placard: NA
Special Provisions: NA

Section 15: Regulatory Information

TSCA: All components are either listed under TSCA or are exempt.
SARA Title III: Section 311/312: NA
Section 313*: Zinc Oxide (Zinc compounds)
CERCLA/Superfund (RQ): NA
Extremely Hazardous Substances: No
California Prop 65: No

* See section 2 for percentage

Product Name: Super White™ Multi-Purpose Grease

Product Number (s): SL3150-SL3360, SL9320-SL9329

Section 16: Additional Information

Prepared By: Michelle Milburn Date: December 17, 2003

Technical Information: (800) 521-3168 CRC #: SL3150

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service

ppm: Parts per Million

TCC: Tag Closed Cup

LEL: Lower Explosive Limit

UEL: Upper Explosive Limit

PPE: Personal Protection Equipment

COC: Cleveland Closed Cup

NA: Not Applicable

ND: Not Determined

NE: Not Established

g/L: grams per Liter

lbs./gal: pounds per gallon

RQ: Reportable Quantity

TOC: Tag Open Cup